

Pliki .tpl

scripts/basket/index.tpl

```
57
58
59                 <tfoot>
- 60                 <tr class="recount">
+ 60                 <tr class="recount" data-recount="{if $recount}true{else}false{/if}">
61                     <td colspan="{if $showDelivery}2{else}3{/if}" />
62                     <td colspan="2" class="button">
63                         <input type="hidden" name="recount" value="1" />
```

scripts/basket/step3.tpl

```
87                 <p>{if $data.name2}{$data.name2|escape} {/if}{if $data.surname2}{$data.surname2|escape}{/i
f}</p>{/if}
88                 {if $data.coname2}<p>{$data.coname2|escape}</p>{/if}
89                 {if $data.nip2}<p>{translate key='Tax ID': {$data.nip2|escape}</p>{/if}
- 90                 {if $data.street2}<p>{$data.street2|escape}</p>{/if}
+ 90                 {if $data.other_address2}<p>{$data.other_address2|escape}</p>{/if}
91                 {if $data.zip2 || $data.city2
92                 }<p>{if $data.zip2}{$data.zip2|escape}, {/if}{if $data.city2}{$data.city2|escape}{/if}</p>{
/if}
93                 {if $data.country2}<p>{country code=$data.country2}</p>{/if}

102                 <p>{if $data.name}{$data.name|escape} {/if}{if $data.surname}{$data.surname|escape}{/if}</p>{/
if}
103                 {if $data.coname}<p>{$data.coname|escape}</p>{/if}
104                 {if $data.nip}<p>{translate key='Tax ID': {$data.nip|escape}</p>{/if}
- 105                 {if $data.street}<p>{$data.street|escape}</p>{/if}
+ 105                 {if $data.other_address}<p>{$data.other_address2|escape}</p>{/if}
106                 {if $data.zip || $data.city
107                 }<p>{if $data.zip}{$data.zip|escape}, {/if}{if $data.city}{$data.city|escape}{/if}</p>{/if}
108                 {if $data.pesel}<p>{translate key='Personal Identification Number': {$data.pesel|escape}</p>{/if}
```

scripts/news/files.tpl

```
14                 <div class="leftside"></div>
```

```

15         {foreach from=$article->files item=file name=list}
16             <div class="articlefile" id="file{$file->file_id}">
- 17                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name}</a>
- 18                 <p>{$file->description}</p>
+ 17                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name|escape
} </a>
+ 18                 <p>{$file->description|escape}</p>
19             </div>
20         {/foreach}
21     <div class="rightside"></div>

```

scripts/news/index.tpl

```

52         {foreach from=$article->categories item=category name=listCat}
53             {if $smarty.foreach.listCat.index == 0}
54                 {capture assign="articleCategories"}
- 55                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category
->getIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 55                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category
->getIdentifier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
56                 {/capture}
57             {else}
58                 {capture append="articleCategories"}
- 59                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category
->getIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 59                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category
->getIdentifier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
60                 {/capture}
61             {/if}
62         {/foreach}
63         {if $articleCategories|is_array}
64             {assign var="articleCategories" value=', '|implode:$articleCategories}
65         {/if}
- 66         {if $article->article->author}
- 67             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$article
Date|cat:'</span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$a
rticle->article->author|cat:'</span>'}
+ 66
+ 67             {assign var="articleAuthor" value=$article->article->author|escape}
+ 68             {if $articleAuthor}
+ 69             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$article
Date|cat:'</span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$a
rticleAuthor|cat:'</span>'}
70             {else}
71             {translate key="Added: %s in category: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'<
/span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>'}
72             {/if}

```

```

86         {if $article->tags|count > 0}
87         <ul class="article_tags">

```

```

88         {foreach from=$article->tags item=tag name=listTag}
- 89         <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name}</a></li>
+ 89         <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name|escape}</a></li>
90     }/foreach}
91     </ul>
92 }/if}

```

scripts/news/listofarticles.tpl

```

34         {foreach from=$article->categories item=category name=listCat}
35             {if $smarty.foreach.listCat.index == 0}
36                 {capture assign="articleCategories"}
- 37                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$
category->getIdentifier() categoryName=$category->category->name}">#{$category->category->name}</a>
+ 37                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$
category->getIdentifier() categoryName=$category->category->name}">#{$category->category->name|escape}</a>
38             }/capture}
39             {else}
40                 {capture append="articleCategories"}
- 41                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$
category->getIdentifier() categoryName=$category->category->name}">#{$category->category->name}</a>
+ 41                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$
category->getIdentifier() categoryName=$category->category->name}">#{$category->category->name|escape}</a>
42             }/capture}
43         }/if}
44     }/foreach}
45     {if $articleCategories|is_array}
46         {assign var="articleCategories" value=', '|implode:$articleCategories}
47     }/if}
- 48     {if $article->article->author}
- 49         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:
$articleDate|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">
'|cat:$article->article->author|cat:'</span>'}
+ 48
+ 49         {assign var="articleAuthor" value=$article->article->author|escape}
+ 50         {if $articleAuthor}
+ 51         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:
$articleDate|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">
'|cat:$articleAuthor|cat:'</span>'}
52     }else}
53     {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDat
e|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
54 }/if}

```

scripts/panel/favourites.tpl

```

66         {if $product->availability && $product->availability->translation}
67             {if $product->availability->availability->photo}
68                  {/if}
- 69             }{$product->availability->translation->name}

```

```

+ 69      }}{$product->availability->translation->name|escape}
70      {else}
71      -
72      {/if}

```

```

86      <span>{translate key='cancel notify'}</span>
87      </a>
88      {else}
- 89      <a data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{
product->stock->stock_id}" data-product-name="{ $product->translation->name}" title="{translate key="notify of product availability"}" cl
ass="btn-notifier availability-notifier-btn">
+ 89      <a data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{
product->stock->stock_id}" data-product-name="{ $product->translation->name|escape}" title="{translate key="notify of product availabilit
y"}" class="btn-notifier availability-notifier-btn">
90      <span>{translate key='notify of product availability'}</span>
91      </a>
92      {/if}

```

scripts/product/index.tpl

```

123      <dt class="availability">{translate key="Availability"}:</dt>
124      <dd class="availability">{if $product->defaultStock->availability->availability->photo}
125      
{/if}
- 126      }}{$product->defaultStock->availability->translation->name}
+ 126      }}{$product->defaultStock->availability->translation->name|escape}
127      </dd>
128      {/if}
129

```

```

267      {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabil
ityNotifyByUser()}
268      <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
269      <div class="button_wrap">
- 270      <a class="availability-notifier-btn btn btn-red" data-is-logged="{if tr
ue == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-product-id="{ $product->product->
product_id}" data-product-name="{ $product->translation->name}">
+ 270      <a class="availability-notifier-btn btn btn-red" data-is-logged="{if tr
ue == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-product-id="{ $product->product->
product_id}" data-product-name="{ $product->translation->name|escape}">
271      
272      <span>{translate key="Notify of product availability"}</span>
273      </a>

```

```

515      <span>{translate key="Cancel notify"}</span>
516      </a>

```

```
517         {else}
- 518         <a class="availability-notifier-btn btn-notifier" data-is-logged="{if true == $user_log
ged}true{else}false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->product->product_id}"
data-product-name="{rproduct->translation->name}">
+ 518         <a class="availability-notifier-btn btn-notifier" data-is-logged="{if true == $user_log
ged}true{else}false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->product->product_id}"
data-product-name="{rproduct->translation->name|escape}">
519         <span>{translate key="Notify of product availability"}</span>
520         </a>
521     {/if}
```

```
695     <script type="text/javascript" src="//assets.pinterest.com/js/pinit.js"></script>
696     {/if}
697
- 698
+ 698     { $snippet_product }
699 </body>
700 </html>
```

scripts/product/list.tpl

```
155
156 {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
kinFooterGroup,Logic_SkinFooterLink'}
157 {plugin module=shop template=footer}
- 158
+ 158 { $snippet_product_list }
159 </body>
160 </html>
```

scripts/product/tableofproducts.tpl

```
61         <span>{translate key="Cancel notify"}</span>
62     </a>
63
- 64     <a class="availability-notifier-btn btn-notifier{if $availabilityNotifyUser
} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{product->defaultStock->getIdentifier()}" da
ta-product-id="{product->product->product_id}" data-product-name="{product->translation->name}">
+ 64     <a class="availability-notifier-btn btn-notifier{if $availabilityNotifyUser
} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{product->defaultStock->getIdentifier()}" da
ta-product-id="{product->product->product_id}" data-product-name="{product->translation->name|escape}">
65         <span>{translate key="Notify of product availability"}</span>
66     </a>
67 </div>
```

```
176         <span>{translate key="Cancel notify"}</span>
177     </a>
178
```

```
- 179         <a class="availability-notifier-btn btn-notifier{if $availabilityNotify
User} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}"
" data-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 179         <a class="availability-notifier-btn btn-notifier{if $availabilityNotify
User} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}"
" data-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name|escape}">
180         <span>{translate key="Notify of product availability"}</span>
181         </a>
182     </div>
```

Pliki .css

Pliki .less