

Pliki .tpl

boxes/Banner/box.tpl

```
20         </object>
21         <![endif]-->
22         {else}
- 23         <a href="{route key='banner' bannerId=$banner->getIdentifier()}" title="{ $banner->banner->name|escape}" class="bann
er{if 1 == (int) $banner->banner->blank} popup{/if}">
+ 23         <a {if 1 == (int) $banner->banner->blank}target="_blank"/>{if} href="{route key='banner' bannerId=$banner->getIdenti
fier()}" title="{ $banner->banner->name|escape}" class="banner">
24         banner->name|escape}" width="{ $banner->banner->width|es
cape}" height="{ $banner->banner->height|escape}" />
25         </a>
26     {/if}
```

boxes/Basket/box.tpl

```
3         <span>{ $boxNs->$box_id->title|escape}</span>
4         </div>
5         <div class="innerbox">
- 6         <div class="arrow"><a href="{route key='basket'}" title="{translate key='Basket'}" rel="nofollow"><img src=
"{baseDir}/public/images/1px.gif" alt="" class="px1"></a></div>
+ 6         <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow"></a></div>
7         {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}
- 8         <p class="products"><span>{translate key="products":}</span> <em>{ $user->basket->countProducts()}</em></p>
- 9         <p class="sum"><span>{translate key="value":}</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>
- 10        <p class="basket"><a href="{route key='basket'}" title="{translate key='Basket'}" rel="nofollow">{translate
key="go to the basket"}</a></p>
+ 8         <p class="products"><span>{translate key="products":}</span> <em>{ $user->basket->countProducts()}</em></p>
+ 9         <p class="sum"><span>{translate key="value":}</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>
+ 10        <p class="basket"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow">{translate k
ey="go to cart"}</a></p>
11        </div>
12    </div>
```

boxes/Bestsellers/box.tpl

```

68                                     {/if}
69                                     <button class="addtobasket btn btn-red" type="submit">
70                                     
- 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to the basket"}}{/if}</span>
+ 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}}{/if}</span>
72                                     </button>
73                                     </fieldset>
74                                     </form>

```

boxes/Currencies/box.tpl

```

- 1  {php} $helper = $this->tpl_vars['helper']; {/php}
2      <div class="box" id="box_currencies">
3          <div class="boxhead">
4              <span>{$boxNs->$box_id->title|escape}</span>

6              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
7              {switch expr=$boxNs->$box_id->format}
8                  {case expr=1}
- 9                  <label class="singleselect" for="box_currencies_select">{translate key="Select currency"}</label>
+ 9                  <label class="singleselect" for="box_currencies_select">{translate key="Select a currency"}</label>
10                  <select class="singleselect gotourl" id="box_currencies_select">
11                      {foreach from=$boxNs->$box_id->list item=desc key=cur}
12                          <option{if $cur == $boxNs->$box_id->currency} selected="selected"{/if}
- 13                          } value="{php} echo $helper->url(); {/php}?currency={$cur|escape}">{$desc|escape}</option>
+ 13                          } value="{url}?currency={$cur|escape}">{$desc|escape}</option>
14                      {/foreach}
15                  </select>
16                  {/case}

18                  <ul class="listwithicons">
19                      {foreach from=$boxNs->$box_id->list item=desc key=cur}
20                      <li{if $cur == $boxNs->$box_id->currency} class="selected"{/if}
- 21                      }><a href="{php} echo $helper->url(); {/php}?currency={$cur|escape}" title="{ $desc|escape}" class="
{$cur|escape}">
+ 21                      }><a href="{url}?currency={$cur|escape}" title="{ $desc|escape}" class="{ $cur|escape}">
22                          <!--  -->
23                          <span>{$desc|escape}</span>
24                      </a>

```

boxes/Custom/box.tpl

```

- 1  <div class="box box_custom" id="{if $boxNs->$box_id->css}{$boxNs->$box_id->css|escape}{else}box_custom{$box_id|esca
pe}}{/if}">
+ 1  <div class="box resetcss box_custom" id="{if $boxNs->$box_id->css}{$boxNs->$box_id->css|escape}{else}box_custom{$bo

```

	<code>x_id escape}{/if}"></code>
2	<code>{if 1 == \$boxNs->\$box_id->border}</code>
3	<code>{if \$boxNs->\$box_id->title}</code>
4	<code><div class="boxhead"></code>

boxes/Filter/box.tpl

```

1  {if count($filter_groups)}
- 2      <div class="box {if 1 == $filter_counter}foldable{/if}" id="box_filter">
- 3          <div class="boxhead">
- 4              <span>{$boxNs->$box_id->title|escape}</span>
- 5          </div>
- 6          <div class="innerbox f-row">
- 7              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 8              {foreach from=$filter_groups item=group name=list}
- 9                  {if count($group.items) || ($boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' ==
$group.provider)}}
- 10                      {math equation="x / y" x=12 y=$filter_groups|@count assign="filterCounter"}
- 11                      <div class="group f-grid-6" id="filter_{$group.id}">
- 12                          <h5 class="{if 0 == $smarty.foreach.list.index}first{/if} {if $group.headselected}selected{/if}">
- 13                              {if $group.headlink}<a href="{ $group.headlink|escape}" title="">{/if}
- 14                                  {$group.name|escape}
- 15                              {if $group.headlink}</a>{/if}
- 16                          </h5>
- 17                          <ul class="{if !$group.full}foldable{/if}">
- 18                              {foreach from=$group.items item=item}
- 19                                  {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
- 20                                      <li class="{if $item.active}selected fa fa-times{/if}{if $item.indent} indent{/if}" id=
"filter_{$item.id}">
- 21                                          <a class="spanhover" title="{ $item.name}" href="{if $item.active}{$item.link_remove
}}{else}{if $filter_type == 1 || !$item.link_add}{$item.link_solo}{else}{$item.link_add}{/if}{/if}">
- 22                                              
- 23                                              {if $item.html}
- 24                                                  {$item.html}
- 25                                              {else}
- 26                                                  {if $item.color}
- 27                                                      <span>{$item.color|escape}</span>
- 28                                                  {else}
- 29                                                      <span>{$item.name|escape}</span>
- 30                                                  {/if}
- 31                                              {/if}
- 32                                              {if isset($item.counter)}
- 33                                                  <em>({ $item.counter})</em>
- 34                                              {/if}
- 35                                          </a>
- 36                                      </li>
+ 2      <div class="box {if 1 == $filter_counter}foldable{/if}" id="box_filter">
+ 3          <div class="boxhead">
+ 4              <span>
+ 5                  {$boxNs->$box_id->title|escape}

```

```

+ 6         </span>
+ 7     </div>
+ 8
+ 9     <div class="innerbox f-row">
+ 10         {if $boxNs->$box_id->text}
+ 11         <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
+ 12         {/if}
+ 13
+ 14         {foreach from=$filter_groups item=group name=list}
+ 15             {if count($group.items) || ($boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider)}
+ 16             <div class="group f-grid-6" id="filter_{$group.id}">
+ 17                 <h5 class="{if $group.headselected}selected{/if}">
+ 18                     {if $group.headlink}<a href="{ $group.headlink|escape}" title="">{/if}
+ 19                         {$group.name|escape}
+ 20                     {if $group.headlink}</a>{/if}
+ 21                 </h5>
+ 22                 <ul class="{if !$group.full}foldable{/if}">
+ 23                     {foreach from=$group.items item=item}
+ 24                         {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
+ 25                         <li class="{if $item.active}selected fa fa-times{/if}{if $item.indent} indent{/if}">
+ 26                             <a title="{ $item.name}" href="{if $item.active}{$item.link_remove}{else}{if $filter_type == 1 |
| !$item.link_add}{$item.link_solo}{else}{$item.link_add}{/if}{/if}">
+ 27                                 
+ 28                                 {if $item.html}
+ 29                                     {$item.html}
+ 30                                 {else}
+ 31                                     {if $item.color}
+ 32                                         <span>{$item.color|escape}</span>
+ 33                                     {else}
+ 34                                         <span>{$item.name|escape}</span>
+ 35                                     {/if}
+ 36                                 {/if}
+ 37                             {/foreach}
+ 38                             {if $boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider}
+ 39                                 <li class="priceinput">
+ 40                                     <span class="fromto">{translate key='from'}</span> <input type="text" id="filterprice1"
+ 41                                     value="" class="short"><br>
+ 42                                     <span class="fromto">{translate key='to'}</span> <input type="text" id="filterprice2" v
+ 43                                     alue="" class="short">
+ 44                                     <div class="bottombuttons">
+ 45                                         <button class="btn" type="button" id="filterprice">
+ 46                                             
+ 47                                             <span>{translate key='Filter'}</span>
+ 48                                         </button>
+ 49                                     </div>
+ 50                                 </li>
+ 51                             {/if}
+ 52                         </ul>
+ 53                     </div>

```

```

+ 4      {if isset($item.counter)}
+ 5      <em>({$item.counter})</em>
+ 6      {/if}
+ 7      </a>
+ 8      </li>
+ 9      {/if}
+ 10     {/foreach}
- 11     </div>
+ 7      {if $boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider}
+ 8      <li class="priceinput">
+ 9          <span class="fromto">
+ 10             {translate key='from'}
+ 11         </span>
+ 12         <input type="text" id="filterprice1" value="" class="short"><br>
+ 13     <span class="fromto">
+ 14         {translate key='to'}
+ 15     </span>
+ 16     <input type="text" id="filterprice2" value="" class="short">
+ 17 </div class="bottombuttons">
+ 18     <button class="btn" type="button" id="filterprice">
+ 19         
+ 20         <span>{translate key='Filter'}</span>
+ 21     </button>
+ 22 </div>
+ 23 </li>
+ 24 {/if}
+ 25 </ul>
+ 26 </div>
- 29 <script type="text/javascript">
- 30     try {literal}{{/literal}} Shop.values.PriceFilterFrom = '{ $boxNs->$box_id->pricefilter_from}'; Shop.values.Price
FilterFromTo = '{ $boxNs->$box_id->pricefilter_fromto}'; Shop.values.PriceFilterTo = '{ $boxNs->$box_id->pricefilter_to}'; {literal}{{/lit
eral}} catch(e) {literal}{{/literal}}
- 31 </script>
+ 9     {/if}
+ 10 {/foreach}
+ 11 </div>
+ 12 </div>
+ 13 <script type="text/javascript">
+ 14     try {literal}{{/literal}} Shop.values.PriceFilterFrom = '{ $boxNs->$box_id->pricefilter_from}'; Shop.values.PriceFilterFromTo = '
{ $boxNs->$box_id->pricefilter_fromto}'; Shop.values.PriceFilterTo = '{ $boxNs->$box_id->pricefilter_to}'; {literal}{{/literal}} catch(e) {
literal}{{/literal}}
+ 15 </script>
+ 16 {/if}

```

boxes/FreeShipping/box.tpl

```

+ 8 <div class="arrow"></div>
+ 9 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

10         {if 0 == $user->basket->count()}
- 11         {translate key='You may qualify for free shipping (%s) if your order is %s or over.' p1=$fs->shipping->
name currency1=$fs->shipping->free_shipping format=true}
+ 11         {translate key='Free shipping (%s) on orders of %s and more.' p1=$fs->shipping->name currency1=$fs->shi
pping->free_shipping format=true}
12     {else}
13     {assign var=freeshipping_sum value=$user->basket->sumProducts()}
14     {if $freeshipping_sum > $fs->shipping->free_shipping}
- 15     {translate key='Your order is over %s, you qualify for free shipping (%s).' currency1=$fs->shipping
->free_shipping p1=$fs->shipping->name format=true}
+ 15     {translate key='Order higher than %s - you get a free shipping (%s).' currency1=$fs->shipping->free
_shipping p1=$fs->shipping->name format=true}
16     {elseif $freeshipping_sum == $fs->shipping->free_shipping}
- 17     {translate key='Your order is %s, you qualify for free shipping (%s).' currency1=$fs->shipping->fre
e_shipping p1=$fs->shipping->name format=true}
+ 17     {translate key='Order for %s - you get a free shipping (%s).' currency1=$fs->shipping->free_shippin
g p1=$fs->shipping->name format=true}
18     {else}
19     {assign var=freeshipping_sum_left value=$fs->shipping->free_shipping-$freeshipping_sum}
- 20     {translate key='Add %s more to your order to qualify for free shipping (%s).' currency1=$freeshippi
ng_sum_left p1=$fs->shipping->name format=true}
+ 20     {translate key='You need another %s for free shipping (%s).' currency1=$freeshipping_sum_left p1=$f
s->shipping->name format=true}
21     {/if}
22     {/if}
23 </div>

```

boxes/LanguageList/box.tpl

```

6         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
7         {switch expr=$boxNs->$box_id->format}
8         {case expr=1}
- 9         <label class="singleselect" for="box_languages_select">{translate key="Select language"}</label>
+ 9         <label class="singleselect" for="box_languages_select">{translate key="Select a language"}</label>
10         <select class="singleselect gotourl" id="box_languages_select">
11             {foreach from=$boxNs->$box_id->list item=language}
12             <option{if $language->name == $boxNs->$box_id->language} selected="selected"{/if} value="{ $language->ur
l}">{$language->title|escape}</option>

```

boxes/Login/box.tpl

```

17         <div class="row">
18             <button type="submit" class="btn login">
19                 
- 20                 <span>{translate key="Log in"}</span>
+ 20                 <span>{translate key="Sign in"}</span>
21             </button>
22         </div>
23         <a href="{ $boxNs->$box_id->passlink}" class="remind row">
24             

```

```

- 25      <span>{translate key="Don't remember your password?"}</span>
- 26      </a>
- 27      <a href="{ $boxNs->$box_id->reglink}" class="register row">
- 28          
- 29      <span>{translate key="Register."}</span>
+ 25      <span>{translate key="Forgot your password?"}</span>
26      </a>
+ 27      {if $enable_register}
+ 28      <a href="{ $boxNs->$box_id->reglink}" class="register row">
+ 29          
+ 30      <span>{translate key="Create an account"}</span>
+ 31      </a>
+ 32      {/if}
33      </fieldset>
34      </form>
35      {else}

```

```

38      
39      <span>{translate key="My account"}</span>
40      </a>
- 41      <a href="{route key='logout'}" title="Log out" class="logout btn row">
+ 41      <a href="{route key='logout'}" title="Sign out" class="logout btn row">
42          
- 43      <span>{translate key="Log out"}</span>
+ 43      <span>{translate key="Sign out"}</span>
44      </a>
45      {/if}
46      </div>

```

boxes/Menu/box.tpl

```

10      <ul class="folded">
11      {/if}
12      { $boxNs->$box_id->list}
- 13      {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
tle="{translate key='News link'}" class="novelties">{translate key="News l
ink"}</a></li>{/if}
- 14      {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Promotions link'}" class="promo">{translate
key="Promotions link"}</a></li>{/if}
+ 13      {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
tle="{translate key='New products'}" class="novelties">{translate key="New
products"}</a></li>{/if}
+ 14      {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Products on sale'}" class="promo">{translate
key="Products on sale"}</a></li>{/if}
15      </ul>
16      </div>
17      </div>

```

boxes/NewProducts/box.tpl

```
68                                     {/if}
69                                     <button class="addtobasket btn btn-red" type="submit">
70                                         
- 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to the basket"}{/if}</span>
+ 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
72                                     </button>
73                                     </fieldset>
74                                     </form>
```

boxes/News/box.tpl

```
- 1                                     <div class="box" id="box_articlelistsmall">
- 2                                     <div class="boxhead">
- 3                                     <span>{$boxNs->$box_id->title|escape}</span>
- 4                                     </div>
- 5                                     <div class="innerbox">
- 6                                         {if $boxNs->$box_id->text}
- 7                                             <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
- 8                                         {/if}
- 9                                     <article class="article-small row">
- 10                                         {foreach from=$boxNs->$box_id->list item=box_article name=list}
- 11                                             <h5 class="article_name row">
- 12                                                 {if $box_article->article->content|strlen > 0}
- 13                                                 <a href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier()}">
- 14                                                     <span class="article_name_spa
n">{$box_article->article->name|escape}</span>
- 15                                                     </a>
- 16                                                 {else}
- 17                                                     <span class="article_name_spa
n">{$box_article->article->name|escape}</span>
- 18                                                     {/if}
- 19                                                 </h5>
- 20                                                 <span class="article_date">{date value=$box_article->article->date format='Zend_Date::DATE_MEDIUM'}{if
$box_article->article->author, {$box_article->article->author|escape}}{/if}</hspan>
- 21                                                 {if 2 == $boxNs->$box_id->format}
- 22                                                 <div class="resetcss">{$box_article->article->short_content}</div>
- 23                                                 {/if}
- 24                                                 {if $box_article->article->content|strlen > 0 && $box_article->article->short_content != $box_article->
article->content}
- 25                                                 <div class="row">
- 26                                                 <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_arti
cle->getIdentifier()}">{translate key="more"}</a>
- 27                                                 </div>
```

```

- 28         {/if}
- 29     </article>
- 30     {/foreach}
- 31 </div>
+ 1     {if $boxNs->$box_id->list|@count}
+ 2         <div class="box" id="box_articlelistsmall">
+ 3             <div class="boxhead">
+ 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 5             </div>
+ 6             <div class="innerbox">
+ 7                 {if $boxNs->$box_id->text}
+ 8                     <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
+ 9                 {/if}
+ 10                {foreach from=$boxNs->$box_id->list item=box_article name=list}
+ 11                    <article class="article-small row">
+ 12                        <h5 class="article_name row">
+ 13                            {if $box_article->article->content|strlen > 0}
+ 14                                <a href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier() news
Name=$box_article->article->name newsYear="Y"|date:$box_article->articleTimestamp newsMonth="m"|date:$box_article->articleTimestamp news
Day="d"|date:$box_article->articleTimestamp}">
+ 15                                    <span class="article_name_span">{$box_art
icle->article->name|escape}</span>
+ 16                                </a>
+ 17                                {else}
+ 18                                    <span class="article_name_span">{$box_article
->article->name|escape}</span>
+ 19                                {/if}
+ 20                            </h5>
+ 21                            <div class="article-info">
+ 22                                {date value=$box_article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 23                                {if $box_article->article->author, {$box_article->article->author|escape}}{/if}
+ 24                            </div>
+ 25                            {if 2 == $boxNs->$box_id->format}
+ 26                                <div class="resetcss">{$box_article->article->short_content}</div>
+ 27                            {/if}
+ 28                            {if $box_article->article->content|strlen > 0 && $box_article->article->short_content != $box_article->article->con
tent}
+ 29                                <div class="row">
+ 30                                    <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->get
Identifier()}">{translate key="read more"} &raquo;</a>
+ 31                                </div>
+ 32                            {/if}
+ 33                        </article>
+ 34                    {/foreach}
+ 35                </div>
+ 36            </div>
+ 37        {/if}

```

```

+ 1 <div class="box" id="box_article_calendar">
+ 2 <div class="boxhead">
+ 3 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 </div>
+ 5 <div class="innerbox">
+ 6 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 7 <table class="calendar">
+ 8 <thead>
+ 9 <tr>
+ 10 <td>{dayOfWeek value=0}</td>
+ 11 <td>{dayOfWeek value=1}</td>
+ 12 <td>{dayOfWeek value=2}</td>
+ 13 <td>{dayOfWeek value=3}</td>
+ 14 <td>{dayOfWeek value=4}</td>
+ 15 <td>{dayOfWeek value=5}</td>
+ 16 <td>{dayOfWeek value=6}</td>
+ 17 </tr>
+ 18 </thead>
+ 19 <tbody>
+ 20 <tr>
+ 21 {dynamic}
+ 22 {assign var="dayOfWeek" value=$boxNs->$box_id->dayOfWeek}
+ 23 {assign var="days" value=$boxNs->$box_id->days->toArray()}
+ 24
+ 25 {if $boxNs->$box_id->dayOfWeek > 0}
+ 26 <td colspan="{dayOfWeek}"></td>
+ 27 {/if}
+ 28
+ 29 {section name=list start=1 loop=$boxNs->$box_id->numberDays}
+ 30 {if $dayOfWeek == 7}
+ 31 {assign var="dayOfWeek" value="0"}
+ 32 </tr><tr>
+ 33 {/if}
+ 34 <td {if $smarty.section.list.index|in_array:$days} class="focused"{/if}>
+ 35 {if $smarty.section.list.index|in_array:$days}
+ 36 <a href="{route function='newsListDate' key=' ' newsYear=$boxNs->$box_id->year newsMonth=$boxNs->$box_id->month newsDay=$smarty.section.list.index}">{$smarty.section.list.index}</a>
+ 37 {else}
+ 38 {$smarty.section.list.index}
+ 39 {/if}
+ 40 </td>
+ 41 {assign var="dayOfWeek" value=$dayOfWeek+1}
+ 42 {/section}
+ 43
+ 44 {if $dayOfWeek != 7}
+ 45 <td colspan="{7 - $dayOfWeek}"></td>
+ 46 {/if}
+ 47 {/dynamic}
+ 48 </tr>
+ 49 </tbody>

```

```

+ 50         </table>
+ 51     }
+ 52     {dynamic}
+ 53     <nav class="calendar-nav">
+ 54         <a class="calendar-nav-prev" href="{route function='newsListDate' key=' ' newsYear=$boxNs->$box_id->prevYear newsMonth=$
boxNs->$box_id->prevMonth}">&laquo; {date value=$boxNs->$box_id->prevTime format='MMM yyyy'}</a>
+ 55         {if $boxNs->$box_id->nextYear}
+ 56         <a class="calendar-nav-next" href="{route function='newsListDate' key=' ' newsYear=$boxNs->$box_id->nextYear newsMon
th=$boxNs->$box_id->nextMonth}">{date value=$boxNs->$box_id->nextTime format='MMM yyyy'} &raquo;</a>
+ 57     {/if}
+ 58     </nav>
+ 59     {/dynamic}
+ 60 </div>
+ 61 </div>

```

boxes/NewsCategories/box.tpl

```

+ 1  {if $boxNs->$box_id->list|@count}
+ 2      <div class="box" id="box_article_categories">
+ 3          <div class="boxhead">
+ 4              <span>{$boxNs->$box_id->title|escape}</span>
+ 5          </div>
+ 6          <div class="innerbox">
+ 7              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 8              <ul class="standard">
+ 9                  {foreach from=$boxNs->$box_id->list item=category}
+ 10                     {assign var='id' value=$category->category->category_id}
+ 11                     <li id="news_category_{ $category->category->category_id}">
+ 12                         <a href="{ $boxNs->$box_id->cat_links->$id}">{$category->category->name|escape}</a>
+ 13                     {if $boxNs->$box_id->counter}
+ 14                         <em>({ $category->news|count})</em>
+ 15                     {/if}
+ 16                 </li>
+ 17             {/foreach}
+ 18         </ul>
+ 19     </div>
+ 20 </div>
+ 21 {/if}

```

boxes/NewsTagCloud/box.tpl

```

+ 1  {if $boxNs->$box_id->tagCloud->getItemList()|count}
+ 2      <div class="box" id="box_article_tagcloud">
+ 3          <div class="boxhead">
+ 4              <span>{$boxNs->$box_id->title|escape}</span>
+ 5          </div>
+ 6          <div class="innerbox">
+ 7              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 8              {$boxNs->$box_id->tagCloud}

```

```
+ 9      </div>
+ 10    </div>
+ 11  {/if}
```

boxes/Newsletter/box.tpl

```
7      <form action="{route key='newsletterSign' full=true ssl=true}" method="post">
8      <fieldset>
9          {include file='formantisipam.tpl'}
- 10      <input type="text" name="email" value="" placeholder="wpisz adres e-mail" class="newsletter-input"
- 11      >
+ 10      <input type="text" name="email" value="" placeholder="{translate key='Enter your e-mail address'}"
+ 11      class="newsletter-input">
12      <button type="submit" class="btn btn-red">
13      
14      <span>{translate key='Subscribe'}</span>
```

boxes/Polls/box.tpl

```
36      </dd>
37      {/foreach}
38      </dl>
- 39      pe}</div>
+ 39      <div class="votecount row">{translate key="Total votes"}: {$boxNs->$box_id->poll->totalVotes()}|escape}</div
+ 40      >
41      {/if}
42      </div>
43      </div>
```

boxes/Pricelist/box.tpl

```
11      <ul class="icons">
12      {if 1 == $boxNs->$box_id->html}
13      <li class="html">
- 14      <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Price list in HTML format'
- 15      }" class=" html">
+ 14      <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}"
+ 15      " class=" html">
16      
17      <span>{translate key="HTML"}</span>
18      </a>
```

```
19      {/if}
20      {if 1 == $boxNs->$box_id->xls}
21      <li class="excel">
- 22      <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Price list in Excel for
- 23      mat'}" class=" excel">
```

```

+ 22      <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel form
at'}" class=" excel">
23          
24          <span>{translate key="XLS"}</span>
25      </a>

```

```

32      <ul class="listwithicons">
33          {if 1 == $boxNs->$box_id->html}
34          <li class="html">
- 35      <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Price list in HTML format'
}" class=" html">
+ 35      <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}
" class=" html">
36          
37          <span>{translate key="HTML"}</span>
38      </a>

```

```

40      {/if}
41      {if 1 == $boxNs->$box_id->xls}
42      <li class="excel">
- 43      <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Price list in Excel format'
}" class=" excel">
+ 43      <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel format'}
" class=" excel">
44          
45          <span>{translate key="Excel"}</span>
46      </a>

```

boxes/Producers/box.tpl

```

4      </div>
5      <div class="innerbox">
6          {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}
- 7      <label class="singleselect" for="box_producers_select">{translate key="Select manufacturer"}</label>
+ 7      <label class="singleselect" for="box_producers_select">{translate key="Select vendor"}</label>
8      <div class="producers_wrap">
9          {dynamic}
10         <select class="singleselect gotourl" id="box_producers_select">
11         {/dynamic}
- 12         <option label="wybierz" value=""></option>
+ 12         <option label="{translate key="choose"}" value=""></option>
13         {foreach from=$boxNs->$box_id->list item=producer}
- 14         {assign var='id' value=$producer->manufacturer->producer_id}
- 15         <option value="{ $boxNs->$box_id->prod_links->$id}">{ $producer->manufacturer->name|escape}</option>
+ 14         {assign var='id' value=$producer->manufacturer->producer_id}
+ 15         <option value="{ $boxNs->$box_id->prod_links->$id}">{ $producer->manufacturer->name|escape}</opti
on>
16     {/foreach}

```

```
17         </select>
18     </div>
```

boxes/ProductFilter/box.tpl

```
1     {if true == $boxNs->$box_id->show_me}
- 2     {php}$helper = $this->_tpl_vars['helper'];{/php}
3         <div class="box" id="box_productfilter">
4             <div class="boxhead">
5                 <span>{$boxNs->$box_id->title|escape} {$boxNs
->$box_id->layout_type}</span>
6             </div>
7             <div class="innerbox">
8                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 9                 <form class="formprotect" method="post" action="{php} echo $helper->url();{/php}">
+ 8                 <form class="formprotect" method="post" action="{url}">
9                     <fieldset>
10                         {include file='formantispam.tpl'}
11                         <input type="hidden" name="ProductFilter" value="1" >
12                         <div class="pricegroup">
13                             {strip}
- 14                             <span class="pricelabel">{translate key='Price:'}</span>
+ 14                             <span class="pricelabel">{translate key='Price':}</span>
15                             <div class="shaded_inputwrap pricefrom">
16                                 <input type="text" name="pricefrom" value="{ $productfilter_from|escape}" class="shaded_text
short" >
17                             </div>
```

```
24
25         {if count($boxNs->$box_id->producers) > 0}
26         <div class="producergroup">
- 27             <label for="selectproducer" class="producer">{translate key='Manufacturer:'}</label>
+ 27             <label for="selectproducer" class="producer">{translate key='Vendor':}</label>
28             <select name="producer" id="selectproducer">
29                 <option></option>
30                 {foreach from=$boxNs->$box_id->producers item=producer}
```

```
37
38         <div class="promogroup">
39             <input type="checkbox" value="1" name="promotion" id="filter_promotion" {if 1 == $productfilter
_promotion} checked="checked"{/if}>
- 40             <label for="filter_promotion">{translate key="Only products in promotion"}</label>
+ 40             <label for="filter_promotion">{translate key="Only On Sale products"}</label>
41         </div>
42
43         <div class="buttons row">
```

boxes/ProductOfTheDay/box.tpl

```
62                                     {/if}
63                                     <button class="addtobasket btn btn-red" type="submit">
64                                     
- 65                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 65                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
66                                     </button>
67                                     </fieldset>
68                                 </form>
```

boxes/Recent/box.tpl

```
62                                     {/if}
63                                     <button class="addtobasket btn btn-red" type="submit">
64                                     
- 65                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the basket"}{/if
}</span>
+ 65                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</spa
n>
66                                     </button>
67                                     </fieldset>
68                                 </form>
```

boxes/Search/box.tpl

```
7                                     <form action="{route key='search'}" method="post">
8                                     <fieldset>
9                                     {include file='formantispam.tpl'}
- 10                                     <input type="text" name="search" placeholder="{translate key='search in the shop...'}" value="" cla
ss="search-input">
+ 10                                     <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" cl
ass="search-input">
11                                     <button class="btn btn-red" type="submit">
12                                     
13                                     <span>{translate key='Search'}</span>
14                                     </button>
15                                     {if 1 == $boxNs->$box_id->extended}
- 16                                     <a href="{route key='search'}" title="{translate key='Go to advanced product search'}">{translate k
ey="advanced search"}</a>
+ 16                                     <a class="advanced-search" href="{route key='search'}" title="{translate key='Go to advanced search
'}">{translate key="advanced search"}</a>
17                                     {/if}
18                                     </fieldset>
19                                 </form>
```

boxes/Slider/box.tpl

```

- 1      {if count($boxNs->$box_id->images)}
+ 1      {if $boxNs->$box_id->force_show || count($boxNs->$box_id->images)}
2          <div class="box box-slider" id="box_slider{if $boxNs->$box_id->is_custom}_{$box_id|escape}{/if}">
3              <div data-max-img-width="{ $boxNs->$box_id->width}" data-slider-duration="{ $boxNs->$box_id->duration|escape}" data-slider-delay=
"$boxNs->$box_id->delay|escape}" data-slider-animation-type="{ $boxNs->$box_id->animation|escape}" data-slider-auto="{if $boxNs->$box_id
->auto}true{else}false{/if}" data-slider-nav-type="{ $boxNs->$box_id->bullets}" class="pageslider row">
4                  <ul class="slides"{if $boxNs->$box_id->height > 0} style="height: { $boxNs->$box_id->height}px;"{/if}>
5                      {assign var="images" value=$boxNs->$box_id->images}
- 6                      {if $boxNs->$box_id->random}
- 7                      {php}
- 8                      $this->_tpl_vars['images'] = iterator_to_array($this->_tpl_vars['images']);
- 9                      shuffle($this->_tpl_vars['images']);
- 10                     {/php}
- 11                     {/if}
- 12
13                     {foreach from=$images item=slide}
14                         {if $slide->active == '1'}
15                             <li id="sh-slide-{$slide->id}" data-bg-size-s="{ $slide->bg->size1|escape}" data-bg-size-e="{ $slide->bg->size2|e
scape}" data-image="{ $slide->bg->src|escape}" data-color-start="{ $slide->bg->color1}" data-color-end="{ $slide->bg->color2}" data-href="{
$slide->href|escape}" data-orientation="{ $slide->bg->orientation|escape}">
16                                 {if $slide->img->src}
17                                     <a class="slider-img" href="{ $slide->href|escape}" title="{ $slide->name}">
- 18                                         <img data-align="{ $slide->img->pos}" data-animation="{ $slide->img->anim}" data-duration="{ $slide->i
mg->time}" src="{imageUrl type='boxesGfx' image=$slide->img->src}" alt="{ $slide->name}" alt="{ $slide->name}" />
+ 11                                         <img data-align="{ $slide->img->pos}" data-animation="{ $slide->img->anim}" data-duration="{ $slide->i
mg->time}" src="{imageUrl type='boxesGfx' image=$slide->img->src}" alt="{ $slide->name}" />
12                                     </a>
13                                 {/if}
14                             </li>

```

boxes/SpecialOffer/box.tpl

```

62                                     {/if}
63                                     <button class="addtobasket btn btn-red" type="submit">
64                                         
- 65                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 65                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
66                                     </button>
67                                 </fieldset>
68                             </form>

```

scripts/basket/address.tpl

```

83                                     </div>
84
85                                     <div class="client-address">
- 86                                         <h4 class="separator">{translate key='Address'}</h4>

```

```

+ 86      <h4 class="separator">{translate key='Address details'}</h4>
87      <table class="address">
88          <tbody>
89              {if 'user' == $mode && $user->user && count($user->user->addresses) > 0}

```

```

268      <tbody>
269      <tr>
270          <td class="label">
- 271      <label for="comment">{translate key='Comments'}</label>
+ 271      <label for="comment">{translate key='Notes'}</label>
272          </td>
273          <td class="input" colspan="2">
274              <div class="shaded_textareawrap">

```

scripts/basket/index.tpl

```

26      <div class="boxhead">
27          <h3>
28              
- 29      {translate key='Contents of your basket'}
+ 29      {translate key='Contents of your cart'}
30          </h3>
31      </div>
32

```

```

39      <td class="large img"></td>
40      <td class="name">{translate key="Product"}</td>
41      {if $showDelivery}
- 42      <td class="rwd-hide-medium time">{translate key="Order delivery date"}</td>
+ 42      <td class="rwd-hide-medium time">{translate key="Dispatched within"}</td>
43      {/if}
44      <td class="quantity">{translate key="Quantity"}</td>
45      <td class="rwd-hide-small price">{translate key="Price"}</td>

```

```

69      <td class="rwd-hide-small price">{currency value=$basket_product->getPrice()}</td>
70      <td class="sum"><em class="color">{currency value=$basket_product->getPriceForAll()}
    </em></td>
71      <td class="actions">
- 72      <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}"
    title="{translate key='Remove product from your basket'}" class="prodremove">
+ 72      <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}"
    title="{translate key='Remove product from cart'}" class="prodremove">
73          
74
75          <i class="fa fa-times"></i>

```

```

84         <div class="delivery-container">
85             <div class="deliverycountry{if count($shipping_countries) < 2} none{/if}">
86                 <span colspan="3" class="desc">
- 87                     <em>{translate key="Shipping country:"}</em>
+ 87                     <em>{translate key="Shipping country"}:</em>
88                 </span>
89                 <span colspan="3" class="select">
90                     <select name="shipping_country">

96                 <span class="actions"></span>
97             </div>
98
- 99             <h5>{translate key="Shipping method:"}</h5>
+ 99             <h5>{translate key="Shipping method"}:</h5>
100
101             {foreach from=$shippings item=shipping name=list}
102                 <div class="delivery{if $shipping_id == (int) $shipping->getIdentifier()} selected{/if}>
{if 0 == $smarty.foreach.list.index} first{/if}</div>

117
118         <div class="payment-container">
119             <h5>
- 120                 {translate key="Payment method:"}
+ 120                 {translate key="Payment method"}:
121             </h5>
122
123             {foreach from=$payments item=payment name=list}

127                 <input type="radio" name="payment_id" id="payment_{ $payment->getIdentifier(
128             )}" value="{ $payment->getIdentifier()}" {if $payment_id == (int) $payment->getIdentifier()}checked="checked" {/if}/>
129                 <label for="payment_{ $payment->getIdentifier()}"></label>
- 130                 <label for="payment_{ $payment->getIdentifier()}">{ $payment->translation->title|
escape}</label>
- 131                 if 'zagieli' == $payment->payment->name && $sum >= 100}
- 132                 {plugin module=shop template=basket-zagieli}
- 133                 {/if}{
- 134                 if 'lukas' == $payment->payment->name && $sum >= 500}
- 135                 {plugin module=shop template=basket-lukas}
- 136                 {/if}</label>
- 137                 <span class="description">{ $payment->translation->description|escape}</span>
+ 130                 <label for="payment_{ $payment->getIdentifier()}">
+ 131                     { $payment->translation->title|escape}
+ 132                 </label>
+ 133                 <span class="description">
+ 134                     { $payment->translation->description|escape}
+ 135                     {plugin module=shop template=basket-payment-list payment=$payment sum=$sum}

```

+ 136	
137	
138	
139	
150	<label for="promocodeshow"></label>
151	
152	
- 153	<label for="promocodeshow">{translate key="I have discount coupon"}</label>
+ 153	<label for="promocodeshow">{translate key="I have a discount coupon code"}</label>
154	
155	
156	{if true == \$promocode_error ! \$promocode}
196	{translate key='Calculate'}
197	</button>
198	
- 199	{translate key="Total:"}
+ 199	{translate key="Total":}
200	
201	<em class="color">{currency value=\$user->basket->sumProducts(false)}
202	
205	
206	<div class="deliveryhead">
207	
- 208	{translate key="Cost of delivery:"}
+ 208	{translate key="Shipping cost":}
209	
210	<em class="color">
211	
213	
214	<div class="sum">
215	
- 216	{translate key="Amount to be paid:"}
+ 216	{translate key="To pay":}
217	
218	
219	{currency value=\$sum}
223	{if \$loyalty_points}
224	<div class="loyalty_points">
225	

```

- 226 {translate key="You earn %s%s points" p1='<span class="points">' p2=$loyalty_
points p3='</span>'}
+ 226 {translate key="You gain %s%s points" p1='<span class="points">' p2=$loyalty_
points p3='</span>'}
227 </span>
228 </div>
229 {/if}

239 <span class="forward">
240 <button type="submit" class="important order btn btn-red" name="button2" value="button2
">
241 
- 242 <span>{translate key='Make order'}</span>
+ 242 <span>{translate key='Order now'}</span>
243 </button>
244 </span>
245 </div>

249 </div>
250 {else}
251 <div class="alert-info alert">
- 252 <p>{translate key="Your basket is empty."}</p>
+ 252 <p>{translate key="Your cart is empty."}</p>
253 </div>
254 {/if}
255

```

scripts/basket/step2.tpl

```

24 <div class="box" id="box_basketstep2">
25 <div class="basket-step-border">
26 <div class="innerbox f-row">
- 27 <div class="register {if $allow_single}f-grid-4{else}f-grid-6{/if}">
- 28 <h3>
- 29 
- 30 {translate key="I don't have an account"}
- 31 </h3>
- 32
- 33 <p>{translate key='Set up an account to take advantage of benefits for regular customers:'}</p>
- 34 <ul>
- 35 <li>{translate key='view the progress of order fulfillment and your shopping history'}</li>
- 36 <li>{translate key='no need to enter your details while shopping next time'}</li>
- 37 <li>{translate key='opportunity to get discounts and promotional coupons'}</li>
- 38 {if $loyalty_order_gives_points}
- 39 <li>{translate key='placing an order will give you loyalty points'}</li>
- 40 {/if}
- 41 </ul>
- 42

```

```

- 43         <form action="{route key='basketRegister'}" method="get" class="register">
- 44             <fieldset>
- 45                 <button class="btn btn-red important register" type="submit">
- 46                     
- 47                     <span>{translate key='Register'}</span>
- 48                 </button>
- 49             </fieldset>
- 50         </form>
- 51     </div>
+ 27         {if $enable_register}
+ 28         <div class="register {if $allow_single}f-grid-4{else}f-grid-6{/if}">
+ 29             <h3>
+ 30                 
+ 31                 {translate key="I do not have an account yet"}
+ 32             </h3>
+ 33
+ 34             <p>{translate key='Sign up to take advantage of the privileges for returning customers'}:</p>
+ 35             <ul>
+ 36                 <li>{translate key='view the order status and purchase history'}</li>
+ 37                 <li>{translate key='no need to enter your data for next purchases'}</li>
+ 38                 <li>{translate key='possibility to receive discounts and discount codes'}</li>
+ 39                 {if $loyalty_order_gives_points}
+ 40                 <li>{translate key='you can collect loyalty points for your shopping'}</li>
+ 41                 {/if}
+ 42             </ul>
+ 43
+ 44             <form action="{route key='basketRegister'}" method="get" class="register">
+ 45                 <fieldset>
+ 46                     <button class="btn btn-red important register" type="submit">
+ 47                         
+ 48                         <span>{translate key='Create an account'}</span>
+ 49                     </button>
+ 50                 </fieldset>
+ 51             </form>
+ 52         </div>
+ 53     {/if}
+ 54
+ 55     {if $allow_single}
- 56     <div class="basket-no-register f-grid-4">
- 57         <p>{translate key="You don't have to set up an account at our shop to place an order."}</p>
- 58         <p>{translate key='Select the button "Place an order"'}</p>
+ 30     <div class="basket-no-register {if $enable_register} f-grid-4 register-enabled{else} f-grid-6{/if}">
+ 31         {if $enable_register === false}
+ 32         <h3>
+ 33             
+ 34             {translate key="I do not have an account"}
+ 35         </h3>
+ 36         {/if}
+ 37

```

+ 38	{translate key='You don't have to create an account in our store to place an order.'}
+ 39	{translate key='Click "Place an order" button'}
40	
41	<form action="{route key='basketNoRegister'}" method="get" class="order">
42	<button class="btn btn-red important order" type="submit">
73	</div>
74	{/if}
75	
- 76	<div class="login {if \$allow_single}f-grid-4{else}f-grid-6{/if}">
+ 76	<div class="login {if \$allow_single && \$enable_register}f-grid-4{elseif \$allow_single \$enable_regist
	er}f-grid-6{else}f-grid-12{/if}">
77	<h3>
78	
- 79	{translate key='I already have an account at the shop'}
+ 79	{translate key='I already have an account'}
80	</h3>
81	
82	<form action="{route key='basketStep2'}" method="post" class="login" novalidate>
83	<fieldset>
84	<div class="form-line">
85	<input type="hidden" name="loginform" value="1">
- 86	<label for="input_mail">{translate key='E-mail:'}</label>
+ 86	<label for="input_mail">{translate key='E-mail'}:</label>
87	<div class="shaded_inputwrap inline">
88	<input type="email" class="" name="mail" value="{ \$data.mail}" id="input_mail">
89	</div>
90	</div>
91	
92	<div class="form-line">
- 93	<label for="input_pass">{translate key='Password:'}</label>
+ 93	<label for="input_pass">{translate key='Password'}:</label>
94	<div class="shaded_inputwrap inline">
95	<input type="password" class="" name="pass" value="{ \$data.pass}" id="input_pass">
96	</div>
98	
99	<button type="submit" class="btn btn-red important">
100	
- 101	{translate key='Log in'}
+ 101	{translate key='Sign in'}
102	</button>
103	</fieldset>
104	</form>

scripts/basket/step3.tp1

29	<td class="rwd-hide-medium rwd-hide-small img"></td>
----	--

```

30         <td class="name">{translate key="Product"}</td>
31         {if $showDelivery}
- 32         <td class="time">{translate key="Order delivery date"}</td>
+ 32         <td class="time">{translate key="Dispatched within"}</td>
33         {/if}
34         <td class="quantity">{translate key="Quantity"}</td>
35         <td class="price">{translate key="Price"}</td>

```

```

66     <div class="clear overflow">
67         <div class="address delivery">
68             <h4 class="separator delivery">{translate key="Delivery address"}</h4>
+ 69
+ 70             {if $shipping->handler->isOverwriteDeliveryAddress()}
+ 71             {plugin module=shop template=basket-address-delivery-overwrite-rwd}
+ 72             {else}
+ 73             {if $data.name2 || $data.surname2}
+ 74             <p>
+ 75                 {if $data.name2}
+ 76                 {$data.name2|escape}
+ 77                 {/if}
+ 78                 {if $data.surname2}
+ 79                 {$data.surname2|escape}
+ 80                 {/if}
+ 81             </p>
+ 82             {/if}
83
- 84             {if $data.name2 || $data.surname2}
- 85             <p>
- 86                 {if $data.name2}
- 87                 {$data.name2|escape}
- 88                 {/if}
- 89                 {if $data.surname2}
- 90                 {$data.surname2|escape}
- 91                 {/if}
- 92             </p>
- 93             {/if}
- 94
- 95             {if $data.coname2}
- 96             <p>{$data.coname2|escape}</p>
- 97             {/if}
+ 70             {if $data.coname2}
+ 71             <p>{$data.coname2|escape}</p>
+ 72             {/if}
73
- 74             {if $data.nip2}
- 75             <p>{translate key='NIP No.:'} {$data.nip2|escape}</p>
- 76             {/if}
+ 72             {if $data.nip2}
+ 73             <p>{translate key='Tax ID'}: {$data.nip2|escape}</p>

```

```

+ 74                                     {/if}
75
- 76                                     {if $data.street2}
- 77                                     <p>{$data.street2|escape}</p>
- 78                                     {/if}
+ 74                                     {if $data.street2}
+ 75                                     <p>{$data.street2|escape}</p>
+ 76                                     {/if}
77
- 78                                     {if $data.zip2 || $data.city2}
- 79                                     <p>
- 80                                     {if $data.zip2}
- 81                                     {$data.zip2|escape},
- 82                                     {/if}
- 83                                     {if $data.city2}
- 84                                     {$data.city2|escape}
- 85                                     {/if}
- 86                                     </p>
- 87                                     {/if}
+ 76                                     {if $data.zip2 || $data.city2}
+ 77                                     <p>
+ 78                                     {if $data.zip2}
+ 79                                     {$data.zip2|escape},
+ 80                                     {/if}
+ 81                                     {if $data.city2}
+ 82                                     {$data.city2|escape}
+ 83                                     {/if}
+ 84                                     </p>
+ 85                                     {/if}
86
- 87                                     {if $data.country2}
- 88                                     <p>{country code=$data.country2}</p>
- 89                                     {/if}
+ 78                                     {if $data.country2}
+ 79                                     <p>{country code=$data.country2}</p>
+ 80                                     {/if}
81
- 82                                     {if $data.phone2}
- 83                                     <p>{$data.phone2|escape}</p>
+ 80                                     {if $data.phone2}
+ 81                                     <p>{$data.phone2|escape}</p>
+ 82                                     {/if}
83                                     {/if}
84                                     </div>
85
86                                     <div class="address invoice">
- 87                                     <h4 class="separator invoice2">{translate key="Invoicing address"}</h4>
+ 85                                     <h4 class="separator invoice2">{translate key="Billing address"}</h4>
86
87                                     {if 1 == $data.address_type && ($data.name || $data.surname)}

```

88	<p>
133	{/if}
134	
135	{if \$data.nip}
- 136	{translate key='NIP No.: '} {\$data.nip escape}
+ 136	{translate key='Tax ID': ' {\$data.nip escape}
137	{/if}
138	
139	{if \$data.street}
152	{/if}
153	
154	{if \$data.pesel}
- 155	{translate key='PESEL: '} {\$data.pesel escape}
+ 155	{translate key='Personal Identification Number': ' {\$data.pesel escape}
156	{/if}
157	
158	{if \$data.country}
170	{if \$delivery}
171	<li class="date">
172	
- 173	{translate key='Expected shipment date: '}
+ 173	{translate key='Expected shipping date': '}
174	<strong class="date">{\$delivery->translation->name escape}
175	
176	
178	
179	<li class="delivery">
180	
- 181	{translate key='Selected form of delivery: '}
+ 181	{translate key='Selected form of delivery': '}
182	<strong class="delivery">{\$shipping->shipping->name escape} ({\$currency value=\$shipp
	ing->getCost()})
183	
184	
185	
186	<li class="payment">
187	
- 188	{translate key='Selected form of payment: '}
+ 188	{translate key='Selected form of payment': '}
189	<strong class="payment">{\$payment->translation->title escape}
190	
191	

```

193             {if $discount_summary > 0}
194             <li class="payment">
195                 <span>
- 196                     {translate key='Granted discount:'}
+ 196                     {translate key='Discounts granted'}:
197                     <strong class="payment">{currency value=$discount_summary}</strong>
198                 </span>
199             </li>

```

```

202             {if $data.comment}
203             <li class="comment">
204                 <span>
- 205                     {translate key='Comments:'}
+ 205                     {translate key='Notes'}:
206                     <strong class="comment">{$data.comment|escape}</strong>
207                 </span>
208             </li>

```

```

212         </div>
213
214         <p class="sum">
- 215             <span class="label">{translate key="Amount to be paid:"}</span>
+ 215             <span class="label">{translate key="To pay"}:</span>
216             <span class="sum">{currency value=$sum}</span>
217         </p>
218

```

scripts/body_head.tpl

```

3         <div id="cookie">
4             <div class="pagewidth">
5                 {if $cookiepage}
- 6                 <span>{translate key="In order to deliver services, this website uses cookies in accordance with the %sCookies Poli
cy%s. You can specify the cookies storage conditions and access them in your browser settings." s1="<a href=\"$cookiepage\">" s2="</a>"}
</span>
+ 6                 <span>{translate key="This site uses cookies to deliver services in accordance with the %sCookie Files Policy%s. Yo
u can set the conditions for storage and access to cookies in your browser settings." s1="<a href=\"$cookiepage\">" s2="</a>"}</span>
7                 {else}
- 8                 <span>{translate key="In order to deliver services, this website uses cookies in accordance with the %sCookies Poli
cy%s. You can specify the cookies storage conditions and access them in your browser settings." s1="" s2=""}</span>
+ 8                 <span>{translate key="This site uses cookies to deliver services in accordance with the %sCookie Files Policy%s. Yo
u can set the conditions for storage and access to cookies in your browser settings." s1="" s2=""}</span>
9                 {/if}
10                 <span class="close fa fa-times"></span>
11             </div>

```

```

30         </a>

```

```

31         </li>
32         <li class="logout">
- 33             <a href="{route key='logout'}" title="{translate key='Log out'}" class="logout">
+ 33             <a href="{route key='logout'}" title="{translate key='Sign out'}" class="logout">
34                 
- 35                 <span>{translate key='Log out'}</span>
+ 35                 <span>{translate key='Sign out'}</span>
36             </a>
37         </li>
38     {else}
- 39         <li class="register">
- 40             <a href="{route key='register'}" title="{translate key='Register'}" class="register">
- 41                 
- 42                 <span>{translate key='Register'}</span>
- 43             </a>
- 44         </li>
+ 39         {if $enable_register}
+ 40         <li class="register">
+ 41             <a href="{route key='register'}" title="{translate key='Create an account'}" class="register">
+ 42                 
+ 43                 <span>{translate key='Create an account'}</span>
+ 44             </a>
+ 45         </li>
+ 46         {/if}
47         <li class="login">
- 48             <a href="{route key='login'}" title="{translate key='Log in'}" class="login">
+ 41             <a href="{route key='login'}" title="{translate key='Sign in'}" class="login">
42                 
- 43                 <span>{translate key='Log in'}</span>
+ 43                 <span>{translate key='Sign in'}</span>
44             </a>
45         </li>
46     {/if}

```

```

59
60     <header class="row">
61         <div class="logo-bar row container">
- 62             <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if} left">
+ 62             <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if}">
63                 {if $seo_has_blank_logo}
64                 {$seo_logo_title|escape}
65             {else}

```

```

70         {if 1 == $skin_settings->header->basket}
71         {dynamic}
72         <div class="basket right{if 0 == $user->basket->countProducts()} empty-basket{/if}">
- 73             <a href="{route key='basket'}" title="{translate key='Basket'}" class="count">

```

```

+ 73         <a href="{route key='basket'}" title="{translate key='Cart'}" class="count">
74             
75             <span class="countlabel">
- 76                 <span>{translate key="Basket"}:</span>
+ 76                 <span>{translate key="Cart"}:</span>
77             <b>
78                 {if 0 == $user->basket->countProducts()}
79                 ({translate key="empty"})

92             {foreach from=$user->basket item=basket_product}
93                 <li>
94                     product->translation->name|escape}" />
- 95                     <a class="product-name" href="{route function='product' key=$basket_product->product->product_id productName=$basket_product->product->translation->name
- 96                     productId=$basket_product->product->product->product_id}" title="{ $basket_product->product->translation->name|escape}">{ $basket_product->product->translation->name|escape}</a>
+ 95
+ 96                     <a class="product-name" href="{route function='product' key=$basket_product->product->product_id productName=$basket_product->product->translation->name productId=$basket_product->product->product->product_id}" title="{ $basket_product->product->translation->name|escape}">
+ 97                         { $basket_product->product->translation->name|escape}
+ 98
+ 99                         {if $basket_product->getName()}
+ 100                         <span class="product-variant">{ $basket_product->getName() |escape}</span>
+ 101                         {/if}
+ 102                     </a>
+ 103
+ 104                     <span class="product-info">
+ 105                         <span class="product-amount">{float precision=$QUANTITY_PRECISION value=$basket_product->basket->quantity trim=true}</span> x <span class="product-price">{currency value=$basket_product->getPrice()}</span>
+ 106                         </span>
+ 107
+ 108                         <span class="remove-product"><a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}">{translate key="remove"}</a></span>
+ 109                     </li>
+ 110                 {/foreach}

112         </div>
113
114         <div class="basket-summery">
- 115             <a href="{route key='basket'}">{translate key="checkout"}</a>
- 116             <span class="basket-price"><span>{translate key="total"}:</span> <strong>{currency value=$user->basket->sumProducts(false)}</strong></span>
+ 115             <a href="{route key='basket'}">{translate key="to checkout"}</a>
+ 116             <span class="basket-price{if $user->basket->sumProducts(false) != $user->basket->sumProducts()} basket-price-discount{/if}">
+ 117                 <span class="price-total">
+ 118                 <span>{translate key="total"}:</span>

```

```

+ 119         <strong class="price-products">{currency value=$user->basket->sumProducts(false)}</strong>
+ 120     </span>
+ 121     {if $user->basket->sumProducts(false) != $user->basket->sumProducts()}
+ 122         <span class="price-total-discount">
+ 123             <span>{translate key="total (after discount)"}:</span>
+ 124             <strong class="price-total">{currency value=$user->basket->sumProducts()}</strong>
+ 125         </span>
+ 126     </if>
+ 127 </span>
128 </div>
129 </div>
130 {/dynamic}

```

```

133     {if 1 == $skin_settings->header->searchbox}
134         <form class="search-form right" action="{route key='search'}" method="post">
135             <fieldset>
- 136                 <input type="text" name="search" placeholder="{translate key='search in the shop...'}" value="" class="search-i
nput s-grid-3" />
+ 136                 <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" class="search-
input s-grid-3" />
137                 <button type="submit" class="search-btn btn btn-red">
138                     
139                     <span>{translate key="Search"}</span>

```

```

150     {if count($breadcrumbs->getBreadCrumbs()) > 0}
151         <div class="breadcrumbs large tablet row">
152             <div class="innerbreadcrumbs row container">
- 153                 <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" rel="nofollow" class="breadcrumb-home left">
+ 153                 <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" rel="nofollow" class="breadcrumb-home left">
154                     
155                     <span>{translate key="You are here"}:</span>
156                 </a>

```

scripts/body_head_checkout.tpl

```

1 <div class="wrap {if $smarty.cookies.show_full_page == 0}rwd{/if}">
2     <header class="row checkout">
3         <div class="logo-bar row container">
- 4             <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if} left">
+ 4             <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if}">
5                 {if $seo_has_blank_logo}
6                     {$seo_logo_title|escape}
7                 {else}

```

```

12         <div class="basket-steps">
13             <ol>
- 14                 {if $body_class == shop_basket_finished}
+ 14                 {if $body_class == 'shop_basket_finished'}
15                 <li class="mark-green">
- 16                     <span>{translate key="Basket"}</span>
+ 16                     <span>{translate key="Cart"}</span>
17                 </li>
18
19

```

```

33         {/foreach}
34
35         {if $breadcrumbs->getBreadCrumbs()|@count <= 3}
- 36         <li {if $body_class == shop_basket_finished}class="mark-green"{/if}>
+ 36         <li {if $body_class == 'shop_basket_finished'}class="mark-green"{/if}>
37             <span>{translate key="Summary"}</span>
38         </li>
39     {/if}
40
41     {if $breadcrumbs->getBreadCrumbs()|@count <= 4}
- 42     <li {if $body_class == shop_basket_finished}class="mark-green"{/if}>
+ 42     <li {if $body_class == 'shop_basket_finished'}class="mark-green"{/if}>
43         <span>{translate key="Confirmation"}</span>
44     </li>
45 {/if}

```

scripts/categories/list.tpl

```

42         </div>
43     {else}
44         <div class="alert-info alert">
- 45         <p>{translate key="No category has been found."}</p>
+ 45         <p>{translate key="No categories found."}</p>
46     </div>
47 {/if}
48

```

scripts/contact/index.tpl

```

36         {include file='formantisipam.tpl'}
37         <div class="f-row">
38             <div class="labe-name f-grid-3">
- 39                 <label for="contact1">{translate key="Name and surname:"}</label>
+ 39                 <label for="contact1">{translate key="First and last name":}</label>
40             </div>
41
42             <div class="f-grid-9">

```

```

53
54         <div class="f-row">
55             <div class="labe-address f-grid-3">
- 56                 <label for="contact2">{translate key="E-mail address:"} <em class="color">*</em> </labe
1>
+ 56                 <label for="contact2">{translate key="E-mail address"}: <em class="color">*</em> </labe
1>
57             </div>
58
59         <div class="f-grid-9">

```

```

70
71         <div class="f-row">
72             <div class="labe-address f-grid-3">
- 73                 <label for="contact3">{translate key="Subject:"}</label>
+ 73                 <label for="contact3">{translate key="Subject"}:</label>
74             </div>
75
76         <div class="f-grid-9">

```

```

87
88         <div class="f-row">
89             <div class="labe-message f-grid-3">
- 90                 <label for="contact4">{translate key="Message:"} <em class="color">*</em></label>
+ 90                 <label for="contact4">{translate key="Message"}: <em class="color">*</em></label>
91             </div>
92
93         <div class="f-grid-9">

```

scripts/error/not-found.tpl

```

26         <div class="boxhead">
27             <h3>
28                 
- 29                 {translate key="Requested page doesn't exist"}
+ 29                 {translate key="Requested page does not exist"}
30             </h3>
31         </div>
32
33         <div class="innerbox">
- 34             <p>{translate key="We are sorry, page you are looking for doesn't exist."}</p>
- 35             <p>{translate key="If you're looking for a product, use search form below"}</p>
+ 34             <p>{translate key="Sorry, the page you are looking for was not found."}</p>
+ 35             <p>{translate key="If you are looking for a specific product, use the search engine."}</p>
36
37         <form action="{route key='search'}" method="post">

```

```

38         <fieldset>
39             {include file='formantisipam.tpl'}
- 40             <input type="text" name="search" value="" placeholder="{translate key='search in the shop...'}" cla
ss="fadingtext">
+ 39             <input type="text" name="search" value="" placeholder="{translate key='search in the store...'}" cl
ass="fadingtext">
40             <button class="btn" type="submit">
41                 
42                 <span>{translate key='Search'}</span>

```

```

46         </form>
47
48         <p>
- 49             <a href="{baseDir nonempty=1}" title="">{translate key="or go to main page"}</a>
+ 49             <a href="{baseDir nonempty=1}" title="">{translate key="or go to home page"}</a>
50         </p>
51     </div>
52 </div>

```

scripts/flash_messages.tpl

```

1     {dynamic}
- 2     <div class="container">
- 3         {foreach from=$flash_messages.error item=item key=k}
- 4             <div class="alert-error alert">
- 5                 <button type="button" class="close icon-remove" >
- 6                     <span>{translate key="close"}</span>
- 7                     
- 8                 </button>
- 9                 <div class="row">
- 10                    <p>{$item.message}</p>
+ 2         {if $flash_messages.error|@count > 0 || $flash_messages.warning|@count > 0 || $flash_messages.info|@count > 0 || $flash_messages.su
ccess|@count > 0}
+ 3             <div class="container">
+ 4                 {foreach from=$flash_messages.error item=item key=k}
+ 5                     <div class="alert-error alert">
+ 6                         <button type="button" class="close icon-remove" >
+ 7                             <span>{translate key="close"}</span>
+ 8                             
+ 9                         </button>
+ 10                        <div class="row">
+ 11                            <p>{$item.message}</p>
+ 12                        </div>
+ 13                    </div>
- 14                </div>
- 15            </foreach>
+ 4            </foreach>
5
- 6            {foreach from=$flash_messages.warning item=item key=k}

```

```

- 7      <div class="alert-warning alert">
- 8          <button type="button" class="close icon-remove" >
- 9              <span>{translate key="close"}</span>
- 10         
- 11     </button>
- 12     <div class="row">
- 13         <p>{$item.message}</p>
+ 6         {foreach from=$flash_messages.warning item=item key=k}
+ 7         <div class="alert-warning alert">
+ 8             <button type="button" class="close icon-remove" >
+ 9                 <span>{translate key="close"}</span>
+ 10                
+ 11            </button>
+ 12            <div class="row">
+ 13                <p>{$item.message}</p>
+ 14            </div>
+ 15        </div>
- 16    </div>
- 17    {/foreach}
+ 8    {/foreach}
+ 9
- 10    {foreach from=$flash_messages.info item=item key=k}
- 11        <div class="alert-info alert">
- 12            <button type="button" class="close icon-remove" >
- 13                <span>{translate key="close"}</span>
- 14                
- 15            </button>
- 16            <div class="row">
- 17                <p>{$item.message}</p>
+ 10        {foreach from=$flash_messages.info item=item key=k}
+ 11        <div class="alert-info alert">
+ 12            <button type="button" class="close icon-remove" >
+ 13                <span>{translate key="close"}</span>
+ 14                
+ 15            </button>
+ 16            <div class="row">
+ 17                <p>{$item.message}</p>
+ 18            </div>
+ 19        </div>
- 20    </div>
- 21    {/foreach}
- 22
- 23    {foreach from=$flash_messages.success item=item key=k}
- 24        <div class="alert-success alert">
- 25            <button type="button" class="close icon-remove" >
- 26                <span>{translate key="close"}</span>
- 27                
- 28            </button>
- 29            <div class="row">
- 30                <p>{$item.message}</p>

```

```

+ 12      {/foreach}
+ 13
+ 14      {foreach from=$flash_messages.success item=item key=k}
+ 15          <div class="alert-success alert">
+ 16              <button type="button" class="close icon-remove" >
+ 17                  <span>{translate key="close"}</span>
+ 18                  
+ 19              </button>
+ 20              <div class="row">
+ 21                  <p>{$item.message}</p>
+ 22              </div>
+ 23          </div>
- 24      </div>
- 25      {/foreach}
- 26  </div>
+ 14      {/foreach}
+ 15  </div>
+ 16  {/if}
+ 17  {/dynamic}

```

scripts/footer.tpl

```

8          {foreach from=$group->links item=link name=links}
9              {if $link->getHref()}
10                  <li>
- 11                      <a href="{ $link->getHref()|escape}" class="{if $link->isPopup()}popup{/if}" title="{ $link->getT
+ 11                      <a href="{ $link->getHref()|escape}" {if $link->isPopup()}target="_blank"{/if} title="{ $link->ge
tTitle()|escape}" id="footlink{$link->getIdentifier()}">
12                          
13                          { $link->getTitle()|escape}
14                      </a>

```

```

31  </footer>
32
33  <div class="up">
- 34      <a href="#" title="#" class="btn fa fa-2x fa-angle-up">
+ 34      <a href="#" title="{translate key="up"}" class="btn fa fa-2x fa-angle-up">
35          
36          <span>{translate key="up"}</span>
37  </a>

```

scripts/header.tpl

```

3  <!--[if IE 9]>          <html lang="{lang key='short'}" class="lt-ie8 lt-ie9"> <![endif]-->
4  <!--[if gt IE 9]><!--> <html lang="{lang key='short'}"> <!--<![endif]-->
5  <head>
+ 6      <meta http-equiv="X-UA-Compatible" content="IE=edge">

```

```

7      <meta charset="utf-8">
- 8      <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
9      <title>{$seo_title|escape}</title>
10     <meta name="keywords" content="{ $seo_keywords|escape}" />
11     <meta name="description" content="{ $seo_description|escape}" />
- 12     <meta name="viewport" content="{if $smarty.cookies.show_full_page == 0}width=device-width, user-scalable=no{else}{/if}">
+ 10     <meta name="viewport" content="{if $smarty.cookies.show_full_page == 0}width=device-width, user-scalable=no, initial-scale=1.0, max
inum-scale=1.0{else}{/if}">
11     <link rel="home" href="{baseDir nonempty=1}" />
12     <link rel="shortcut icon" href="{ $path}images/favicon.png" />
- 13     <link rel="stylesheet" type="text/css" href="{sfc type='css' id=$skin_id user=$user_css gallery=0 lang=$lang_full}" />
+ 13
+ 14     {plugin module=shop template=pre-head}
+ 15
+ 16     <link id="csslink" rel="stylesheet" type="text/css" href="{sfc type='css' id=$skin_id user=$user_css gallery=0 lang=$lang_full}" />
17
18     <script type="text/javascript" src="{sfc type='js' id=$skin_id user=$user_js gallery=0 lang=$lang_full moo=0 jq=1 mainname='main-jq
'}"></script>
19
    {if count($seo_links)}

31         {/foreach}
32     {/if}
33
- 34     {$snippet_head}
+ 34     {$snippet_head}
+ 35
+ 36     {plugin module=shop template=post-head}
37 </head>

```

scripts/headerlinks.tpl

```

5      <ul class="menu-list large standard">
6      <li class="home-link-menu-li">
7          <h3>
- 8              <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="">
- 9              
+ 8              <a href="{baseDir nonempty=1}" title="{translate key='Home page'}">
+ 9              
10          </a>
11          </h3>
12      </li>
13
14      {foreach from=$headerlinks item=link}
- 15          {if $link->getHref() || $link->isActiveCategory()}
- 16          <li class="{if $link->hasSubCategories()}parent{/if}" {if $link->getCategoryId()}id="hcategory_{ $link->getC
ategoryId()|escape}"{/if}>
+ 14          {if $link->getHref() || $link->isActiveCategory() || $link->isActiveNewsCategory()}
+ 15          <li{if $link->hasSubCategories() || $link->hasNewsSubCategories()} class="parent"{/if}{if $link->isCategory

```

```

    {}} id="hcategory_{$link->getCategoryId()|escape}" {elseif $link->isNewsCategory()} id="ncategory_{$link->getNewsCategoryId()|escape}" {/i
f}>
16          <h3>
- 17          <a href="{ $link->getHref($view)|escape}" title="{ $link->getTitle()|escape}" id="headlink{$link->get
Identifier()}" class="spanhover mainlevel{if $link->isPopup()} popup{/if}">
+ 16          <a {if $link->isPopup()}target="_blank"{/if} href="{ $link->getHref($view)|escape}" title="{ $link->g
etTitle()|escape}" id="headlink{$link->getIdentifier()}" class="spanhover mainlevel">
17          <span>{$link->getTitle()|escape}</span>
18          
19          </a>
20          </h3>
21          {if $link->hasSubCategories()}
22          {include file='headermenu.tpl' level=1 headermenu_categories=$link->getActiveLangChildrenList()}
+ 23          {elseif $link->hasNewsSubCategories()}
+ 24          {include file='headernews.tpl' headernews_categories=$link->getNewsActiveLangChildrenList()}
25          {/if}
26          </li>
27          {/if}

```

```

48          </a>
49          </li>
50          <li class="menu-mobile-li small-cart flex flex-4">
- 51          <a href="{route key='basket'}" title="{translate key='Basket'}" class="icon icon-custom-cart">
+ 51          <a href="{route key='basket'}" title="{translate key='Cart'}" class="icon icon-custom-cart">
52          
53          </a>
54          </li>

```

scripts/headernews.tpl

```

+ 1          <div class="submenu level0">
+ 2          <ul class="level0">
+ 3          {foreach from=$headernews_categories item=cat}
+ 4          <li id="ncategory_{$cat->getIdentifier()|escape}">
+ 5          <h3>
+ 6          <a href="{route function='newsCategory' key=$cat->getIdentifier() categoryId=$cat->getIdentifier() cate
goryName=$cat->category->name view=$view resetparams=true}"
+ 7          title="{ $cat->category->name|escape}" id="headernews{$cat->getIdentifier()}" class="spanhover">
+ 8          <span>{$cat->category->name|escape}</span>
+ 9          
+ 10          </a>
+ 11          </h3>
+ 12          </li>
+ 13          {/foreach}
+ 14          </ul>
+ 15          </div>

```

scripts/index/index.tpl

```

- 1  {php}$helper = $this->_tpl_vars['helper'];{/php}
2    {include file='header.tpl'}
3    <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
4      {include file='body_head.tpl'}

```

```

34      {if 1 == $skin_settings->productlist->allowviewchange}
35      <ul class="prodview inline text-right">
36      <li class="photo{if 'phot' == $view} selected{/if}">
- 37      <a class="fa fa-th" href="{route function='indexpage' key=0 page=1 sort=1 view='phot'}{
if $google}?{$google|escape}{/if}" title="{translate key='View with photo'}"></a>
+ 37      <a class="fa fa-th" href="{route function='indexpage' key=0 page=1 sort=1 view='phot'}{
if $google}?{$google|escape}{/if}" title="{translate key='Picture view'}"></a>
38      </li>
39      <li class="full{if 'full' == $view} selected{/if}">
40      <a class="fa fa-th-list" href="{route function='indexpage' key=0 page=1 sort=1 view='fu
ll'}{if $google}?{$google|escape}{/if}" title="{translate key='Full view'}"></a>

```

```

45
46      <div class="row search-info">
47      {if 'search' == $list_type}
- 48      <b class="count">{translate key='Number of products found:'} {$products->getTotalItemCount()}</
b>
+ 48      <b class="count">{translate key='Products found':} {$products->getTotalItemCount()}</b>
49      {/if}
50      </div>
51      </div>

```

scripts/login/login.tpl

```

25
26      <div class="box" id="box_login">
27      <div class="boxhead">
- 28      <span>{translate key="Log in"} \ {translate key="Register"}</span>
+ 28      <span>{translate key="Sign in"}{if $enable_register} \ {translate key="Create an account"}{/if}</span>
29      </div>
30
31      <div class="innerbox">
32      <div class="f-row">
33      <form action="{route key='login'}" method="post" class="f-grid-6 login-inner">
34      <fieldset class="">
- 35      <h3 class="login-head"><span>{tra
nslate key="Log in"}</span></h3>
+ 35      <h3 class="login-head"><span>{tra
nslate key="Sign in"}</span></h3>
36      {include file='formantisipam.tpl'}
- 37      <input type="hidden" name="last_url" value="{ $last_url}" />
+ 37      <input type="hidden" name="last_url" value="{ $last_url|escape}" />
38      <label for="mail_input_long">{translate key="E-mail"}:</label>

```

```

39         <input type="text" name="mail" id="mail_input_long" size="30">
40         <label for="pass_input_long">{translate key="Password"}:</label>
41         <input type="password" name="pass" id="pass_input_long" size="30">
42         <button type="submit" class="btn btn-red login">
43             
- 44             <span>{translate key="Log in"}</span>
+ 44             <span>{translate key="Sign in"}</span>
45         </button>
- 46         <p>{translate key='Don\'t remember your password? %sClick here%s.' p1="<a href=\""$passlink\"">"
p2='</a>'}</p>
+ 46         <p>{translate key='Forgot your password? %sClick here%s.' p1="<a href=\""$passlink\"">" p2='</a>'
} </p>
47     </fieldset>
48 </form>
49
- 50     <div class="f-grid-6 register-inner">
- 51         <h3 class="register-head">
- 52             
- 53             <span>{translate key="Register"}</span>
- 54         </h3>
- 55
- 56         <p>{translate key='You will receive additional benefits:'}</p>
- 57
- 58         <ul class="register-addons">
- 59             <li>{translate key='view the progress of order fulfillment'} </li>
- 60             <li>{translate key='view your shopping history'}</li>
- 61             <li>{translate key='no need to enter your details while shopping next time'}</li>
- 62             <li>{translate key='opportunity to get discounts and promotional coupons'}</li>
- 63         </ul>
- 64
- 65         <form action="{route key='register'}" method="get" class="register-form">
- 66             <fieldset>
- 67                 {include file='formantisplam.tpl'}
- 68                 <button type="submit" class="btn register">
- 69                     
- 70                     <span>{translate key="Register"}</span>
- 71                 </button>
- 72             </fieldset>
- 73         </form>
- 74     </div>
+ 50     {if $enable_register}
+ 51         <div class="f-grid-6 register-inner">
+ 52             <h3 class="register-head">
+ 53                 
+ 54                 <span>{translate key="Create an account"}</span>
+ 55             </h3>
+ 56
+ 57             <p>{translate key='You will receive additional benefits:'}</p>
+ 58
+ 59             <ul class="register-addons">

```

```

+ 60                                     <li>{translate key='view the status of orders'} </li>
+ 61                                     <li>{translate key='purchase history preview'}</li>
+ 62                                     <li>{translate key='no need to enter your data for next purchases'}</li>
+ 63                                     <li>{translate key='possibility to receive discounts and discount codes'}</li>
+ 64                                     </ul>
+ 65
+ 66                                     <form action="{route key='register'}" method="get" class="register-form">
+ 67                                     <fieldset>
+ 68                                     {include file='formantispam.tpl'}
+ 69                                     <button type="submit" class="btn register">
+ 70                                     
+ 71                                     <span>{translate key="Create an account"}</span>
+ 72                                     </button>
+ 73                                     </fieldset>
+ 74                                     </form>
+ 75                                     </div>
+ 76                                 {/if}
77                                     </div>
78                                 </div>
79                             </div>

```

scripts/login/passremind.tpl

```

23
24         <div class="box" id="box_passchange">
25             <div class="boxhead">
- 26                 <span>{translate key="Change of password"}</span>
+ 26                 <span>{translate key="Password change"}</span>
27             </div>
28
29             <div class="innerbox">

```

```

41                 <div class="bottombuttons">
42                     <button type="submit" class="btn passchange">
43                         
- 44                         <span>{translate key="Change your password"}</span>
+ 44                         <span>{translate key="Change password"}</span>
45                     </button>
46                 </div>
47             </fieldset>

```

scripts/login/passremind2.tpl

```

23
24         <div class="box" id="box_passchange">
25             <div class="boxhead">
- 26                 <span>{translate key="Enter a new password"}</span>
+ 26                 <span>{translate key="Enter new password"}</span>

```

```

27         </div>
28
29         <div class="innerbox">

```

```

43             </ul>
44         </if>
45
- 46         <label for="pass2_input"><em class="color">*</em> {translate key="Retype your password"}:</label>
+ 46         <label for="pass2_input"><em class="color">*</em> {translate key="Repeat password"}:</label>
47         <div class="shaded_inputwrap{if $data_error.pass2} error{if}>
48             <input type="password" name="pass2" id="pass2_input" value="" size="30" />
49         </div>

```

scripts/login/register.tpl

```

67         </foreach>
68
69         {if 'full' == $mode}
- 70         <h4 class="separator address">{translate key='Address'}</h4>
+ 70         <h4 class="separator address">{translate key='Address details'}</h4>
71         <div>
72             <span class="adress-label"></span>
73             <span class="input">

```

```

193         <div class="bottombuttons">
194             <button type="submit" class="btn btn-red right register">
195                 
- 196                 <span>{translate key="Register"}</span>
+ 196                 <span>{translate key="Create an account"}</span>
197             </button>
198         </div>
199     </div>

```

scripts/news/category.tpl

```

+ 1     {include file='news/list.tpl'}

```

scripts/news/comments.tpl

```

+ 1     {if false != $article_comments}
+ 2         <div class="box row tab" id="box_articlecomments">
+ 3             <div class="boxhead tab-head">
+ 4                 <h3>
+ 5                     
+ 6                     {translate key="Post comments"} ({ $article_comments|count})
+ 7                 </h3>
+ 8             </div>

```

```

+ 9
+ 10         <div class="innerbox tab-content tab-comments">
+ 11             {foreach from=$article_comments item=comment name=list}
+ 12                 <div class="articlecomment" id="comment{$comment->getIdentifier()}" itemprop="review" itemscope itemtype=" {$schema}://
schema.org/Review">
+ 13                     <div class="floatfix row">
+ 14                         <h5 class="reviewer" itemprop="author">{$comment->comment->user_name|escape}</h5>
+ 15                         <div class="date">{date value=$comment->comment->date}</div>
+ 16                     </div>
+ 17                     <p class="description row" itemprop="description">{$comment->comment->content|escape}</p>
+ 18                 </div>
+ 19             {/foreach}
+ 20
+ 21         <div id="commentform">
+ 22             {if $can_comment}
+ 23                 <form action="{route key='newsComment' newsId=$article->getIdentifier()}" method="post" class="comment multirow">
+ 24                     <fieldset>
+ 25                         {include file='formantispam.tpl'}
+ 26
+ 27                         <label for="commentuser">{translate key="First and last name"}:</label>
+ 28                         <div class="f-row">
+ 29                             <input name="user" type="text" id="commentuser" value="{if $user_logged}{$user->user->getName()}|escape}
{else}{$data.user|escape}{/if}" size="30" class="f-grid-12" >
+ 30                         </div>
+ 31                         {if $data_error.user}
+ 32                             <ul class="input_error">
+ 33                                 {foreach from=$data_error.user item=err_text}
+ 34                                     <li>{$err_text|escape}</li>
+ 35                                 {/foreach}
+ 36                             </ul>
+ 37                         {/if}
+ 38
+ 39                         <label for="comment">{translate key="Your comment"}:</label>
+ 40                         <div class="f-row">
+ 41                             <textarea name="comment" id="comment" rows="5" cols="30" class="f-grid-12">{$data.comment|escape}</text
area>
+ 42                         </div>
+ 43                         {if $data_error.comment}
+ 44                             <ul class="input_error">
+ 45                                 {foreach from=$data_error.comment item=err_text}
+ 46                                     <li>{$err_text|escape}</li>
+ 47                                 {/foreach}
+ 48                             </ul>
+ 49                         {/if}
+ 50
+ 51                         <button type="submit" class="btn">
+ 52                             
+ 53                             <span>{translate key="Send"}</span>
+ 54                         </button>
+ 55                     </fieldset>

```

```
+ 56         </form>
+ 57     {/if}
+ 58 </div>
+ 59 </div>
+ 60 </div>
+ 61 {/if}
```

scripts/news/files.tpl

```
+ 1     {if $can_download != false && $article_files != false && $article_files|count > 0}
+ 2         <div class="box row tab" id="box_articlefiles">
+ 3             <div class="boxhead tab-head">
+ 4                 <h3>
+ 5                     
+ 6                     {translate key="Files"} ({ $article->files|count})
+ 7                 </h3>
+ 8             </div>
+ 9
+10             <ul class="innerbox tab-content tab-files">
+11                 {foreach from=$article->files item=file name=list}
+12                     <li class="articlefile" id="file{$file->file_id}">
+13                         <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name}</a>
+14                         <p>{$file->description}</p>
+15                     </li>
+16                 {/foreach}
+17             </ul>
+18         </div>
+19     {/if}
```

scripts/news/index.tpl

```
22         {/dynamic}
23
24         <article class="box" id="box_article">
- 25             <div class="boxhead">
- 26                 <h1>
- 27                     
- 28                     {$article->article->name|escape}
- 29                 </h1>
- 30
- 31                 <h5 class="article_date">
- 32                     {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}{if $article->article->author}, {$a
rticle->article->author|escape}{/if}
- 33                 </h5>
+ 25             <div class="row article-header">
+ 26                 
+ 27                 <span class="article-name">{$article->article->name|escape}</span>
+ 28                 {if $enable_comments}
+ 29                 <a class="article-comments" href="{route function='news' key=$article->getIdentifier() newsId=$article->
```

```

>getIdentifier() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimes
tamp newsDay="d"|date:$article->articleTimestamp}#commentform">
+ 30         {$article->getValidatedComments()|count}
+ 31     </a>
+ 32     {/if}
+ 33     </div>
+ 34
- 35     <div class="innerbox">
- 36         <div class="resetcss">{$article->article->content}</div>
+ 28         <div class="row article-info">{strip}
+ 29             {capture assign="articleDate"}
+ 30                 {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 31             {/capture}
+ 32
+ 33             {assign var="articleCategories" value="-"}
+ 34             {foreach from=$article->getActiveCategories() item=category name=listCat}
+ 35                 {if $smarty.foreach.listCat.index == 0}
+ 36                     {capture assign="articleCategories"}
+ 37                     <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 38                     {/capture}
+ 39                 {else}
+ 40                     {capture append="articleCategories"}
+ 41                     <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 42                     {/capture}
+ 43                 {/if}
+ 44             {/foreach}
+ 45             {if $articleCategories|is_array}
+ 46                 {assign var="articleCategories" value=', '|implode:$articleCategories}
+ 47             {/if}
+ 48             {if $article->article->author}
+ 49                 {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate
|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$artic
le->article->author|cat:'</span>'}
+ 50                 {else}
+ 51                 {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</spa
n>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
+ 52                 {/if}
+ 53             {/strip}</div>
+ 54
+ 55         <div class="resetcss row article-content">
+ 56             {if $article->image}
+ 57                 
+ 58             {/if}
+ 59             {$article->article->content}
+ 60         </div>
+ 61     </article>
- 62
+ 31
+ 32     {if $article->tags|count > 0}

```

```

+ 33         <ul class="article-tags">
+ 34             {foreach from=$article->tags item=tag name=listTag}
+ 35                 <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name}</a></li>
+ 36             {/foreach}
+ 37         </ul>
+ 38     {/if}
+ 39
+ 40     {include file="news/files.tpl"}
+ 41     {include file="news/comments.tpl"}
+ 42
+ 43     {dynamic}
+ 44         {foreach from=$boxes_bottom_side item=v key=k}
+ 45             {box file="../boxes/$v/box.tpl" box="$k"}

```

scripts/news/list.tpl

```

26         {include file='news/listofarticles.tpl'}
27     {else}
28         <div class="alert-info alert">
- 29             <p>{translate key="No items have been found."}</p>
+ 29             <p>{translate key="No articles found."}</p>
30         </div>
31     {/if}
32

```

scripts/news/listofarticles.tpl

```

- 1         <div class="box" id="box_articlelist">
- 2             <div class="boxhead">
- 3                 <span>
- 4                     
- 5                     {translate key="Items"}
- 6                 </span>
- 7             </div>
+ 1         <div class="box" id="box_articlelist">
+ 2             <div class="innerbox">
+ 3                 {foreach from=$articles item=article name=list}
+ 4                     <article>
+ 5                         <div class="row article-header">
+ 6                             
+ 7                             {if $enable_comments || ($enable_download && $article->files|count > 0) || ($article->article->content|strlen > 0 &
& $article->article->short_content != $article->article->content)}
+ 8                             <a class="article-name" href="{route function='news' key=$article->getIdentfier() newsId=$article->getIdentifi
er() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp newsDay
="d"|date:$article->articleTimestamp}">{$article->article->name|escape}</a>
+ 9                         {else}
+ 10                         <a class="article-name article-name-inactive">{$article->article->name|escape}</a>
+ 11                     {/if}
+ 12

```

```

- 13         <div class="innerbox">
- 14             {foreach from=$articles item=article name=list}
- 15                 <article>
- 16                     <h2 class="article_name row">{$article->article->name|escape}</h2>
- 17                     <h5 class="article_date row">
- 18                         {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}{if $article->article->auth
or, {$article->article->author|escape}}{/if}
- 19                     </h5>
- 20                     <div class="resetcss row">{$article->article->short_content}</div>
- 21                     {if $article->article->content|strlen > 0 && $article->article->short_content != $article->article-
>content}
- 22                     <a class="readmore" href="{route function='news' key=$article->getIdentifier() newsId=$article-
>getIdentifier()}">{translate key="more"} &raquo;</a>
- 23                     {/if}
- 24                 </article>
- 25             {/foreach}
- 26         </div>
- 27     </div>
+ 3         {if $enable_comments}
+ 4         <a class="article-comments" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIden
tifier() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp new
sDay="d"|date:$article->articleTimestamp)#commentform">
+ 5             {$article->getValidatedComments()|count}
+ 6         </a>
+ 7         {/if}
+ 8     </div>
+ 9     <div class="row article-info">{strip}
+ 10         {capture assign="articleDate"}
+ 11             {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 12         {/capture}
+ 13
+ 14         {assign var="articleCategories" value="-"}
+ 15         {foreach from=$article->getActiveCategories() item=category name=listCat}
+ 16             {if $smarty.foreach.listCat.index == 0}
+ 17                 {capture assign="articleCategories"}
+ 18                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 19                 {/capture}
+ 20                 {else}
+ 21                 {capture append="articleCategories"}
+ 22                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 23                 {/capture}
+ 24             {/if}
+ 25         {/foreach}
+ 26         {if $articleCategories|is_array}
+ 27             {assign var="articleCategories" value=', 'implode:$articleCategories}
+ 28         {/if}
+ 29         {if $article->article->author}
+ 30         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</
span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$article->arti

```

```

+ 31         {else}
+ 32         {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</span>' s2='
<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
+ 33     {/if}
+ 34     {/strip}</div>
+ 35     <div class="resetcss row article-content">
+ 36         {if $article->image}
+ 37         
+ 38         {/if}
+ 39         {$article->article->short_content}
+ 40     </div>
+ 41     {if $article->article->content|strlen > 0 && $article->article->short_content != $article->article->content}
+ 42     <a class="readmore" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIdentifier() new
sName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp newsDay="d"|dat
e:$article->articleTimestamp}">{translate key="read more"} &raquo;</a>
+ 43     {/if}
+ 44 </article>
+ 45 {/foreach}
+ 46 {if $articles instanceof Zend_Paginator && $articles->getTotalItemCount() > $articles->getItemCountPerPage()}
+ 47     <div class="floatcenterwrap row">
+ 48     {include file='paginator.tpl'}
+ 49     </div>
+ 50 {/if}
+ 51 </div>
+ 52 </div>

```

scripts/news/tag.tpl

```

+ 1 {include file='news/list.tpl'}

```

scripts/newsletter/unsign.tpl

```

25         <div class="boxhead">
26             <h3>
27                 
- 28                 {translate key="Sign out of subscription"}
+ 28                 {translate key="Unsubscribe from our newsletter"}
29             </h3>
30         </div>
31
32         <div class="innerbox">
33             <form action="{route key='newsletterUnsign'}" method="post">
34                 <fieldset>
- 35                 <label for="email_input1">{translate key="Enter your e-mail address to sign out of subscription."}<
/label>
+ 35                 <label for="email_input1">{translate key="Enter your e-mail address to unsubscribe."}</label>
36                 <div class="shaded_inputwrap{if $data_error.email} error{/if}">
37                     <input type="text" name="email" id="email_input1" value="{ $email|escape}" size="30">

```

```

38         </div>
39
40         <button type="submit" class="btn unsign">
41             
- 42             <span>{translate key="Sign out"}</span>
+ 42             <span>{translate key="Unsubscribe"}</span>
43         </button>
44     </fieldset>
45 </form>

```

scripts/off/index.tpl

```

6         {if $msg}
7             <p>{$msg|escape|nl2br}</p>
8         {else}
- 9             <p>{translate key='Shop closed by the administrator.'}</p>
+ 9             <p>{translate key='Store has been temporarily disabled by the administrator.'}</p>
10         {/if}
11     </div>
12 </div>

```

scripts/paginator.tpl

```

- 1 {php}
- 2 $pages = $this->_tpl_vars['pages'];
- 3 $route = $this->_tpl_vars['router_name'];
- 4 if($route == ""){
- 5     $route = null;
- 6 }
- 7 $router = Zend_Registry::get(System_Bootstrap::REGISTRY_INDEX_ROUTER);
- 8 $helper = $this->_tpl_vars['helper'];
- 9 $a = array_values($pages->pagesInRange);
- 10 $stick = false;
- 11 $google = isset( $this->_tpl_vars['google'][0] ) ? '?' . $this->_tpl_vars['google'] : '';
- 12
- 13 if($pages->pageCount > 0) {
- 14     echo '<ul class="paginator">';
- 15
- 16     if(isset($pages->previous) && $pages->previous > 0)
- 17         echo '<li class="first"><a href="' . ($route ? $router->assemble(array('page' => $pages->previous), $route) : $helper->url(
array('page' => $pages->previous))) . $google . '" title="">&laquo;</a></li>';
- 18     else
- 19         echo '<li class="first"><span>&laquo;</span></li>';
- 20
- 21     if($a[0] > 1) {
- 22         echo '<li><a href="' . ($route ? $router->assemble(array('page' => 1), $route) : $helper->url(array('page' => 1))) . $googl
e . '" title="">1</a></li>';
- 23         $stick = true;
- 24         if($a[0] > 2)

```

```

- 25         echo '<li class="stick"><span>|</span></li><li><span>...</span></li>';
- 26     }
- 27
- 28     foreach($a as $b) {
- 29         if($stick)
- 30             echo '<li class="stick"><span>|</span></li>';
- 31             $stick = true;
- 32             if($b == $pages->current)
- 33                 echo '<li class="selected"><span>' . $b . '</span></li>';
- 34             else
- 35                 echo '<li><a href="' . ($route ? $router->assemble(array('page' => $b), $route) : $helper->url(array('page' => $b))) .
$google . '" title="">' . $b . '</a></li>';
- 36     }
- 37
- 38     if($b != $pages->pageCount) {
- 39         if($pages->pageCount - $b > 1)
- 40             echo '<li class="stick"><span>|</span></li><li><span>...</span></li>';
- 41             echo '<li class="stick"><span>|</span></li><li><a href="' . ($route ? $router->assemble(array('page' => $pages->pageCount),
$route) : $helper->url(array('page' => $pages->pageCount))) . $google . '" title="">' . $pages->pageCount . '</a></li>';
- 42     }
- 43
- 44     if(isset($pages->next) && $pages->next > 0)
- 45         echo '<li class="last"><a href="' . ($route ? $router->assemble(array('page' => $pages->next), $route) : $helper->url(array
('page' => $pages->next))) . $google . '" title="">&raquo;</a></li>';
- 46     else
- 47         echo '<li class="last"><span>&raquo;</span></li>';
- 48
- 49     echo '</ul>';
- 50 }
- 51 {/php}
+1 {assign var="stick" value=false}
+2
+3 {if !$router_name_first}
+4     {assign var="router_name_first" value=$router_name}
+5 {/if}
+6 {if !$router_params}
+7     {assign var="router_params" value=null}
+8 {/if}
+9
+10
+11 {if $pages->pageCount > 0}
+12     <ul class="paginator">
+13
+14         {if isset($pages->previous) && $pages->previous > 0}
+15             <li class="first"><a href="{array __key=urlOptions page=$pages->previous}{arrayMerge __key=urlOptions a1=$router_params a2=$url
Options}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google}{{$google|escape}}{/if}" title="">&laquo;</a></li>
+16         {else}
+17             <li class="first"><span>&laquo;</span></li>
+18         {/if}
+19

```

```

+ 20         {if $pages->pagesInRange[0] > 1}
+ 21         <li><a href="{array __key=urlOptions page=1}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">1</a></li>
+ 22         {assign var="stick" value=true}
+ 23         {if $pages->pagesInRange[0] > 2}
+ 24         <li class="stick"><span>|</span></li><li><span>...</span></li>
+ 25         {/if}
+ 26         {/if}
+ 27
+ 28         {foreach from=$pages->pagesInRange item=b}
+ 29         {if $stick}
+ 30         <li class="stick"><span>|</span></li>
+ 31         {/if}
+ 32         {assign var="stick" value=true}
+ 33         {if $b == $pages->current}
+ 34         <li class="selected"><span>{$b}</span></li>
+ 35         {else}
+ 36         {if $b == 1}
+ 37         <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name_first type=$router_type}{if $google?{$google|escape}}{/if}" title="">{$b}</a></li>
+ 38         {else}
+ 39         <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">{$b}</a></li>
+ 40         {/if}
+ 41         {/if}
+ 42         {/foreach}
+ 43
+ 44         {if $b != $pages->pageCount}
+ 45         {if $pages->pageCount - $b > 1}
+ 46         <li class="stick"><span>|</span></li><li><span>...</span></li>
+ 47         {/if}
+ 48         <li class="stick"><span>|</span></li><li><a href="{array __key=urlOptions page=$pages->pageCount}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">{$pages->pageCount}</a></li>
+ 49         {/if}
+ 50
+ 51         {if isset($pages->next) && $pages->next > 0}
+ 52         <li class="last"><a href="{array __key=urlOptions page=$pages->next}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">&raquo;</a></li>
+ 53         {else}
+ 54         <li class="last"><span>&raquo;</span></li>
+ 55         {/if}
+ 56         </ul>
+ 57         {/if}

```

scripts/panel/address-edit.tpl

```

30         <span>
31         
32         {if $address_id > 0}

```

```

- 33      {translate key="Edycja adresu"}
+ 33      {translate key="Edit address"}
  34      {else}
  35      {translate key="New address"}
  36      {/if}

```

scripts/panel/address.tpl

```

  53      {/if}
  54
  55      {if $address->tax_id}
- 56      <p class="nip">{translate key='NIP No.':} {$address->tax_id|escape}</p>
+ 56      <p class="nip">{translate key='Tax ID':} {$address->tax_id|escape}</p>
  57      {/if}
  58
  59      {if $address->pesel}
- 60      <p class="pesel">{translate key='PESEL:'} {$address->pesel|escape}</p>
+ 60      <p class="pesel">{translate key='Personal Identification Number':} {$address->pesel|esc
ape}</p>
  61      {/if}
  62
  63      {if $address->street_1}

```

```

  89      <span>{translate key='edit'}</span>
  90      </a>
  91
- 92      <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="r
emove btn spanhover titlequestion" title="{translate key='Are you sure, you want to remove address: %s, %s %s?' p1=$address->street_1 p2
=$address->zip_code p3=$address->city}">
+ 92      <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="r
emove btn spanhover titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1
p2=$address->zip_code p3=$address->city}">
  93      
  94      <span>{translate key='remove'}</span>
  95      </a>

```

```

  97      {if 0 == $address->default}
  98      <a href="{route key='panelAddressDefault' addressId=$address->address_book_id}" cla
ss="default spanhover btn">
  99      
- 100      <span>{translate key='set as default payment address'}</span>
+ 100      <span>{translate key='set as billing address'}</span>
  101      </a>
  102      {else}
  103      <em class="default">
  104      
- 105      <span>{translate key='default payment address'}</span>
+ 105      <span>{translate key='default billing address'}</span>

```

```

106         </em>
107     </if>
108
109     {if 0 == $address->shipping_default}
110         <a href="{route key='panelAddressShipping' addressId=$address->address_book_id}" c1
ass="shipping spanhover btn">
111             
- 112             <span>{translate key='set as default delivery address'}</span>
+ 112             <span>{translate key='set as delivery address'}</span>
113         </a>
114     {else}
115         <em class="shipping">

```

scripts/panel/comments.tpl

```

29         <div class="boxhead">
30             <span>
31                 
- 32                 {translate key="Opinions about products"}
+ 32                 {translate key="Products reviews"}
33             </span>
34         </div>
35     </div>

```

scripts/panel/edit.tpl

```

60         </ul>
61     </if>
62
- 63     <label for="surname_input">{translate key="Surname"}:</label>
+ 63     <label for="surname_input">{translate key="Last name"}:</label>
64     <div class="shaded_inputwrap">
65         <input type="text" name="surname" id="surname_input" value="{ $data.surname|escape}" size="30" c
lass="{if $data_error.surname} error{if}">
66     </div>

```

scripts/panel/favourites.tpl

```

29         <div class="boxhead">
30             <span>
31                 
- 32                 {translate key="Stored products"}
+ 32                 {translate key="Products on wishlist"}
33             </span>
34         </div>
35     </div>

```

```

74         {/if}
75
76         <td class="actions">
- 77             <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to the bas
ket'}" class="btn btn-red2 addtobasket spanhover">
- 78                 
- 79                 <span>{translate key='add to the basket'}</span>
- 80             </a>
+ 77             {if true == $enablebasket && 1 == (int) $product->availability->availability->can_buy}
+ 78                 <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to car
t'}" class="btn btn-red2 addtobasket spanhover">
+ 79                     
+ 80                     <span>{translate key='add to cart'}</span>
+ 81                 </a>
+ 82                 {elseif $enable_availability_notifier && $product->product->isEnabledNotifier()}
+ 83                 {dynamic}
+ 84                 {assign var="availabilityNotifyUser" value=$product->getAvailabilityNotifyByUse
r()}
+ 85                 <div class="availability-notifier-unsubscribe-container{if $availabilityNotifyU
ser == null} none{/if}">
+ 86                     <a href="#" data-stock-id="{ $product->stock->stock_id}" title="{translate k
ey="cancel notify"}" class="btn btn-red2 availability-notifier-unsubscribe-btn spanhover">
+ 87                         
+ 88                         <span>{translate key='cancel notify'}</span>
+ 89                     </a>
+ 90                 </div>
+ 91
+ 92                 <div class="availability-notifier-container{if $availabilityNotifyUser} none{/i
f}">
+ 93                     <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn spanhov
er">
+ 94                         
+ 95                         <span>{translate key='notify of product availability'}</span>
+ 96                     </a>
+ 97                 </div>
+ 98                 {/dynamic}
+ 99             {/if}
100
101             <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'
}" class="btn remove spanhover">
102                 

```

scripts/panel/index.tpl

```

28
29         <div class="box" id="box_panel">
30             <div class="boxhead">
- 31                 <span>{translate key="Customer's panel"}</span>

```

```

+ 31      <span>{translate key="Customer panel1"}</span>
32      </div>
33
34      <div class="innerbox">

40      <td class="id">{translate key='Order no.'}</td>
41      <td class="sum">{translate key='Value'}</td>
42      <td class="status">{translate key='Status'}</td>
- 43      <td class="parcels">{translate key='Package'}</td>
+ 43      <td class="parcels">{translate key='Shipment'}</td>
44      </tr>
45      </thead>
46      <tbody>

59      {assign var=onlinepayment value=$order->getOnlinePayment()}
60      {if !$onlinepayment->isFinished() or !$onlinepayment->isStarted()}
61      {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
- 62      <a class="titlequestion" title="{translate key='Your payment is processed.
Are you sure you want to pay again?'}" href="{route
+ 62      <a class="titlequestion" title="{translate key='Your payment is currently b
eing processed. Are you sure you want to pay again?'}" href="{route
63      key='panelPayment' orderId=$id}">{translate key='pay again'}</a>
64      {else}
65      <a href="{route key='panelPayment' orderId=$id}">{translate key='pay'}</a>

71      {if count($order->parcels) > 0}
72      {foreach from=$order->parcels item=parcel}
73      {if strlen($parcel->getTraceLink())}
- 74      <a href="{ $parcel->getTraceLink()}" class="trace popup">
+ 74      <a href="{ $parcel->getTraceLink()}" target="_blank" class="trace">
75      { $parcel->parcel->shipping_code|escape}
76      </a>
- 77      <span class="smallldate">({translate key='shipped:'} {date value=$parcel->pa
rcel->send_date})</span>
+ 77      <span class="smallldate">({translate key='sent':} {date value=$parcel->parce
l->send_date})</span>
78      {/if}
79      {/foreach}
80      {else} - {/if}

102      </a>
103      <a href="{route key='panelPassword'}" class="changepass btn spanhover">
104      
- 105      <span>{translate key='Change your password'}</span>
+ 105      <span>{translate key='Change password'}</span>
106      </a>
107

```

```

108         <h4 class="separator row">{translate key='Addresses'}</h4>
109         <ul class="address row">
110             <li>
- 111                 <b class="title">{translate key='Invoicing address'}</b>
+ 111                 <b class="title">{translate key='Billing address'}</b>
112                 {if $billing_address}
113                     {assign var=address value=$billing_address->address}
114                     {if $address->firstname || $address->lastname
115                         }<p>{if $address->firstname}{$address->firstname|escape} {/if}{if $address->lastname}{$addr
ess->lastname|escape}{/if}</p>{/if}
116                     {if $address->company_name}<p>{$address->company_name|escape}</p>{/if}
- 117                     {if $address->tax_id}<p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>{/if}
- 118                     {if $address->pesel}<p>{translate key='PESEL:'} {$address->pesel|escape}</p>{/if}
+ 117                     {if $address->tax_id}<p>{translate key='Tax ID':} {$address->tax_id|escape}</p>{/if}
+ 118                     {if $address->pesel}<p>{translate key='Personal Identification Number':} {$address->pesel|escap
e}</p>{/if}
119                     {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
120                     {if $address->zip_code || $address->city
121                         }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}

```

```

132                 {if $address->firstname || $address->lastname
133                     }<p>{if $address->firstname}{$address->firstname|escape} {/if}{if $address->lastname}{$addr
ess->lastname|escape}{/if}</p>{/if}
134                 {if $address->company_name}<p>{$address->company_name|escape}</p>{/if}
- 135                 {if $address->tax_id}<p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>{/if}
+ 135                 {if $address->tax_id}<p>{translate key='Tax ID':} {$address->tax_id|escape}</p>{/if}
136                 {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
137                 {if $address->zip_code || $address->city
138                     }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}

```

```

145         </ul>
146         <a href="{route key='panelAddressList'}" class="editaddresses btn spanhover">
147             
- 148             <span>{translate key='Go to address edition'}</span>
+ 148             <span>{translate key='Edit an address'}</span>
149         </a>
150
151         {if $loyalty}
152         <h4 class="separator row">{translate key='Loyalty program'}</h4>
153         <ul class="loyalty row">
154             <li>
- 155                 <p class="sum">{translate key='Points total: %s%s%s' p1='<b>' p2=$loyalty_points p3='</b>'}</p>
+ 155                 <p class="sum">{translate key='Total points: %s%s%s' p1='<b>' p2=$loyalty_points p3='</b>'}</p>
156             </li>
157             {if $loyalty_discount}

```

```

158         <li class="loyalty_discount">
- 159             <b>{translate key='Discount level'}</b>
+ 159             <b>{translate key='Discount threshold'}</b>
160             {if $loyalty_level && $loyalty_level.level}
- 161             <p class="current">{translate key='Permanent discount you have for gathering loylaty po
ints (%s%s)s)' p1='<b>' p2=$loyalty_level.level p3='</b>'}</p>
- 162             <h4>{translate key='discount %s' p1=$loyalty_level.discount}</h4>
+ 161             <p class="current">{translate key='Your permanent discount received for collecting a ce
rtain number of points (%s%s)s)' p1='<b>' p2=$loyalty_level.level p3='</b>'}</p>
+ 162             <h4>{translate key='%s discount' p1=$loyalty_level.discount}</h4>
163             {if $loyalty_next_level}
- 164             <p class="next">{translate key='To gain bigger discount gather another %s%s%s point
s' p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
+ 163             <p class="next">{translate key='To get a bigger discount collect another %s%s%s poi
nts' p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
164             {/if}
165             {elseif $loyalty_next_level}
- 166             <p class="next">{translate key="You need at least %s%s%s more points to gain permanent
discount" p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
+ 166             <p class="next">{translate key="You still need at least %s%s%s points to get a permanen
t discount" p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
167             {/if}
168         </li>
169     </if>

```

```

172         {if $loyalty_exchange}
173         <a href="{route key='loyaltyList'}" class="loyaltylist button spanhover">
174             
- 175             <span>{translate key='Go to list of products for which points may be exchanged'}</span>
+ 175             <span>{translate key='Go to the list of products that you can exchange for points'}</span>
176         </a>
177     </if>
178 </ul>

```

```

212         {if 1 == (int) $exevent->loyalty->status}
213         {translate key='Exchanged'}
214     {else}
- 215     {translate key='Requested'}
+ 215     {translate key='Submitted for exchange'}
216     <span class="smallldate">({date value=$exevent->loyalty->date})</span>
217     {/if}
218 </td>

```

```

228         {if $comments_count > 0}
229         <a href="{route key='panelComments'}" class="prodcomments btn spanhover">
230             
- 231             <span>{translate key='Your opinions about products (%d)' p0=$comments_count}</span>
+ 231             <span>{translate key='Your product reviews (%d)' p0=$comments_count}</span>

```

```

232         </a>
233     }{/if}
234     {if $favourites_count > 0}
235         <a href="{route key='panelFavourites'}" class="prodstorage btn spanhover">
236             
- 237             <span>{translate key='Stored products (%d)' p0=$favourites_count}</span>
+ 237             <span>{translate key='Products on wishlist (%d)' p0=$favourites_count}</span>
238         </a>
239     }{/if}
240 </div>

```

scripts/panel/order.tpl

```

35         <div class="row f-row order-details">
36             <ul class="details f-grid-4">
37                 <li class="id">
- 38                     <strong>{translate key='Order No.': </strong><span class="id">{$id|escape}</span>
+ 38                     <strong>{translate key='Order number': </strong><span class="id">{$id|escape}</span>
39                 </li>
40                 <li class="status">
41                     <strong>{translate key='Status': </strong><span class="status">{$order->status->translation->n
ame|escape}</span>
42                 </li>
43                 <li class="date">
- 44                     <strong>{translate key='Order placement date': </strong><span class="date">{date value=$order-
>order->date}</span>
+ 44                     <strong>{translate key='Order date': </strong><span class="date">{date value=$order->order->da
te}</span>
45                 </li>
46                 {if $config_confirm}
47
62                     <strong>{translate key='Payment': </strong><span class="payment">{$order->payment->translation
->title|escape}</span>
63                 </li>
64                 <li class="shipping">
- 65                     <strong>{translate key='Delivery': </strong><span class="shipping">{$order->shipping->shipping
->name|escape}</span>
+ 65                     <strong>{translate key='Shipping method': </strong><span class="shipping">{$order->shipping->s
hipping->name|escape}</span>
66                 </li>
67                 {if $order->invoice && true == $show_invoice}
68
72             }{/if}
73
74             {if count($order->parcels) > 0}
- 75                 <li class="parcel"><strong>{translate key='Package': </strong>

```

```

- 76         <span class="parcel">
- 77             {foreach from=$order->parcels item=parcel}
- 78                 {if strlen($parcel->getTraceLink())}
- 79                     <a href="{ $parcel->getTraceLink()}" class="trace popup">{$parcel->parcel->shipp
ing_code|escape}</a>
- 80                 <span class="date">({translate key='shipped:'} {date value=$parcel->parcel->sen
d_date})</span><br />
- 81             {/if}
- 82         {/foreach}
- 83     </span>
- 84 </li>
+ 75     {if $order->parcels|count > 0}
+ 76     <li class="parcel"><strong>{translate key='Shipment'}: </strong>
+ 77         <span class="parcel">
+ 78             {foreach from=$order->parcels item=parcel}
+ 79                 {if strlen($parcel->getTraceLink())}
+ 80                     <a href="{ $parcel->getTraceLink()}" target="_blank" class="trace">{$parcel-
>parcel->shipping_code|escape}</a>
+ 81                 <span class="date">({translate key='sent':} {date value=$parcel->parcel->se
nd_date})</span><br />
+ 82             {/if}
+ 83         {/foreach}
+ 84     </span>
+ 85 </li>
+ 86 {/if}
87 {/if}
88
89     {if $order->order->notes_pub}
90     <li class="notes">
- 91         <strong>{translate key='Comments'}: </strong><span class="notes">{$order->order->notes_pub|
escape}</span>
+ 80         <strong>{translate key='Notes'}: </strong><span class="notes">{$order->order->notes_pub|esc
ape}</span>
81     </li>
82 {/if}
+ 83 {plugin module=shop template=panel-order-details-rwd}
84 </ul>
85
- 86 <ul class="address f-grid-4">
+ 85 <ul class="address f-grid-4 row">
86     <li>
87         {assign var=address value=$order->billingAddress}
- 88         <b>{translate key='Invoicing address'}</b>
+ 88         <b>{translate key='Billing address'}</b>
89         {if $address->firstname || $address->lastname}
90             <p>
91                 {if $address->firstname}
114             {/if}
115

```

```

116         {if $address->tax_id}
- 117             <p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>
+ 117             <p>{translate key='Tax ID'}: {$address->tax_id|escape}</p>
118         {/if}
119
120         {if $address->pesel}
- 121             <p>{translate key='PESEL:'} {$address->pesel|escape}</p>
+ 121             <p>{translate key='Personal Identification Number'}: {$address->pesel|escape}</p>
122         {/if}
123
124         {if $address->street1}

```

```

149         <ul class="address f-grid-4">
150             <li>
151                 {assign var=address value=$order->deliveryAddress}
- 152                 <b>{translate key='Delivery address'}</b>
- 153                 {if $address->firstname || $address->lastname}
- 154                     <p>
- 155                         {if $address->firstname}
- 156                             {$address->firstname|escape}
- 157                         {/if}
- 158                         {if $address->lastname}
- 159                             {$address->lastname|escape}
- 160                         {/if}
- 161                     </p>
- 162                 {/if}
+ 152
+ 153                 {if $shippingHandler->isOverwriteDeliveryAddress()}
+ 154                     {plugin module=shop template=panel-order-address-delivery-overwrite-rwd}
+ 155                 {else}
+ 156                     <b>{translate key='Delivery address'}</b>
+ 157                     {if $address->firstname || $address->lastname}
+ 158                         <p>
+ 159                             {if $address->firstname}
+ 160                                 {$address->firstname|escape}
+ 161                             {/if}
+ 162                             {if $address->lastname}
+ 163                                 {$address->lastname|escape}
+ 164                             {/if}
+ 165                         </p>
+ 166                     {/if}
167
- 168                 {if $address->company}
- 169                     <p>
- 170                         {$address->company|escape}
- 171                     </p>
- 172                 {/if}
+ 154                 {if $address->company}
+ 155                     <p>

```

```

+ 156                                     {$address->company|escape}
+ 157                                     </p>
+ 158                                   {/if}
159
- 160                                   {if $address->tax_id}
- 161                                   <p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>
- 162                                   {/if}
+ 156                                   {if $address->tax_id}
+ 157                                   <p>{translate key='Tax ID'}: {$address->tax_id|escape}</p>
+ 158                                   {/if}
159
- 160                                   {if $address->street1}
- 161                                   <p>{$address->street1|escape}</p>
- 162                                   {/if}
+ 158                                   {if $address->street1}
+ 159                                   <p>{$address->street1|escape}</p>
+ 160                                   {/if}
161
- 162                                   {if $address->postcode || $address->city}
- 163                                   <p>
- 164                                   {if $address->postcode}
- 165                                   {$address->postcode|escape},
- 166                                   {/if}
- 167                                   {if $address->city}
- 168                                   {$address->city|escape}
- 169                                   {/if}
- 170                                   </p>
- 171                                   {/if}
+ 160                                   {if $address->postcode || $address->city}
+ 161                                   <p>
+ 162                                   {if $address->postcode}
+ 163                                   {$address->postcode|escape},
+ 164                                   {/if}
+ 165                                   {if $address->city}
+ 166                                   {$address->city|escape}
+ 167                                   {/if}
+ 168                                   </p>
+ 169                                   {/if}
170
- 171                                   {if $address->country}
- 172                                   <p>{$address->country|escape}</p>
- 173                                   {/if}
+ 162                                   {if $address->country}
+ 163                                   <p>{$address->country|escape}</p>
+ 164                                   {/if}
165
- 166                                   {if $address->phone}
- 167                                   <p>{$address->phone|escape}</p>
+ 164                                   {if $address->phone}
+ 165                                   <p>{$address->phone|escape}</p>

```

```

+ 166                                     {/if}
167                                     {/if}
168                               </li>
169       </ul>

220     </tr>
221
222     <tr class="shipping">
- 223         <td class="label" colspan="3">{translate key='Delivery cost'}</td>
+ 223         <td class="label" colspan="3">{translate key='Shipping cost'}</td>
224         <td class="value">{currency value=$order->order->shipping_cost}</td>
225     </tr>
226
227     {if $order->sumDiscounts() > 0}
228     <tr class="discount">
- 229         <td class="label" colspan="3">{translate key='Granted discount:'}</td>
+ 229         <td class="label" colspan="3">{translate key='Discounts granted':}</td>
230         <td class="value">{currency value=$order->sumDiscounts()}</td>
231     </tr>
232     {/if}
233
234     <tr class="topay">
- 235         <td class="label" colspan="3">{translate key='Amount to be paid'}</td>
+ 235         <td class="label" colspan="3">{translate key='To pay'}</td>
236         <td class="value">{currency value=$order->sumOrder()}</td>
237     </tr>
238 </tfoot>

240 <tbody>
241     {foreach from=$order->products item=product name=list}
242         <tr class="{if $smarty.foreach.list.index % 2}odd{else}even{/if}">
- 243             <td class="name">{$product->product->name|escape}{if $product->product->option}, <span clas
s="variant">{$product->product->option|escape}</span>{/if}</td>
+ 243             <td class="name">{$product->product->name|escape}{if $product->hasOptionsRepresentation()},
<span class="variant">{$product->getOptionsString()|escape}</span>{/if}</td>
244             <td class="quantity">{float value=$product->product->quantity}</td>
245             <td class="price">{currency value=$product->product->price}</td>
246             <td class="sum">{currency value=$product->getPriceTimesQuantity(false)}</td>

255 <form action="{route key='panelPayment' orderId=$id token=$token}" method="get" class="pay row">
256     <fieldset>
257         {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
- 258         {translate key='Your payment is processed'}
+ 258         {translate key='Your payment is being processed.'}
259         <button class="btn btn-red2 important pay" type="submit">
260             
261             <span>{translate key='Pay again'}</span>

```

```

288             {/if}
289         {/foreach}
290     {else}
- 291         <p>{translate key='Files will be available to download after payment.'}</p>
+ 291
292     {/if}
293     <div class="row"></div>
294 {/if}

```

scripts/panel/orders.tpl

```

35         <thead>
36         <tr>
37             <td class="id">{translate key='ID'}</td>
- 38             <td class="date rwd-hide-medium">{translate key='Order placement date'}</td>
+ 38             <td class="date rwd-hide-medium">{translate key='Order date'}</td>
39             <td class="sum">{translate key='Value'}</td>
- 40             <td class="shipping">{translate key='Delivery'}</td>
+ 40             <td class="shipping">{translate key='Shipping method'}</td>
41             {if $config_confirm}<td class="status">{translate key='Confirmation'}</td>{/if}
42             <td class="actions">{translate key='Actions'}</td>
43         </tr>

```

scripts/panel/password.tpl

```

24
25         <div class="box" id="box_passchange">
26             <div class="boxhead">
- 27                 <span>{translate key="Change of password"}</span>
+ 27                 <span>{translate key="Password change"}</span>
28             </div>
29
30             <div class="innerbox">

```

```

58         </ul>
59     {/if}
60
- 61     <label for="pass2_input"><em class="color">*</em> {translate key="Retype your password"}:</label>
+ 61     <label for="pass2_input"><em class="color">*</em> {translate key="Repeat password"}:</label>
62     <div class="shaded_inputwrap{if $data_error.pass2} error{/if}">
63         <input type="password" name="pass2" id="pass2_input" value="" size="30" />
64     </div>

```

scripts/product/comments.tpl

```

3     <div class="boxhead tab-head">
4         <h3>

```

```

5         
- 6         {translate key="Opinions about the product"} ({product_comments|count})
+ 6         {translate key="Product reviews"} ({product_comments|count})
7     </h3>
8 </div>
9

```

```

23         <fieldset>
24             {include file='formantispam.tpl'}
25
- 26         <label for="commentuser">{translate key="Nick:"}</label>
+ 26         <label for="commentuser">{translate key="First and last name"}:</label>
27         <div class="f-row">
28             <input name="user" type="text" id="commentuser" value="{if $user_logged}{$user->user->getName()}|escape}{else}
e){$data.user|escape}{/if}" size="30" class="f-grid-12" >
29         </div>

```

```

35         </ul>
36     </if>
37
- 38     <label for="comment">{translate key="Your opinion:"}</label>
+ 38     <label for="comment">{translate key="Your review"}:</label>
39     <div class="f-row">
40         <textarea name="comment" id="comment" rows="5" cols="30" class="f-grid-12">{$data.comment|escape}</textarea
>
41     </div>

```

scripts/product/description.tpl

```

12
13     {if count($product->files)}
14     <div class="productfiles">
- 15         <h5 class="">{translate key="Downloadable files:"}</h5>
+ 15         <h5 class="">{translate key="Files to download"}:</h5>
16         <ul class="productfiles">
17             {foreach from=$product->files item=file}
18                 <li>

```

scripts/product/gallery-tab.tpl

```

12     {foreach from=$gallery item=img name=list}
13         <div class="f-grid-4">
14             <a id="prodingm{$img->gfx_id}" rel="prettyPhoto[pp_gal]" href="{imageUrl type='productGfx' image=$img->unic_name
}" title="{ $img->name|escape}" class="gallery-img">
- 15                 
+ 15                 name|escape}">
16             </a>

```

```
17         </div>
18     }/foreach}
```

scripts/product/gallery.tpl

```
6         {if 1 == count($gallery)}
7             <a id="proding{$img->gfx_id}" rel="prettyPhoto" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}">
8                 <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_settings->productdetails->productzoom}outerzoom {/if
- 9                 {" src="{imageUrl type='productGfx' width=$skin_settings->img->big image=$img->unic_name}" alt="{ $img->name|escape}">
+ 9                 {" src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$img->unic_name}" alt="{ $img->name|escape}">
10             </a>
11         {else}
12             <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_settings->productdetails->productzoom}outerzoom {/if
13             src="{imageUrl type='productGfx' width=$skin_settings->img->big image=$product->defaultStock->mainImageName() overlay=1}" alt="{ $img->name|escape}" />
- 14             {" src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$product->defaultStock->mainImageName() overlay=1}" alt="{ $img->name|escape}" />
+ 14             {" src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$product->defaultStock->mainImageName() overlay=1}" alt="{ $img->name|escape}" />
15         {/if}
16
17         {if $product->specialOffer || $product->isNew()}
18             <ul class="tags">
19                 {if $product->specialOffer}
- 20                 <li class="promo">{translate key="promotion"}</li>
+ 20                 <li class="promo">{translate key="on sale tag"}</li>
21                 {/if}
22                 {if $product->isNew()}
- 23                 <li class="new">{translate key="new"}</li>
+ 23                 <li class="new">{translate key="new product tag"}</li>
24                 {/if}
25             </ul>
26         {/if}
27     </div>
- 28
- 29     {if count($gallery) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
- 30     <div class="smallgallery row">
+ 28
+ 29     <div class="smallgallery row">
+ 30     {if count($gallery) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
31         <div class="innersmallgallery">
32             <ul>
33                 {foreach from=$gallery item=img}
34                     <li class="productdetailsminigalleryimgsize">
35                         <a id="proding{$img->gfx_id}" rel="prettyPhoto[pp_gal]" href="{imageUrl type='productGfx' image=$img->unic_
```

```

name}" title="{ $img->name|escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
- 36         name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big image=$img->unic_name}">
+ 34         name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big height=$skin_settings->img->big image=$img->unic_name}">
36     </a>
37 </li>
38 {/foreach}
39 </ul>
40 </div>
+ 41 {/if}
42
- 43 <div class="innersmallgallery-rwd">
- 44 <ul>
- 45 {foreach from=$gallery item=img}
- 46 <li class="productdetailsminigalleryimgsize">
- 47 <a id="proding{$img->gfx_id}" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|
escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
- 48 name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big image=$img->unic_name}">
- 50 </a>
- 51 </li>
- 52 {/foreach}
- 53 </ul>
- 54 </div>
+ 41 <div class="innersmallgallery-rwd">
+ 42 <ul>
+ 43 {foreach from=$gallery item=img}
+ 44 <li class="productdetailsminigalleryimgsize">
+ 45 <a id="proding{$img->gfx_id}-mini" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name
|escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
+ 46 name|escape}" data-img-name="{imageUrl type='productGfx' width=$skin_se
ttings->img->big height=$skin_settings->img->big" image=$img->unic_name}">
+ 48 </a>
+ 49 </li>
+ 50 {/foreach}
+ 51 </ul>
52 </div>
- 53 {/if}
+ 43 </div>
+ 44 {*
+ 45 <ul data-slider="true">
+ 46 {foreach from=$gallery item=img}
+ 47 <li style="width: 45px; height: 45px" class="productdetailsminigalleryimgsize">
+ 48 <a id="proding{$img->gfx_id}" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}" cla
ss="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
+ 49 name|escape}" data-img-name="{imageUrl type='productGfx' width=$skin_settings->
img->big height=$skin_settings->img->big" image=$img->unic_name}">
+ 51     </a>
+ 52 </li>
+ 53 {/foreach}
+ 54 </ul>
+ 55 *}
+ 56 </div>

```

scripts/product/index.tpl

```

1 {include file='header.tpl'}
+ 2
+ 3 {if $loyalty_exchange}
+ 4     {assign var=product_price value=0}
+ 5 {elseif $product->specialOffer}
+ 6     {assign var=product_price value=$product->defaultStock->getSpecialOfferPrice()}
+ 7 {else}
+ 8     {assign var=product_price value=$product->defaultStock->getPrice()}
+ 9 {/if}
+ 10
11 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
12     {include file='body_head.tpl'}
13     <div class="main row">

```

```

38         </h1>
39     </div>
40
- 41 <div class="innerbox" data-loading="{translate key="Uploading file"...}">
+ 41 <div class="innerbox" data-loading="{translate key="File upload in progress"...}">
42     <div class="maininfo row">
43         <div class="f-row">
44             {include file='product/gallery.tpl'}

```

```

51         <div class="row">
52             {if 1 == $skin_settings->productdetails->availability && $product->defaultStock
->availability && $product->defaultStock->availability->translation}
53                 <div class="row availability">
- 54 <span class="first">{translate key="Availability"}</span>
+ 54 <span class="first">{translate key="Availability"}:</span>
55                 {if $product->defaultStock->availability->availability->photo}
56                     
57             {/if}

```

```

61
62         {if $product->canBuyStock() && 1 == $skin_settings->productdetails->time && $pr

```

```

        oduct->defaultStock->delivery}
        63                                     <div class="delivery">
- 64                                     <span class="first">{translate key="Shipment date:"}</span>
+ 64                                     <span class="first">{translate key="Dispatched within"}:</span>
        65                                     <span class="second">{$product->defaultStock->delivery->translation->na
me|escape}</span>
        66                                     </div>
        67                                     {/if}
    }

116                                     {/if}
117
118                                     {/if}
- 119
+ 119
120                                     {if $product->getRichSnippetForAvailability() == 'instore_only'}
121                                     <link itemprop="availability" href="{schema}://schema.org/InStoreOnly" />
122                                     {elseif $product->getRichSnippetForAvailability() == 'out_of_stock'}

127
128                                     {if floatval($product->product->other_price)}
129                                     <div class="otherprice">
- 130                                     <span class="otherprice-name">{translate key="Price in other shops"}:</span>
>
+ 130                                     <span class="otherprice-name">{translate key="Price in other stores"}:</spa
n>
131                                     <em>{currency value=$product->product->other_price ceil=2}</em>
132                                     </div>
133                                     {/if}
134
- 135                                     <form class="form-basket{if false == $product->canBuyStock()} none{/if}{if $loyalty
_exchange} loyaltyexchange{/if}" method="post" action="{route key=$basketAddRoute stockId='post'}" enctype="multipart/form-data">
+ 135                                     <form class="form-basket{if false == $product->canBuyStock() && ($enable_availabili
ty_notifier && $product->isEnabledNotifier()) == false} none{/if}{if $loyalty_exchange} loyaltyexchange{/if}" method="post" action="{rou
te key=$basketAddRoute stockId='post'}" enctype="multipart/form-data">
136                                     {assign var=options value=$product->getOptionsConfigurationStruct()}
137                                     {if $product->product->group_id && count($options)}
138                                     <div class="stocks">

162                                     <div class="option_{ $option.type|escape}{if 1 == $option.st
ock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
163                                     <span class="checkbox-wrap-yesno">
164                                     <input type="checkbox" id="option_{ $option.id|escap
e}" name="option_{ $option.id|escape}" value="1" />
- 165                                     <label data-yes="{translate key="TAK"}" data-no="{t
ranslate key="NIE"}" for="option_{ $option.id|escape}"></label>
+ 165                                     <label data-yes="{translate key="YES"}" data-no="{t
ranslate key="NO"}" for="option_{ $option.id|escape}"></label>
166                                     </span>
167                                     </div>

```

168		{/case}
180		{case expr='color'}
181	ock} option_truestock{/if}{if 1 == \$option.required} option_required{/if}">	<div class="option_{ \$option.type escape}{if 1 == \$option.st
182	option.id escape}">	<select id="option_{ \$option.id escape}" name="option_{ \$
- 183	</option>	<option value="" title="">{translate key='(choose)'
+ 183	</option>	<option value="" title="">({translate key='choose'}
184		{foreach from=\$option.values item=value}
185	olor escape}">{\$value.name escape}</option>	<option value="{ \$value.id escape}" title="{ \$value.c
186		{/foreach}
191	ock} option_truestock{/if}{if 1 == \$option.required} option_required{/if}">	<div class="option_{ \$option.type escape}{if 1 == \$option.st
192	option.id escape}">	<select id="option_{ \$option.id escape}" name="option_{ \$
193		{if 0 == \$option.stock}
- 194	</option>	<option value="" title="">{translate key='(choose)'
+ 194	</option>	<option value="" title="">({translate key='choose'}
195		{/if}
196		{foreach from=\$option.values item=value}
197	ape}</option>	<option value="{ \$value.id escape}">{\$value.name esc
206		</div>
207		{/if}
208		
- 209	<fieldset{if false == \$enablebasket 0 == (int) \$product->defaultStock->avail	
	ability->availability->can_buy} class="none"{/if}>	
+ 209	<fieldset class="addtobasket-container{if false == \$enablebasket 0 == (int)	
	\$product->defaultStock->availability->availability->can_buy} none{/if}">	
210		<div class="quantity_wrap">
211		{translate key="quantity"}
212		
218		</div>
219		<div class="button_wrap">
220		<button type="submit" class="addtobasket btn btn-red">
- 221		
- 222	{if \$loyalty_exchange}{translate key="Exchange"}{else}{transl	
	ate key="Add to the basket"}{/if}	

```

+ 221         
+ 222         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{transl
ate key="Add to cart"}{/if}</span>
223     </button>
224     {if false != $loyalty_points && !$loyalty_exchange}
225         <span class="loyalty_points{if 0 == $loyalty_points} none{/if}">
- 226             {translate key="You earn %s%s%s points [%s?%s]" p1='<span class
="points">' p2=$loyalty_points p3='</span>' p4='<span class="tooltip_pointer">' p5='</span>'}
+ 225             {translate key="You gain %s%s%s points [%s?%s]" p1='<span class
="points">' p2=$loyalty_points p3='</span>' p4='<span class="tooltip_pointer">' p5='</span>'}
226         <label class="tooltip" id="loyalty_msg">
227             {if $loyalty_msg_title}
- 228                 <p class="title">{$loyalty_msg_title|escape}</p>
+ 228                 <span class="title">{$loyalty_msg_title|escape}</span>
229             {/if}
230             {foreach from=$loyalty_msgs item=loyalty_msg}
- 231                 <p>{$loyalty_msg|escape}</p>
+ 231                 <span>{$loyalty_msg|escape}</span>
232             {/foreach}
233         </label>
234     </span>
235     {/if}
236 </div>
237 </fieldset>
+ 238
+ 239     {if $enable_availability_notifier}
+ 240     {dynamic}
+ 241     {assign var="availabilityNotifyUser" value=$product->defaultStock->getA
vailabilityNotifyByUser()}
+ 242     <fieldset class="availability-notifier-container{if $availabilityNotify
User != null || 1 == (int) $product->defaultStock->availability->can_buy} none{/if}">
+ 243         <div class="button_wrap">
+ 244             <button type="submit" class="availability-notifier-btn btn btn-
red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 245                 
+ 246                 <span>{translate key="notify of product availability"}</spa
n>
+ 247             </button>
+ 248         </div>
+ 249     </fieldset>
+ 250     {if true == $user_logged}
+ 251     <fieldset class="availability-notifier-unsubscribe-container{if $av
ailabilityNotifyUser == null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
+ 252         <div class="button_wrap">
+ 253             <button type="submit" class="availability-notifier-unsubscr
ibe-btn btn btn-red" data-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 254                 

```

```

+ 255 <span>{translate key="cancel notify"}</span>
+ 256 </button>
+ 257 </div>
+ 258 </fieldset>
+ 259 {/if}
+ 260 {/dynamic}
+ 261 {/if}
262 </form>
+ 263
+ 264
265 {if 1 == $skin_settings->productdetails->storage}
- 266 <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifie
r()}" title="{translate key='Store'}" class="addtofav">
+ 240 <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifie
r()}" title="{translate key='add to wish list'}" class="addtofav">
241 
- 242 <span>{translate key="Store"}</span>
+ 242 <span>{translate key="add to wish list"}</span>
243 </a>
244 {/if}
245 </div>

```

```

274 {if 1 == $skin_settings->productdetails->score || 1 == $skin_settings->productdetails->
producer || 1 == $skin_settings->productdetails->code ||
275 1 == $skin_settings->productdetails->storage || 1 == $skin_settings->productdetails
->recommend || ($can_comment && 1 == $skin_settings->productdetails->comments) }
276
- 277 <div class="productdetails-more-details">
+ 277 <div class="productdetails-more-details clearfix">
278 {if 1 == $skin_settings->productdetails->score || 1 == $skin_settings->productd
etails->producer || 1 == $skin_settings->productdetails->code}
279 <div class="productdetails-more row">
280 {if 1 == $skin_settings->productdetails->score}
281 <div class="row evaluation" itemprop="aggregateRating" itemscope it
emtype="{ $schema }://schema.org/AggregateRating">
- 282 <em>{translate key="Evaluation"}:</em>
+ 282 <em>{translate key="Rating"}:</em>
283 <span class="votestars"{if $can_vote} id="votestars_{ $product->
getIdentifier()|escape }"{/if}>
284 {foreach from=$vote_stars item=star name=list}
285 
286 {/foreach}
+ 287 <meta itemprop="ratingValue" content="{ $product->vote->rate
}" />
288 </span>
- 289 <span class="none" itemprop="ratingValue">
+ 289 <span class="none">
289 { $product->vote->rate }
290 </span>

```

```

- 291 <span class="votecount">({translate key="Your score"}: <b itemprop="reviewCount">{if $product->vote->votes}{$product->vote->votes|escape|replace:'.': '- '}{else}0{/if}</b>)</span>
+ 291 <span class="votecount">({translate key="Number of ratings"}: <b itemprop="reviewCount">{$product_comments|@count}</b>)</span>
292 </div>
293 {/if}
294 {if 1 == $skin_settings->productdetails->producer}
295 <div class="row manufacturer">
- 296 <em>{translate key="Manufacturer"}: </em>
+ 296 <em>{translate key="Vendor"}: </em>
297 {if $product->product->producer_id}
298 {if $product->producer->manufacturer->web}
- 299 <a class="brand popup" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->manufacturer->name|escape}">
+ 299 <a itemprop="brand" content="{ $product->producer->manufacturer->name|escape}" target="_blank" class="brand" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->manufacturer->name|escape}">
300 {else}
- 301 <a class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerName=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
+ 301 <a itemprop="brand" content="{ $product->producer->manufacturer->name|escape}" class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerName=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
302 page=1 sort=1 view=$view}" title="{ $product->producer->manufacturer->name|escape}">
303 {/if}
304 {if $product->producer->manufacturer->gfx}

313 {/if}
314 </div>
315 {/if}
+ 316 <span itemscope itemtype="http://schema.org/Offer">
+ 317 <meta itemprop="category" content="{ $product->defaultCategory->translation->name}" />
+ 318 </span>
319 {if 1 == $skin_settings->productdetails->code}
320 <div class="row code">
321 <em>{translate key="Product code"}:</em>

328 <ul class="row links-q">
329 {if 1 == $skin_settings->productdetails->question}
330 <li class="question">
- 331 <a href="{route key='productQuestion' productId=$product->getIdentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
+ 331 <a data-href="{route key='productQuestion' productId=$product->getIdentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
332 
333 <span>{translate key="ask about product"}</span>
334 </a>
335 </li>

```

```

- 336                                     {/if}
- 337                                     {if $loyalty_exchange}
- 338                                         {assign var=product_price value=0}
- 339                                     {elseif $product->specialOffer}
- 340                                         {assign var=product_price value=$product->defaultStock->getSpecialOffer
Price()}}
- 341                                     {else}
- 342                                         {assign var=product_price value=$product->defaultStock->getPrice()}}
- 343                                     {/if}
- 344                                     {if $product_price >= 100}
- 345                                         {plugin module=shop template=product-zagiel}
- 346                                     {/if}
- 347                                     {if $product_price >= 500}
- 348                                         {plugin module=shop template=product-lukas}
349                                     {/if}
+ 350
351                                     {if 1 == $skin_settings->productdetails->recommend}
352                                         <li class="mailfriend">
353                                             <a href="{route key='productMailFriend' productId=$product->getIden
tifier()}" title="{translate key='recommend to a friend'}" class="mailfriend">

346                                     {if false != $product_comments && 1 == $skin_settings->productdetails->com
ments}
347                                         {if $can_comment}
348                                             <li class="comment">
- 349                                                 <a href="#commentform" title="{translate key='add an opinion'}"
class="comment addcomment">
+ 349                                                 <a href="#commentform" title="{translate key='add your review'}"
" class="comment addcomment">
350                                                 
- 351                                                 <span>{translate key="add an opinion"}</span>
+ 351                                                 <span>{translate key="add your review"}</span>
352                                                 </a>
353                                             </li>
354                                         {else}
355                                             <li class="comment">
- 356                                                 <a href="#" title="{translate key='Only logged-in users can add
opinions.'}" class="comment addcomment">
+ 356                                                 <a href="#" title="{translate key='Only registered users can ad
d reviews.'}" class="comment addcomment alert-modal">
357                                                 
- 358                                                 <span>{translate key="add an opinion"}</span>
+ 358                                                 <span>{translate key="add your review"}</span>
359                                                 </a>
360                                             </li>
361                                         {/if}
362                                     {/if}
+ 363

```

```

+ 364                                     {plugin module=shop template=product-links product=$product}
365                                     </ul>
366                                     </div>
367                                 {/if}

```

```

405                                 {/if}
406                             {else}
407                             <div class="alert-error alert">
- 408                                 <p>{translate key="This product is not available."}</p>
+ 408                                 <p>{translate key="This product is unavailable."}</p>
409                             </div>
410                             {/if}
411

```

```

428                                     </div>
429                             </div>
430                         </div>
- 431
+ 431
432                         <script type="text/javascript">
433                             try {literal}{{/literal}} Shop.values.OptionsConfiguration = "{\$options_configuration|escape}"; Shop.values.OptionsDefault = "{\$
options_default|escape}"; Shop.values.OptionCurrentStock = "{\$stock_id|escape}"; Shop.values.optionCurrentVirt = "default"; Shop.values.
OptionImgWidth = "{\$skin_settings->img->big|escape}"; Shop.values.OptionImgHeight = "0"; {literal}{{/literal}} catch(e) {literal}{ }{/lit
eral}
434                         </script>

```

scripts/product/list.tpl

```

- 1     {php}$helper = $this->_tpl_vars['helper'];{/php}
2     {include file='header.tpl'}
3     <body{if $body_id} id="{\$body_id|escape}"{/if}{if $body_class} class="{\$body_class|escape}"{/if}>
4     {include file='body_head.tpl'}

```

```

43         <div class="boxhead">
44             <h1 class="category-name">
45                 {if $body_class|strstr:"product_new" && $category_name|escape == ''}
- 46
+ 46                 {translate key="New products"}
47                 {elseif $body_class|strstr:"product_promo" && $category_name|escape == ''}
- 48                 {translate key="Promocje"}
+ 48                 {translate key="Promotions"}
49                 {elseif $category_name}
50                 {$category_name|escape}
51                 {else}
- 52                 {translate key='Number of products found:'} {$products->getTotalItemCount()}
+ 52                 {translate key='Products found': {$products->getTotalItemCount()}
53             {/if}

```

```

54         </h1>
55
56         <div class="sort-and-view">
57             {if true == $sort_links}
- 58                 <span class="sortlinks">
+ 58                 <div class="sortlinks">
59                     <div class="products-sort-container">
- 60                         <span class="products-active-sort">{translate key="Sort according to:"} </span>
+ 60                         <span class="products-active-sort">{translate key="Sort by":} </span>
61                     <div class="products-sort-options">
- 62                         <a href="{php} echo $helper->url(array('sort' => 1)); {/php}{if $google}?$google|e
scape}{/if}" {if $sort == 1}class="active-sort"{/if}>
+ 62                         <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?$g
oogle|escape}{/if}" {if $sort == 1}class="active-sort"{/if}>
63                             <b>{translate key="Product name A-Z"}</b>
64                         </a>
- 65                         <a href="{php} echo $helper->url(array('sort' => 2)); {/php}{if $google}?$google|e
scape}{/if}" {if $sort == 2}class="active-sort"{/if}>
+ 65                         <a href="{array __key=urlOptions sort=2}{url urlOptions=$urlOptions}{if $google}?$
google|escape}{/if}" {if $sort == 2}class="active-sort"{/if}>
66                             <b>{translate key="Product name Z-A"}</b>
67                         </a>
- 68                         <a href="{php} echo $helper->url(array('sort' => 3)); {/php}{if $google}?$google|e
scape}{/if}" {if $sort == 3}class="active-sort"{/if}>
- 69                             <b>{translate key="Price: Low to High"}</b>
+ 68                             <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?$g
oogle|escape}{/if}" {if $sort == 3}class="active-sort"{/if}>
+ 69                             <b>{translate key="Price ascending"}</b>
70                         </a>
- 71                         <a href="{php} echo $helper->url(array('sort' => 4)); {/php}{if $google}?$google|e
scape}{/if}" {if $sort == 4}class="active-sort"{/if}>
- 72                             <b>{translate key="Price: High to Low"}</b>
+ 70                             <a href="{array __key=urlOptions sort=4}{url urlOptions=$urlOptions}{if $google}?$
google|escape}{/if}" {if $sort == 4}class="active-sort"{/if}>
+ 71                             <b>{translate key="Price descending"}</b>
72                         </a>
+ 73                         {if $body_class|strstr:"product_new" && $category_name|escape == ''}
+ 74                         <a href="{array __key=urlOptions sort=5}{url urlOptions=$urlOptions}{if $google
}}?$google|escape}{/if}" {if $sort == 5}class="active-sort"{/if}>
+ 75                             <b>{translate key="Newest"}</b>
+ 76                         </a>
+ 77                     {/if}
78                 </div>
79             </div>
- 80         </span>
+ 74     </div>
75     {/if}
76
77     {if 1 == $skin_settings->productlist->allowviewchange}
78     <ul class="prodview inline text-right">
- 79         <li class="photo{if 'phot' == $view} selected{/if}"><a class="fa fa-th" href="{php} echo $h

```

```

- 80         }" title="{translate key='View with photo'
+ 79         <li class="photo{if 'phot' == $view} selected{/if}"><a class="fa fa-th" href="{array __key=
urlOptions view=phot}}{url urlOptions=$urlOptions}{if $google}?$google|escape}{/if
+ 80         }" title="{translate key='Picture view'
81         }"></a></li>
- 82         <li class="full{if 'full' == $view} selected{/if}"><a class="fa fa-list" href="{php} echo $
helper->url(array('view' => 'full')); {/php}{if $google}?$google|escape}{/if
+ 81         <li class="full{if 'full' == $view} selected{/if}"><a class="fa fa-list" href="{array __key
=urlOptions view=full}}{url urlOptions=$urlOptions}{if $google}?$google|escape}{/if
82         }" title="{translate key='Full view'
83         }"></a></li>
84     </ul>

```

```

95
96         <div class="row search-info">
97             {if 'search' == $list_type}
- 98             <b class="count">{translate key='Number of products found:'} {$products->getTotalItemCount()}</
b>
+ 98             <b class="count">{translate key='Products found':} {$products->getTotalItemCount()}</b>
99             {/if}
100         </div>
101

```

```

119         </div>
120     {else}
121         <div class="alert-info alert">
- 122         <p>{translate key="No products have been found."}</p>
+ 122         <p>{translate key="No products matching your criteria have been found."}</p>
123         </div>
124     {/if}
125

```

scripts/product/loyalty.tpl

```

2         <div class="boxhead">
3             <h3>
4                 
- 5                 {translate key="Products exchangeable in loyalty program"}
+ 5                 {translate key="Exchangeable products in the loyalty program"}
6             </h3>
7         </div>
8
9         <div class="innerbox">
10             <span class="user_points">{translate key="Your points: %s" p1=$user_points}</span>
- 11             <span class="get_more_points tooltip_pointer" title="loyalty_msg">{translate key="How to get more points"}<
/span>
+ 11             <span class="get_more_points tooltip_pointer" title="loyalty_msg">{translate key="How to gain more points"}

```

```

12 </span>
13
14 {if count($loyalty_msgs)}
    <label class="tooltip indent" id="loyalty_msg">

```

```

21
22 <form class="loyalty_filter row" method="post" action="{route key='search'}">
23     <fieldset>
- 24         <b>{translate key='Display: '}</b>
+ 24         <b>{translate key='View':}</b>
25         <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=0}"
" id="loylaty_filter0"{if 0 == (int) $loyalty_filter} checked="checked"{/if} />
26         <label for="loylaty_filter0">{translate key='all products'}</label>
27         <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=1}"
" id="loylaty_filter1"{if 1 == (int) $loyalty_filter} checked="checked"{/if} />

```

scripts/product/mailfriend.tpl

```

23
24 <div class="box" id="box_mailfriend">
25     <div class="boxhead">
- 26         <h3>{translate key="Recommend to a friend"}<
/h3>
+ 26         <h3>{translate key="Recommend product to a f
riend"}</h3>
27     </div>
28
29     <div class="innerbox">

```

```

43         {/if}
44     </div>
45
- 46     <label for="email">{translate key="Your friend's e-mail address."}</label>
+ 46     <label for="email">{translate key="Friend's e-mail address"}:</label>
47
48     <div class="shaded_inputwrap">
49         <input type="text" name="email" id="email" value="{ $data.email|escape}" size="30" class="{if $d
ata_error.email}error{/if}">

```

scripts/product/question.tpl

```

28 <div class="edition-form-field">
29     <label for="question_name">
30         <em class="color">*</em>
- 31         {translate key='Your name: '}
+ 31         {translate key='Your name':}
32     </label>
33     <input type="text" name="name" id="question_name" size="40" value="{ $data.name|escape}" class="{if $data_er

```

```

34         ror.name}error{/if}">
        </div>

44         <div class="edition-form-field">
45             <label for="question_mail">
46                 <em class="color">*</em>
- 47                 {translate key='Your e-mail:'}
+ 47                 {translate key='Your e-mail address'}:
48             </label>
49             <input type="text" name="mail" id="question_mail" size="40" value="{ $data.mail|escape}" class="{if $data_er
ror.mail}error{/if}">
50         </div>

60         <div class="edition-form-field">
61             <label for="question_text">
62                 <em class="color">*</em>
- 63                 {translate key='Question:'}
+ 63                 {translate key='Question'}:
64             </label>
65             <textarea name="question" id="question_text" rows="5" cols="40" class="{if $data_error.question}error{/if}"
>{ $data.question|escape}</textarea>
66         </div>

73     </ul>
74     {/if}
75
- 76     <label>{translate key='Answer will be sent to given e-mail address.'}</label>
+ 76     <label>{translate key='The reply will be sent to your e-mail address.'}</label>
77
78     <div class="row">
79         <button type="submit" class="btn">

```

scripts/product/related.tpl

```

73         </div>
74         {/if}
75
- 76         {if $enablebasket && $rproduct->canBuyStock()}
- 77         <div class="basket">
- 78             <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute sto
ckId=$rproduct->defaultStock->getIdentifier()}" method="get">
+ 76             <div class="basket">
+ 77             <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute stockId
=$rproduct->defaultStock->getIdentifier()}" method="post">
+ 78             {if $enablebasket && $rproduct->canBuyStock()}
79                 <fieldset>
80                 <button class="addtobasket btn btn-red" type="submit">

```

```

81         
- 82         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
the basket"}}{/if}</span>
+ 80         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}}{/if}</span>
81     </button>
82     </fieldset>
- 83 </form>
- 84 </div>
- 85 {/if}
+ 83         {elseif $enable_availability_notifier && $rproduct->isEnabledNotifier()}
+ 84         {dynamic}
+ 85         {assign var="availabilityNotifyUser" value=$rproduct->defaultStock->getAvailabilityNoti
fyByUser()}
+ 86         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
+ 87         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else>false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->
product->product_id}" data-product-name="{rproduct->translation->name}">
+ 88             
+ 89             <span>{translate key="Notify of product availability"}</span>
+ 90         </button>
+ 91     </fieldset>
+ 92     {if true == $user_logged}
+ 93     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
+ 94     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{rproduct->defaultStock->stock->stock_id}">
+ 95         
+ 96         <span>{translate key="Cancel notify"}</span>
+ 97     </button>
+ 98 </fieldset>
+ 99 {/if}
+ 100 {/dynamic}
+ 101 {/if}
+ 102 </form>
+ 103 </div>
104 </div>
105 </div>
106 </div>

```

scripts/product/searchbox.tpl

```

2     <div class="boxhead">
3         <span>
4             
- 5             {translate key="Product search engine"}
+ 5             {translate key="Product search"}
6         </span>
7     </div>

```

```

14         <div class="row">
15             <div class="name f-row">
16                 <div class="name-label f-grid-4">
- 17                     <label for="search1">{translate key="Name or description:"}</label>
+ 17                     <label for="search1">{translate key="Name or description":}</label>
18                 </div>
19             </div>
20             <div class="f-grid-8">

29         </div>
30     </div>
31
- 32     <div class="price f-row">
- 33         <div class="price-label f-grid-4">
- 34             <label for="search2">{translate key="Price:"}</label>
- 35         </div>
- 36
- 37         <div class="f-grid-8">
- 38             <input id="search2" type="text" name="pricefrom" value="{ $data.pricefrom|escape}" class="short">
- 39             -
- 40             <input type="text" name="priceto" value="{ $data.priceto|escape}" class="short">
- 41         </div>
- 42     </div>
- 43
- 44     <div class="manufacturer f-row">
- 45         <div class="manufacturer-label f-grid-4">
- 46             <label for="search3">{translate key="Manufacturer:"}</label>
- 47         </div>
- 48
- 49         <div class="f-grid-8">
- 50             <select name="producer" id="search3">
- 51                 <option></option>
- 52                 {foreach from=$producers item=producer}
- 53                 <option {if $producer->manufacturer->producer_id == $data.producer}selected="selected" {/if
- 54                     }value="{ $producer->manufacturer->producer_id|escape}">{ $producer->manufacturer->name|escape}</
option>
- 55                 {/foreach}
- 56             </select>
+ 32             {if $filter_price}
+ 33                 <div class="price f-row">
+ 34                     <div class="price-label f-grid-4">
+ 35                         <label for="search2">{translate key="Price":}</label>
+ 36                     </div>
+ 37
+ 38                     <div class="f-grid-8">
+ 39                         <input id="search2" type="text" name="pricefrom" value="{ $data.pricefrom|escape}" class="short">
+ 40                         -

```

```

+ 41         <input type="text" name="priceto" value="{ $data.priceto|escape}" class="short">
+ 42     </div>
+ 43 </div>
+ 44 </if>
+ 45
+ 46     {if $filter_producer}
+ 47         <div class="manufacturer f-row">
+ 48             <div class="manufacturer-label f-grid-4">
+ 49                 <label for="search3">{translate key="Vendor"}:</label>
+ 50             </div>
+ 51
+ 52             <div class="f-grid-8">
+ 53                 <select name="producer" id="search3">
+ 54                     <option></option>
+ 55                     {foreach from=$producers item=producer}
+ 56                     <option {if $producer->manufacturer->producer_id == $data.producer}selected="selected" {/if
+ 57                         }value="{ $producer->manufacturer->producer_id|escape}">{ $producer->manufacturer->name|escap
+ 58                     e}</option>
+ 59                     {/foreach}
+ 60                 </select>
+ 61             </div>
- 62         </div>
+ 34     {/if}
35
36     <div class="category f-row">
37         <div class="category-label f-grid-4">
- 38         <label for="search4">{translate key="Category:"}</label>
+ 38         <label for="search4">{translate key="Category"}:</label>
39         </div>
40
41         <div class="f-grid-8">
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79         </div>
80     </div>
81
- 82     <div class="promotion f-row">
- 83         <div class="promotion-label f-grid-4">
- 84         <label for="search5">{translate key="Only products in promotion"}</label>
+ 82         {if $filter_promotion}
+ 83         <div class="promotion f-row">
+ 84             <div class="promotion-label f-grid-4">
+ 85                 <label for="search5">{translate key="Only On Sale products"}</label>
+ 86             </div>
+ 87
+ 88             <div class="f-grid-8">
+ 89                 <span class="checkbox-wrap">
+ 90                     <input type="checkbox" value="1" name="promotion" id="search5"{if 1 == $data.promotion} checked
+ 91                     ="checked"{/if}>

```

```

+ 91         <label for="search5"></label>
+ 92     </span>
+ 93 </div>
94     </div>
- 95
- 96     <div class="f-grid-8">
- 97         <span class="checkbox-wrap">
- 98             <input type="checkbox" value="1" name="promotion" id="search5"{if 1 == $data.promotion} checked="checked"{/if}>
- 99             <label for="search5"></label>
- 100         </span>
- 101     </div>
- 102 </div>
+ 84     {/if}
85 </div>
86
87     <div class="f-row">

```

scripts/product/tableofproducts.tpl

```

4     {/if}
5     {if 0 < (int) $layout->layout->right_col_width}
6         {math equation="x - y" x=$columnCounter y=1 assign="columnCounter"}
- 7     {/if}
- 8     {php}$helper = $this->_tpl_vars['helper'];{/php}
+ 7     {/if}
8
9     {if 'full' == $view || $view == 'desc'}
10         <div class="products view{$view}" {if $skin_settings->global->pricemode == '2'}data-netto="true"{/if}>

```

```

29         <span class="productname">{$product->translation->name|escape}</span>
30     </a>
31
- 32     <div class="product-short-description large">
+ 32     <div class="product-short-description resetcss large">
33         {$product->translation->short_description}
34     </div>
35
36     {if ($product->defaultStock && $product->canBuyStock() && 1 == (int) $skin_settings->$settingsgroup->showdelivery) || ($product->defaultStock && 1 == (int) $skin_settings->$settingsgroup->showavailability)}
37         <p class="avail">
38             {if 1 == (int) $skin_settings->$settingsgroup->showavailability && $product->defaultStock->availability && $product->defaultStock->availability->translation}
- 39         <span class="availability">{translate key="Availability:"}</span>
+ 39         <span class="availability">{translate key="Availability"}</span>
40         <span class="availability">{if $product->defaultStock->availability->availability->photo}
41              {/if}
42             {$product->defaultStock->availability->translation->name}</span>

```

```

44         {if 1 == (int) $skin_settings->$settingsgroup->showdelivery && $product->canBuyStock() && $prod
uct->defaultStock->delivery}
45         </p>
46         <p class="deliv">
- 47             <span class="delivery">{translate key="Shipment date:"}</span>
+ 47             <span class="delivery">{translate key="Dispatched within"}:</span>
48             <span class="delivery">{$product->defaultStock->delivery->translation->name|escape}</span>
49             {/if}
50         </p>
51     {/if}
52
- 53     {if $enablebasket && $product->canBuyStock()}
+ 53     {if ($enable_availability_notifier && $product->isEnabledNotifier()) || ($enablebasket && $product->can
BuyStock())}
54         {if true == $product->defaultStockOnly()}
55         <form class="basket f-grid-12 right {if $loyalty_exchange}loyaltyexchange{/if}" action="{route
key=$basketAddRoute stockId='post'}" method="post">
56             {else}
57             <form class="basket f-grid-12 right {if $loyalty_exchange}loyaltyexchange{/if}" action="{route
key=$basketAddRoute stockId=$product->defaultStock->getIdentifier()}" method="get">
58             {/if}
+ 59         {/if}
60
- 61         {if $loyalty_exchange}
- 62         <div class="price">
+ 60         {if $loyalty_exchange}
+ 61         <div class="price{if ($enable_availability_notifier && $product->isEnabledNotifier()) == false && (
$enablebasket && $product->canBuyStock()) == false} noform{/if}">
+ 62             <span>{translate key="Price"}:</span>
+ 63             <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
+ 64             </div>
+ 65             {else}
+ 66             {if $showprices}
+ 67             <div class="price{if ($enable_availability_notifier && $product->isEnabledNotifier()) == false
&& ($enablebasket && $product->canBuyStock()) == false} noform{/if}">
68                 <span>{translate key="Price"}:</span>
- 69                 <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
- 70             </div>
- 71             {else}
- 72             {if $showprices}
- 73             <div class="price">
- 74                 <span>{translate key="Price"}:</span>
- 75                 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'
'}
- 76                 {if $product->specialOffer}
- 77                 <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice(
)}</em>
- 78                 <del>{currency value=$product->defaultStock->getPrice()}</del>
- 79                 {else}
- 80                 <em>{currency value=$product->defaultStock->getPrice()}</em>

```

```

- 81                                     {/if}
+ 62                                     {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}
+ 63                                     {if $product->specialOffer}
+ 64                                     <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice()}</
em>
+ 65                                     <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 66                                     {else}
+ 67                                     <em>{currency value=$product->defaultStock->getPrice()}</em>
68                                     {/if}
+ 69                                     {/if}
70
- 71                                     {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'
'}
- 72                                     {if $skin_settings->global->pricemode == '1'}
- 73                                     <i class="price-netto">({translate key="net"}:
- 74                                     {/if}
- 75                                     {if $product->specialOffer}
- 76                                     <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em
>
- 77                                     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 78                                     {else}
- 79                                     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 80                                     {/if}
- 81                                     {if $skin_settings->global->pricemode == '1'}
- 82                                     )</i>
+ 65                                     {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
+ 66                                     {if $skin_settings->global->pricemode == '1'}
+ 67                                     <i class="price-netto">({translate key="net"}:
+ 68                                     {/if}
+ 69                                     {if $product->specialOffer}
+ 70                                     <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 71                                     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
+ 72                                     {else}
+ 73                                     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
74                                     {/if}
+ 75                                     {if $skin_settings->global->pricemode == '1'}
+ 76                                     )</i>
77                                     {/if}
- 78                                     </div>
- 79                                     {/if}
+ 68                                     {/if}
+ 69                                     </div>
70                                     {/if}
+ 71                                     {/if}
72
+ 73                                     {if ($enable_availability_notifier && $product->isEnabledNotifier()) || ($enablebasket && $product->can
BuyStock())}
+ 74                                     {if $enablebasket && $product->canBuyStock()}
75                                     <fieldset>
76                                     {if true == $product->defaultStockOnly()}

```

```

- 77      <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
- 78      <span class="unit">{$product->unit->translation->name|escape}</span>
- 79      <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="stock_i
d">
+ 73      <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 74      <span class="unit">{$product->unit->translation->name|escape}</span>
+ 75      <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
76      {/if}
77      <button class="addtobasket btn btn-red" type="submit">
78      
- 79      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 77      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
78      </button>
79      </fieldset>
- 80  </form>
- 81  {else}
- 82      {if $loyalty_exchange}
- 83      <div class="price noform">
- 84      <span>{translate key="Price"}:</span>
- 85      <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
- 86      </div>
- 87      {else}
- 88      {if $showprices}
- 89      <div class="price noform">
- 90      <span>{translate key="Price"}:</span>
- 91      '
- 92      {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3
'}
- 93      {if $product->specialOffer}
- 94      <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice(
)}</em>
- 95      <del>{currency value=$product->defaultStock->getPrice()}</del>
- 96      {else}
- 97      <em>{currency value=$product->defaultStock->getPrice()}</em>
- 98      {/if}
- 99      {/if}
- 100 '
- 101 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2
'}
- 102 {if $skin_settings->global->pricemode == '1'}
- 103 <i class="price-netto">({translate key="net"}:
- 104 {/if}
- 105 {if $product->specialOffer}
- 106 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 107 <del>{currency value=$product->defaultStock->getPrice(true)}</del>

```

```

- 108         {else}
- 109             <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 110         {/if}
- 111         {if $skin_settings->global->pricemode == '1'}
- 112             )</i>
- 113         {/if}
- 114     {/if}
- 115 </div>
- 116 {/if}
+ 80         {elseif $enable_availability_notifier && $product->isEnabledNotifier()}
+ 81             {dynamic}
+ 82             {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByU
ser()}
+ 83             <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/
if}">
+ 84                 <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc
t->product_id}" data-product-name="{ $product->translation->name}">
+ 85                     
+ 86                     <span>{translate key="Notify of product availability"}</span>
+ 87                 </button>
+ 88             </fieldset>
+ 89             {if true == $user_logged}
+ 90                 <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser
== null} none{/if}">
+ 91                     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" dat
a-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 92                         
+ 93                         <span>{translate key="Cancel notify"}</span>
+ 94                     </button>
+ 95                 </fieldset>
+ 96             {/if}
+ 97         {/dynamic}
+ 98     {/if}
+ 99 {/if}
+ 100
+ 101         {if ($enable_availability_notifier && $product->isEnabledNotifier()) || ($enablebasket && $product->can
BuyStock())}
+ 102             </form>
+ 103         {/if}
+ 104     </div>
+ 105 </div>
+ 106 </div>

```

```

139         <ul class="tags">
140             {if $product->specialOffer}
141                 <li class="promo">
- 142                     <span>{translate key="promotion"}</span>
+ 142                     <span>{translate key="on sale tag"}</span>
143                 </li>

```

```

144         {/if}
145         {if $product->isNew()}
146         <li class="new">
- 147             <span>{translate key="new"}</span>
+ 147             <span>{translate key="new product tag"}</span>
148         </li>
149     {/if}
150 </ul>

```

```

176
177         {if $product->product->producer_id}
178         <div class="f-row manufacturer">
- 179             <em>{translate key="Manufacturer"}:</em>
+ 179             <em>{translate key="Vendor"}:</em>
180             {if $product->producer->manufacturer->web}
- 181             <a class="brand popup" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->m
anufacturer->name|escape}">
+ 181             <a class="brand" target="_blank" href="{ $product->producer->manufacturer->web}" title="{ $product->p
roducer->manufacturer->name|escape}">
182             {else}
183             <a class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerN
ame=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
184             page=1 sort=1 view=$view}" title="{ $product->producer->manufacturer->name|escape}">

```

```

189         {/if}
190
191         <div class="price f-row">
- 192             {if $enablebasket && $product->canBuyStock()}
- 193             {if $showprices}
- 194             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}
- 195             <span>{translate key="Price"}:</span>
+ 192             {if $showprices}
+ 193             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}
+ 194             <span>{translate key="Price"}:</span>
+ 195             {if $product->specialOffer}
+ 196             <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 197             <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 198             {else}
+ 199             <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 200             {/if}
+ 201             {/if}
+ 202
+ 203             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
+ 204             {if $skin_settings->global->pricemode == '1'}
+ 205             <i class="price-netto">{translate key="net"}:
+ 206             {/if}
207             {if $product->specialOffer}
- 208             <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 209             <del>{currency value=$product->defaultStock->getPrice()}</del>

```

```

+ 194      <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 195      <del>{currency value=$product->defaultStock->getPrice(true)}</del>
196      {else}
- 197      <em>{currency value=$product->defaultStock->getPrice()}</em>
- 198      {/if}
- 199      {/if}
- 200
- 201      {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
- 202      {if $skin_settings->global->pricemode == '1'}
- 203      <i class="price-netto">{translate key="net"}:
+ 196      <em>{currency value=$product->defaultStock->getPrice(true)}</em>
197      {/if}
- 198      {if $product->specialOffer}
- 199      <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 200      <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 201      {else}
- 202      <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 203      {/if}
- 204      {if $skin_settings->global->pricemode == '1'}
- 205      )</i>
- 206      {/if}
- 207      {/if}
- 208      {/if}
+ 198      {if $skin_settings->global->pricemode == '1'}
+ 199      )</i>
+ 200      {/if}
+ 201      {/if}
202      {/if}
203      </div>
204

```

```

233
234      <button class="addtobasket btn btn-red" type="submit">
235      
- 236      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the bask
+ 236      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/
if}</span>
237      </button>
238      </fieldset>
239      </form>
+ 240      {elseif $enable_availability_notifier && $product->isEnabledNotifier()}
+ 241      {dynamic}
+ 242      <form class="availability-notifier">
+ 243      {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByUser(
)}}
+ 244      <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}"
>
+ 245      <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if tru
e == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->p

```

```

+ 246 roduct_id}" data-product-name="{ $product->translation->name}">
+ 247 
+ 247 <span>{translate key="Notify of product availability"}</span>
+ 248 </button>
+ 249 </fieldset>
+ 250 {if true == $user_logged}
+ 251 <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser ==
null} none{/if}">
+ 252 <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-st
ock-id="{ $product->defaultStock->stock->stock_id}">
+ 253 
+ 254 <span>{translate key="Cancel notify"}</span>
+ 255 </button>
+ 256 </fieldset>
+ 257 {/if}
+ 258 </form>
+ 259 {/dynamic}
260 {/if}
- 261
- 262 <a class="btn large tablet quickview" data-eval="{ $skin_settings->productdetails->score}" data-id="{ $produc
t->product->product_id}">
- 263 <span>{translate key="Details"}</span>
+ 241
+ 242 <a class="btn large tablet quickview" {if $enablebasket}data-price="true"{/if} data-eval="{ $skin_settings->
productdetails->score}" data-id="{ $product->product->product_id}">
+ 243 <span>{translate key="check more"}</span>
244 </a>
245 </div>
246 </div>

```

```

269 <ul class="tags">
270 {if $product->specialOffer}
271 <li class="promo">
- 272 <span>{translate key="promotion"}</span>
+ 272 <span>{translate key="on sale tag"}</span>
273 </li>
274 {/if}
275
276 {if $product->isNew()}
277 <li class="new">
- 278 <span>{translate key="new"}</span>
+ 278 <span>{translate key="new product tag"}</span>
279 </li>
280 {/if}
281 </ul>

```

scripts/switch.tpl

```

4         {if $smarty.cookies.show_full_page == 1}
5             {translate key="View responsive version"}
6         {else}
- 7             {translate key="View desktop version"}
+ 7             {translate key="View full version of the site"}
8         {/if}
9     </span>
10 </div>
11 {/dynamic}
- 12 {$snippet_body}
+ 12
+ 13 {$snippet_body}
+ 14 <script type="text/javascript">
+ 15     {dynamic}
+ 16     {if true == $user_logged}Shop.basket.shopVisitorId = '{$user->user->userinfo->user_id|escape|base64_encode}';{/if}
+ 17     {if $body_class|escape == 'shop_basket_done'}Shop.basket.orderDone = true;{/if}
+ 18     Shop.basket.basketProducts = '{if 0 != $user->basket->countProducts()}{foreach from=$user->basket item=basket_product name=basket}
    {$basket_product->product->product->product_id|base64_encode},{/foreach}{/if}';
+ 19     Shop.basket.categoryProducts = '{foreach from=$products item=product name=prodlist}{$product->product->product_id|base64_encode},{/fo
    reach}';
+ 20     {/dynamic}
+ 21 </script>

```

Pliki .css

Pliki .less

styles/_article.less

```

+ 1 article {
+ 2     clear: both;
+ 3
+ 4     .article-header {
+ 5         border-bottom: 1px solid @borderColor;
+ 6         padding: 0.7em 0;
+ 7         margin-bottom: 0.5em;
+ 8
+ 9         .article-name {
+ 10             text-transform: uppercase;
+ 11             font-size: 1.4em;
+ 12             padding-top: 0.55em;
+ 13             float: left;
+ 14             display: block;
+ 15
+ 16             &.article-name-inactive:hover {
+ 17                 color: @acolor;

```

```

+ 18     }
+ 19 }
+ 20
+ 21     .article-comments {
+ 22         width: 2.6em;
+ 23         float: right;
+ 24         background: @tableZebraColor;
+ 25         .border-radius(50%);
+ 26         padding: .45em 0;
+ 27         font-size: 1.1em;
+ 28         font-weight: 400;
+ 29         text-align: center;
+ 30         position: absolute;
+ 31         right: 0;
+ 32
+ 33         span{
+ 34             &::before{
+ 35                 .fontawesome;
+ 36                 content: "\f086";
+ 37                 text-decoration: inherit;
+ 38                 -webkit-font-smoothing: antialiased;
+ 39                 background-color: transparent;
+ 40                 color: @colorBlack;
+ 41                 display: inline-block;
+ 42                 padding: 0 0.5em;
+ 43                 border: 0;
+ 44             }
+ 45         }
+ 46     }
+ 47 }
+ 48
+ 49     .article-info {
+ 50         color: #a6a6a6;
+ 51         margin-bottom: 2em;
+ 52
+ 53         .article-date, .article-categories, .article-author {
+ 54             color: #000;
+ 55         }
+ 56     }
+ 57
+ 58     .article-content {
+ 59         border-bottom: 1px dashed @borderColor;
+ 60         padding-bottom: 1.5em;
+ 61         margin-bottom: 1em;
+ 62
+ 63         .article-image {
+ 64             float: left;
+ 65             padding: 0 1.5em 1.5em 0;
+ 66         }
+ 67     }

```

```

+ 68
+ 69     .readmore {
+ 70         color: #FB5642;
+ 71         float: right;
+ 72         font-weight: bold;
+ 73         font-size: 1.1em;
+ 74     }
+ 75 }
+ 76
+ 77 .article-tags {
+ 78     li {
+ 79         background: @tableZebraColor;
+ 80         display: inline-block;
+ 81     }
+ 82     a {
+ 83         padding: 0.5em 1em;
+ 84         display: block;
+ 85     }
+ 86 }
+ 87 }
+ 88
+ 89 #box_articlefiles .tab-files {
+ 90     li {
+ 91         border-bottom: 1px dashed @borderColor;
+ 92         padding: 0.5em 0 0.5em 1em;
+ 93     }
+ 94     &:nth-child(even) {
+ 95         background-color: @tableZebraColor;
+ 96     }
+ 97 }
+ 98 }
+ 99
+ 100 #box_article .article-content {
+ 101     border: 0;
+ 102     padding-bottom: 0;
+ 103     margin-bottom: 0;
+ 104 }
+ 105
+ 106 #box_articlelist {
+ 107     article {
+ 108         margin-bottom: 3.5em;
+ 109     }
+ 110 }
+ 111
+ 112 #box_articlelistsmall {
+ 113     .article-info {
+ 114         margin-bottom: 0.5em;
+ 115     }
+ 116 }
+ 117

```

```

+ 118 #box_article_comments, .tab-comments {
+ 119     form {
+ 120         margin-top: 2em;
+ 121     }
+ 122
+ 123     .articlecomment {
+ 124         border-bottom: 1px dashed @borderColor;
+ 125         padding-bottom: 1em;
+ 126         padding-left: 1em;
+ 127
+ 128         &:nth-child(even) {
+ 129             background-color: @tableZebraColor;
+ 130         }
+ 131
+ 132         &:last-child {
+ 133             margin-bottom: 2em;
+ 134         }
+ 135     }
+ 136 }
+ 137
+ 138 #box_article_tagcloud {
+ 139     .tagcloud {
+ 140         li {
+ 141             display: inline-block;
+ 142             padding: 0 0.5em;
+ 143         }
+ 144     }
+ 145 }

```

styles/_basket.less

```

98
99 #cart-options {
100     margin-top: 2em;
- 101     overflow: hidden;
102
103     .recount {
104         font-size: 1.1em;

```

```

164
165     .promo {
166         text-align: right;
- 167         margin-bottom: 2em;
+ 167
+ 168         &:last-child {
+ 169             margin-bottom: 2em;
+ 170         }
171
172     .value {

```

173 font-weight: bold;

```
604         border-right: 1px solid @borderColor;
605         padding-right: 1.5em;
606         padding-bottom: 2.5em;
+ 607         min-height: 15em;
608     }
609
610     .basket-no-register {
- 611         padding-top: 4em;
+ 610         &.register-enabled {
+ 611             padding-top: 4em;
+ 612         }
613     }
614
615     .innerbox {
```

```
630     div.basket-no-register {
631         border-right: none;
632         padding-right: 0;
- 633         padding-top: 4em;
+ 633         &.register-enabled {
+ 634             padding-top: 4em;
+ 635         }
636     }
637
638     div.login {
```

```
708         list-style-position: inside;
709     }
710 }
+ 711 }
+ 712
+ 713 .price-total {
+ 714     display: inline-block;
+ 715 }
+ 716
+ 717 .price-total-discount {
+ 718     display: block;
719 }
```

styles/_formBasic.less

```
95     input[type="email"],
96     input[type="search"]
97     .uneditable-input {
- 98         .transition(border linear 0.2s, box-shadow linear 0.2s);
```

```
+ 98 .transition(border linear 0.2s);
99
100 display: inline-block;
101 height: 24px;
```

```
120
121 &.short {
122     width: 40% !important;
- 123     min-width: 2em;
+ 123     min-width: 3em;
124 }
125 }
126
```

```
199
200 select {
201     -webkit-appearance: none;
- 202     -moz-appearance: none;
203     text-indent: 0.01px;
204     text-overflow: '';
205     width: 100%;
```

```
208     border: 1px solid @borderColor;
209     padding: 0.6em 1.4em 0.6em 0.4em;
210
- 211     &:hover, &:active {
+ 211     &:hover {
212         border-color: @maincolor;
213         color: @colorWhite;
214         background: @maincolor url("../images/ico_arrow_down_light.png") no-repeat 95% 50%;
```

```
451
452 // Ugly fix for Firefox 30.
453 @-moz-document url-prefix() {
+ 454     #box_producers .producers_wrap {
+ 455         border: none !important;
+ 456         background: none !important;
+ 457
+ 458         select {
+ 459             opacity: 1 !important;
+ 460         }
+ 461     }
+ 462
463     select {
464         text-indent: inherit !important;
465         background-image: none !important;
466         padding: 0.66em !important;
```

```
+ 467 min-height: inherit !important;
468
469 &:hover {
470     background-image: none !important;
```

styles/_iefallback.less

```
+ 1  html {
+ 2      &:not(.lt-ie9) {
+ 3          select {
+ 4              &:active {
+ 5                  border-color: @maincolor;
+ 6                  color: @colorWhite;
+ 7                  background: @maincolor url("../images/ico_arrow_down_light.png") no-repeat 95% 50%;
+ 8              }
+ 9              option {
+10                  background-color: @colorWhite;
+11                  color: @fontBasicColor;
+12              }
+13          }
+14      }
+15  }
+16
+17  &.lt-ie9 {
+18      select {
+19          background-image: none;
+20          padding: 0.6em;
+21      }
+22  }
+23  }
+24
25  .lt-ie8 {
26      .container {
27          width: 992px
```

```
57  }
58
59  .btn {
- 60      &.addtobasket {
- 61          min-width: 7em;
- 62      }
+ 60      &.addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {
+ 61          min-width: 7em;
+ 62      }
63  }
64
65  .layer-mask, .mask {
```

styles/_menu.less

```
122         &.parent:hover {
123             > div {
124                 > ul {
- 125                     right: -100.9%;
+ 125                     right: -100.8%;
126                     top: -1px;
127                     width: 100%;
128                     min-height: 100%;
```

```
135             top: 23px;
136             width: 9px;
137         }
+ 138
+ 139         &.sub-right {
+ 140             right: 100%;
+ 141
+ 142             &::before {
+ 143                 border-top: 1px solid @borderColor;
+ 144                 border-right: 1px solid @borderColor;
+ 145                 border-left: medium none;
+ 146                 border-bottom: medium none;
+ 147                 left: 98.3%;
+ 148             }
+ 149         }
150     }
151 }
152 };
153 }
154 }
155 }
+ 156
+ 157     &::after {
+ 158         content: '';
+ 159         position: absolute;
+ 160         display: block;
+ 161         height: 5em;
+ 162         width: 20%;
+ 163     }
164 }
165 }
166 }
```

styles/_mixins.less

```
19     border-bottom-right-radius: @bottomright;
20     border-bottom-left-radius: @bottomleft;
21     border-top-left-radius: @topleft;
```

```
- 22     .background-clip(padding-box);
23     }
24
25     .box-sizing() {
```

styles/_modal.less

```
40     font-size: 1.2em;
41     line-height: inherit;
42     color: @colorWhite;
+ 43     width: 80%;
44     }
45
46     .modal-close {
```

```
101     }
102
103     .mask {
- 104     .radial();
- 105
106     z-index: 9000;
107     position: fixed;
108     top: 0;
```

styles/_modules.less

```
225     }
226     }
227
- 228     #box_menu{
+ 228     #box_menu, #box_article_categories {
229         ul{
230             .ul;
231
```

```
300         display: none;
301     }
302     }
+ 303
+ 304     .advanced-search {
+ 305         float: right;
+ 306     }
307     }
308
309     #box_loginsmall {
```

```

515
516         a {
517             > span {
- 518                 display: block;
+ 518                 display: inline-block;
519                 width: 20px;
520                 height: 20px;
521             }
522         }
523     }
+ 524
+ 525     &.foldable {
+ 526         li {
+ 527             a {
+ 528                 > em {
+ 529                     vertical-align: top;
+ 530                 }
+ 531             }
+ 532         }
+ 533     }
534 }
535
536

```

```

829     span {
830         span {
831             color: @borderColor;
+ 832
+ 833             &.color-filter {
+ 834                 width: 20px;
+ 835                 height: 20px;
+ 836                 display: inline-block;
+ 837                 margin: 0px 5px 0px 0px;
+ 838                 vertical-align: middle;
+ 839                 position: relative;
+ 840                 top: -2px;
+ 841                 border: 1px solid #D8D8D8;
+ 842             }
843         }
844     }
845

```

```

905         display: block;
906     }
907 }
+ 908 }
+ 909
+ 910 .calendar {
+ 911     width: 100%;

```

```

+ 912 border-spacing: 4px;
+ 913 border-collapse: separate;
+ 914 text-transform: uppercase;
+ 915
+ 916 thead {
+ 917     td {
+ 918         text-align: center;
+ 919     }
+ 920 }
+ 921
+ 922 tbody {
+ 923     td {
+ 924         width: 14.3%;
+ 925         padding: 1em 0;
+ 926     }
+ 927
+ 928     td:not([colspan]) {
+ 929         background: @tableZebraColor;
+ 930         text-align: center;
+ 931
+ 932         &.focused {
+ 933             background: @color2;
+ 934
+ 935             a {
+ 936                 color: @colorWhite;
+ 937                 text-decoration: none;
+ 938             }
+ 939         }
+ 940     }
+ 941 }
+ 942
+ 943 td {
+ 944     color: @colorBlack;
+ 945 }
+ 946 }
+ 947
+ 948 .calendar-nav {
+ 949     text-transform: uppercase;
+ 950
+ 951     .calendar-nav-prev {
+ 952         float: left;
+ 953     }
+ 954     .calendar-nav-next {
+ 955         float: right;
+ 956     }
+ 957 }
+ 958
+ 959 .boxingsize {
+ 960     display: block;
+ 961 }

```

styles/_other.less

```
71         display: inline-block;
72         width: 49%;
73         vertical-align: middle;
+ 74
+ 75     .product-variant {
+ 76         display: block;
+ 77         font-size: 0.8em;
+ 78         color: @greyFont;
+ 79     }
80     }
81
82     .product-info {
```

```
88     }
89
90     .remove-product {
- 91     display: none;
92     position: absolute;
93     right: 0;
94     top: 0;
```

```
115     .basket-price {
116         float: right;
117         font-size: 1.2em;
+ 118
+ 119     &.basket-price-discount {
+ 120         text-align: right;
+ 121         position: relative;
+ 122         top: -0.6em;
+ 123     }
124     }
125 }
126 }
```

```
219     position: fixed;
220     bottom: 100px;
221     right: 50px;
+ 222     z-index: 5;
223
224     span{
225         display: none;
```

```
234     form{
```

```
235     margin-top: 2em;
236   }
+ 237 }
+ 238
+ 239 .ajaxlayer {
+ 240   cursor: pointer;
241 }
```

styles/_panel.less

```
49   }
50
51   .favourites {
- 52     thead {
- 53       td {
- 54         background-color: @maincolor;
- 55         color: @colorWhite;
- 56       }
- 57     }
+ 52     thead {
+ 53       td {
+ 54         background-color: @maincolor;
+ 55         color: @colorWhite;
+ 56       }
+ 57     }
58
- 59     .actions {
- 60       width: 18em;
- 61       text-align: center;
- 62     }
+ 54     .actions {
+ 55       width: 21em;
+ 56       text-align: center;
+ 57
+ 58       .availability-notifier-container, .availability-notifier-unsubscribe-container {
+ 59         display: inline;
+ 60       }
+ 61     }
62   }
63
64   .details {
```

styles/_prettyphoto.less

```
18   }
19
20   .pp_close {
- 21     position: absolute;
- 22     right: 2em;
```

```
- 23     top: 2.1em;
+ 21     float: right;
  22     text-transform: uppercase;
+ 23     margin-left: 0.5em;
  24
  25     &:hover {
  26         text-decoration: none;
```

```
  36     }
  37
  38     .pp_expand, .pp_contract {
- 39     position: absolute;
- 40     top: 2.2em;
  41     z-index: 9999;
  42     font-weight: normal;
  43     font-style: normal;
```

```
  43     -webkit-font-smoothing: antialiased;
  44     *margin-right: .3em;
  45     display: block;
- 46     right: 8em;
  47     text-transform: uppercase;
+ 48     float: right;
  49
  50     &::after {
  51         font-family: FontAwesome;
```

```
  61     }
  62
  63     .ppt{
- 64     border-bottom: 3px solid;
  65     font-size: 1.7em;
  66     font-weight: bold;
  67     margin-bottom: 0.5em;
  68     padding-bottom: 0.5em;
  69     width: 60% !important;
- 70     padding-right: 40%;
+ 69     float: left;
  70     word-break: break-all;
  71     }
  72
```

```
  74     position: relative;
  75     text-align: left;
  76     width: 100%;
+ 77     overflow: hidden;
+ 78     border-top: 3px solid;
```

```
79
80 .pp_left {
81     background-color: @colorWhite;
```

```
123         content: "";
124         height: 15px;
125         position: absolute;
- 126         right: 0;
+ 126         right: 0.2em;
127         top: 50%;
128         width: 15px;
129     }
```

```
144         content: "";
145         height: 15px;
146         position: absolute;
- 147         left: 0em;
+ 147         left: 0.2em;
148         top: 50%;
149         width: 15px;
150     }
```

styles/_product.less

```
166         color: @greyFont;
167         height: 1.35em;
168         overflow: hidden;
+ 169         display: none;
170     }
171     .price {
172         padding-top: 1em;
```

```
489     }
490     .form-basket{
491         margin-top: 30px;
- 492         margin-bottom: 30px;
+ 492         margin-bottom: 0px;
493     }
494     .quantity_wrap{
495         float: left;
```

```
503     }
504 }
505
+ 506 .availability-notifier-container, .availability-notifier-unsubscribe-container {
+ 507     .button_wrap {
```

```
+ 508         width: 100%;
+ 509         button {
+ 510             min-height: 40px;
+ 511             float: right;
+ 512         }
+ 513     }
+ 514 }
+ 515
516     .button_wrap {
517         float: left;
518         min-width: 75%;
519
- 520     .addtobasket {
+ 510     .addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {
511         margin-top: 0;
512         width: 100%;
513         min-height: 40px;
```

```
556         right: 4px;
557     }
558
- 559     p.title {
+ 559     span.title {
+ 560         display: block;
561         margin-bottom: 0.5em;
562         font-weight: bold;
563     }
```

```
612 }
613
614 .productdetails-more-details {
- 615     overflow: hidden;
616     border-top: 1px solid @borderColor;
617     border-bottom: 1px solid @borderColor;
618     padding: 1em 0 0em;
```

```
1160
1161     img {
1162         max-width: 200px;
+ 1163         max-height: 200px;
1164         float: left;
1165         margin-right: 2.5em;
1166     }
```

```
1238 .f-row, .product-info {
1239     width: auto;
1240     display: inline-block;
```

```
+ 1241         min-width: 250px;
1242     }
1243
1244     .price {
```

```
1298     }
1299 }
1300
+ 1301 .availability_notify_form {
+ 1302     margin: 0;
+ 1303     max-width: 400px;
+ 1304     float: right;
+ 1305
+ 1306     input[type="text"] {
+ 1307         width: 20em;
+ 1308         margin-bottom: 0;
+ 1309     }
+ 1310
+ 1311     button {
+ 1312         font-size: 1.25em;
+ 1313     }
+ 1314
+ 1315     p {
+ 1316         padding: 0.2em 0;
+ 1317     }
+ 1318
+ 1319     h3 {
+ 1320         margin-top: 0;
+ 1321     }
+ 1322
+ 1323     .notify-small-font {
+ 1324         font-size: 0.9em;
+ 1325         margin-bottom: 1em;
+ 1326     }
+ 1327 }
+ 1328
+ 1329 .availability_notify_info {
+ 1330     float: left;
+ 1331     margin-right: 3em;
+ 1332     margin-bottom: 1em;
+ 1333     max-width: 180px;
+ 1334     min-width: 180px;
+ 1335
+ 1336     img {
+ 1337         max-width: 180px;
+ 1338     }
+ 1339 }
+ 1340
1341 #box_productgallery {
```

```
1342     .gallery {
1343         .f-grid-4 {
```

```
1355         color: @fontLightColor;
1356         font-size: 0.85em;
1357     }
+ 1358 }
+ 1359
+ 1360 #box_productdata {
+ 1361     table {
+ 1362         &.table {
+ 1363             border-top: none;
+ 1364         }
+ 1365     }
+ 1366 }
+ 1367
+ 1368 .product-modules {
+ 1369     #box_productdata {
+ 1370         &.box {
+ 1371             .boxhead {
+ 1372                 margin-bottom: 0;
+ 1373             }
+ 1374         }
+ 1375     }
+ 1376 }
+ 1377
+ 1378 .product-tab {
+ 1379     .gallery {
+ 1380         .f-grid-4 {
+ 1381             text-align: center;
+ 1382             margin-bottom: 2%;
+ 1383
+ 1384             &:nth-child(3n - 2) {
+ 1385                 margin-left: 0;
+ 1386                 clear: both;
+ 1387             }
+ 1388         }
+ 1389     }
1390 }
```

styles/_responsive.less

```
5     .rwd-hide-full {
6         display: none !important;
7     }
- 8
- 9     @media (max-width: @Large) {
+ 8         // Max Width 1200px
+ 9         @media screen and (max-width: 1200px) {
```

```
10     .container{
11         width: 940px;
12     }
```

```
62     }
63 }
64 }
- 65
- 66 @media (max-width: @Medium) {
+ 65 // Max Width 767
+ 66 @media screen and (max-width: 767px) {
67     #turn-classic.rwd, #turn-classic {
68         display: block !important;
69     }
```

```
240     }
241 }
242
+ 243 #box_register {
+ 244     .hint {
+ 245         color: @greyFont;
+ 246         display: block;
+ 247         margin-left: 26%;
+ 248         line-height: 14px;
+ 249         margin-bottom: 0.7em;
+ 250     }
+ 251 }
+ 252
253     .flex-1, .flex-2, .flex-3, .flex-4,
254     .flex-5, .flex-6, .flex-7, .flex-8,
255     .flex-9, .flex-10{
```

```
520     .button_wrap {
521         width: 83%;
522
- 523     .addtobasket {
+ 523     .addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {
524         font-size: 1.4em;
525         padding: 0.35em;
526     }
```

```
818         padding-top: 0;
819         padding-bottom: 15px;
820         font-weight: 700;
- 821         background-color: @colorWhite;
822         border-bottom: 1px dashed @borderColor;
823         margin-bottom: 1px;
```

```
824 position: relative;
825 display: block;
+ 826 background-color: transparent;
827
828 &.hidden {
829     border-bottom: none;
```

```
970
971 #box_basketaddress .client-data {
972     width: 100%;
- 973 float none;
+ 973 float: none;
+ 974 }
+ 975
+ 976 .modal {
+ 977     .product-innerdesc-wrap {
+ 978         max-width: 450px;
+ 979
+ 980         .f-row {
+ 981             max-width: none;
+ 982             margin-right: 0;
+ 983         }
+ 984
+ 985         .gallery {
+ 986             display: block;
+ 987             text-align: center;
+ 988             width: 100%;
+ 989         }
+ 990
+ 991         .product-info {
+ 992             width: 100%;
+ 993             float: none;
+ 994         }
+ 995
+ 996         .productdetails-more {
+ 997             float: right;
+ 998         }
+ 999     }
1000 }
1001
1002 .ajax-basket-container {
```

```
1009 border-bottom: 1px solid @borderColor;
1010 margin-bottom: 1em;
1011 padding-bottom: 1em;
+ 1012 padding-right: 0;
1013
1014 img {
```

```
1015 float: none;
```

```
1077     }
1078   }
1079 }
- 1080 }
1081
- 1082 @media (min-width: @Medium + 1) and (max-width: (@preLarge - 1)) {
+ 1081   .rwd {
+ 1082     #box_productgallery {
+ 1083       .gallery {
+ 1084         &.f-row {
+ 1085           .f-grid-4 {
+ 1086             width: 50%;
+ 1087             text-align: center;
+ 1088
+ 1089             &:nth-child(odd) {
+ 1090               clear: both;
+ 1091             }
+ 1092
+ 1093             &:nth-child(3n-2) {
+ 1094               clear: none;
+ 1095             }
+ 1096           }
+ 1097         }
+ 1098       }
+ 1099     }
+ 1100   }
+ 1101 }
+ 1102 // Min Width 768 and Max Width 980;
+ 1103 @media screen and (min-width: 768px) and (max-width: (979px)) {
1104   #turn-classic.rwd, #turn-classic {
1105     display: block !important;
1106   }
```

```
1371         font-size: 1.4em;
1372     }
1373   }
+ 1374
+ 1375   .parent:hover {
+ 1376     > div {
+ 1377       > ul {
+ 1378         top: 34px;
+ 1379       }
+ 1380     }
+ 1381   }
+ 1382 }
+ 1383 }
```

```
+ 1384
+ 1385     #box_register {
+ 1386     .hint {
+ 1387         color: @greyFont;
+ 1388         display: block;
+ 1389         margin-left: 26%;
+ 1390         line-height: 14px;
+ 1391         margin-bottom: 0.7em;
1392     }
1393 }
1394
```

```
1477         line-height: 27px;
1478     }
1479 }
- 1480
1481     .menu-list {
- 1482         border-bottom: none;
+ 1481         border-bottom: none;
1482     }
+ 1483
1484 }
1485 }
1486
```

```
1503
1504     #box_basketaddress .client-data {
1505         width: 100%;
- 1506         float: none;
+ 1506         float: none;
1507     }
- 1508 }
1509
- 1510 @media (min-width: (@Small + 1)) and (max-width: @Medium){
+ 1509     .ajax-basket-container {
+ 1510     .ajax-product-block {
+ 1511         border-right: none;
+ 1512         margin-right: 0;
+ 1513         margin-left: 0;
+ 1514         display: block;
+ 1515         text-align: center;
+ 1516         border-bottom: 1px solid @borderColor;
+ 1517         margin-bottom: 1em;
+ 1518         padding-bottom: 1em;
+ 1519         padding-right: 0;
+ 1520
+ 1521     img {
+ 1522         float: none;
```

```

+ 1523         display: block;
+ 1524         margin: 0 auto;
+ 1525     }
+ 1526 }
+ 1527
+ 1528     .ajax-cart-block {
+ 1529         display: block;
+ 1530         text-align: center;
+ 1531     }
+ 1532 }
+ 1533
+ 1534     .modal {
+ 1535         .product-innerdesc-wrap {
+ 1536             max-width: 700px;
+ 1537         }
+ 1538         .f-row {
+ 1539             max-width: none;
+ 1540             margin-right: 0;
+ 1541         }
+ 1542     }
+ 1543     .gallery {
+ 1544         display: block;
+ 1545         text-align: center;
+ 1546         width: 100%;
+ 1547     }
+ 1548
+ 1549     .product-info {
+ 1550         width: 100%;
+ 1551         float: none;
+ 1552     }
+ 1553
+ 1554     .productdetails-more {
+ 1555         float: right;
+ 1556     }
+ 1557 }
+ 1558 }
+ 1559 }
+ 1560 // Min Width 481px and Max Width 767px
+ 1561 @media screen and (min-width: (481px)) and (max-width: 767px){
1562     #turn-classic.rwd, #turn-classic {
1563         display: block !important;
1564     }

```

```

1676     }
1677 }
1678 }
- 1679
- 1680 @media (max-width: @Small) {
+ 1679 // Max Width 480px

```

```
+ 1680 @media screen and (max-width: 480px) {
1681     .rwd {
1682         .rwd-hide-small {
1683             display: none !important;
```

```
1767         margin-left: 0;
1768     }
1769 }
+ 1770
+ 1771 .hint {
+ 1772     margin-left: 0.2em;
+ 1773 }
1774 }
1775
1776 .menu{
```

```
1799     display: none;
1800 }
1801
- 1802 #box_menu{
+ 1802 #box_menu, #box_article_categories {
1803     display: block;
1804 }
1805
```

styles/_shopGallery.less

```
+ 1 .mask {
+ 2     .transition(opacity 0.2s linear);
+ 3
+ 4     z-index: 9000;
+ 5     position: fixed;
+ 6     top: 0;
+ 7     bottom: 0;
+ 8     left: 0;
+ 9     right: 0;
+ 10     background-color: rgba(0, 0, 0, 0);
+ 11     background-image: radial-gradient(ellipse farthest-corner at center center , rgba(127, 127, 127, 0.5), rgba(127, 127, 127, 0.5) 35%
, rgba(0, 0, 0, 0.7) 100%) !important;
+ 12
+ 13     &.mask-inactive {
+ 14         opacity: 0;
+ 15
+ 16     &.mask-hidden {
+ 17         z-index: -100;
+ 18     }
+ 19 }
+ 20 }
```

```
+ 21
+ 22 .shop-gallery {
+ 23     //transition(left 0.2s linear);
+ 24     transition-property: width, height, transform, opacity;
+ 25     position: fixed;
+ 26     z-index: 9001;
+ 27
+ 28     &.inactive {
+ 29         opacity: 1;
+ 30     }
+ 31
+ 32     .shop-gallery-skin {
+ 33         .box-shadow(0 0 10px 2px rgba(0, 0, 0, 0.3));
+ 34         background-color: #fff;
+ 35         position: relative;
+ 36         padding-bottom: 2em;
+ 37
+ 38         .shop-gallery-inner {
+ 39             position: relative;
+ 40             margin: 0 2em;
+ 41             border-top: 2px solid;
+ 42
+ 43             .shop-gallery-img-container {
+ 44                 margin: 0 auto;
+ 45                 padding: 0 3em;
+ 46
+ 47                 .shop-gallery-img {
+ 48                     .transition(all 0.2s linear);
+ 49                     width: 100%;
+ 50                     height: 100%;
+ 51                     max-width: 100%;
+ 52                     max-height: 100%;
+ 53
+ 54                     &.inactive {
+ 55                         opacity: 0;
+ 56                     }
+ 57                 }
+ 58             }
+ 59
+ 60             .shop-gallery-nav {
+ 61                 position: absolute;
+ 62                 top: 0;
+ 63                 bottom: 0;
+ 64                 width: 50%;
+ 65                 cursor: pointer;
+ 66
+ 67                 &:hover {
+ 68                     &::after {
+ 69                         color: @maincolor;
+ 70                     }
+ 71                 }
+ 72             }
+ 73         }
+ 74     }
+ 75 }
```

```

+ 71     }
+ 72
+ 73     &.shop-gallery-nav-prev {
+ 74         &::after {
+ 75             .rotate(-45deg);
+ 76
+ 77             border-left: 3px solid;
+ 78             border-top: 3px solid;
+ 79             content: "";
+ 80             height: 15px;
+ 81             position: absolute;
+ 82             left: 0;
+ 83             top: 50%;
+ 84             width: 15px;
+ 85             margin-top: -8px;
+ 86         }
+ 87     }
+ 88
+ 89     &.shop-gallery-nav-next {
+ 90         left: 50%;
+ 91
+ 92         &::after {
+ 93             .rotate(135deg);
+ 94
+ 95             border-left: 3px solid;
+ 96             border-top: 3px solid;
+ 97             content: "";
+ 98             height: 15px;
+ 99             position: absolute;
+ 100            right: 0;
+ 101            top: 50%;
+ 102            width: 15px;
+ 103            margin-top: -8px;
+ 104        }
+ 105    }
+ 106 }
+ 107
+ 108
+ 109 .shop-gallery-title {
+ 110     font-size: 1.7em;
+ 111     margin: 0 1.1em;
+ 112     padding: 1em 4em 1em 0em;
+ 113     min-width: 300px;
+ 114 }
+ 115
+ 116
+ 117 .shop-gallery-close {
+ 118     position: absolute;
+ 119     right: -1em;
+ 120     top: -1em;

```

```

+ 121 background-color: @maincolor;
+ 122 padding: 0.4em 0.7em 0.5em 0.7em;
+ 123 color: #fff;
+ 124 cursor: pointer;
+ 125
+ 126 &::after {
+ 127     content: "x";
+ 128     font-size: 17px;
+ 129     font-weight: bold;
+ 130     margin-left: 5px;
+ 131     text-transform: lowercase;
+ 132 }
+ 133 }
+ 134
+ 135 .shop-gallery-preview {
+ 136     overflow: hidden;
+ 137     min-width: 300px;
+ 138     max-width: 500px;
+ 139     margin: 1em auto 0;
+ 140     height: 83px;
+ 141     background-color: #fff;
+ 142     padding: 1.5em 3em;
+ 143     position: relative;
+ 144
+ 145     .shop-gallery-container {
+ 146         overflow: hidden;
+ 147         padding-bottom: 1px;
+ 148         padding-top: 1px;
+ 149         position: relative;
+ 150
+ 151         .shop-gallery-slider {
+ 152             .transition(left 0.4s linear);
+ 153
+ 154             position: relative;
+ 155             left: 0;
+ 156         }
+ 157     }
+ 158
+ 159     .shop-gallery-item-preview {
+ 160         width: 70px;
+ 161         height: 70px;
+ 162         display: inline-block;
+ 163         vertical-align: top;
+ 164         border: 1px solid;
+ 165         padding: 5px;
+ 166         margin-right: 7px;
+ 167         cursor: pointer;
+ 168
+ 169         &:hover, &.active {
+ 170             border-color: @maincolor;

```

```

+ 171     }
+ 172
+ 173     img {
+ 174         max-width: 100%;
+ 175         max-height: 100%;
+ 176     }
+ 177 }
+ 178
+ 179 .shop-gallery-mini-prev {
+ 180     position: absolute;
+ 181     left: 0;
+ 182     bottom: 0;
+ 183     top: 0;
+ 184     width: 39px;
+ 185     cursor: pointer;
+ 186
+ 187     &:hover {
+ 188         &::after {
+ 189             color: @maincolor;
+ 190         }
+ 191     }
+ 192
+ 193     &::after {
+ 194         .rotate(-45deg);
+ 195
+ 196         content: '';
+ 197         border-left: 1px solid;
+ 198         border-top: 1px solid;
+ 199         height: 10px;
+ 200         width: 10px;
+ 201         display: block;
+ 202         position: absolute;
+ 203         top: 54px;
+ 204         left: 17px;
+ 205     }
+ 206 }
+ 207
+ 208 .shop-gallery-mini-next {
+ 209     position: absolute;
+ 210     right: 0;
+ 211     bottom: 0;
+ 212     top: 0;
+ 213     width: 39px;
+ 214     cursor: pointer;
+ 215
+ 216     &:hover {
+ 217         &::after {
+ 218             color: @maincolor;
+ 219         }
+ 220     }

```

```

+ 221
+ 222         &::after {
+ 223             .rotate(135deg);
+ 224
+ 225             content: '';
+ 226             border-left: 1px solid;
+ 227             border-top: 1px solid;
+ 228             height: 10px;
+ 229             width: 10px;
+ 230             display: block;
+ 231             position: absolute;
+ 232             top: 54px;
+ 233             right: 17px;
+ 234         }
+ 235     }
+ 236 }
+ 237 }
+ 238
+ 239 .shop-gallery-loader {
+ 240     .border-radius(5px);
+ 241
+ 242     width: 45px;
+ 243     height: 45px;
+ 244     background-color: rgba(0, 0, 0, 0.2);
+ 245     z-index: 9999;
+ 246     position: fixed;
+ 247     left: 50%;
+ 248     top: 50%;
+ 249     margin-left: -22.5px;
+ 250     margin-top: -22.5px;
+ 251
+ 252     &::after {
+ 253         .transition(all 0.4s linear);
+ 254
+ 255         display: inline-block;
+ 256         font-family: FontAwesome;
+ 257         font-style: normal;
+ 258         font-weight: normal;
+ 259         line-height: 1;
+ 260         -webkit-font-smoothing: antialiased;
+ 261         -moz-osx-font-smoothing: grayscale;
+ 262         -webkit-animation: spin 2s infinite linear;
+ 263         -moz-animation: spin 2s infinite linear;
+ 264         -o-animation: spin 2s infinite linear;
+ 265         animation: spin 2s infinite linear;
+ 266         content: "\f013";
+ 267         position: absolute;
+ 268         left: 11px;
+ 269         top: 9px;
+ 270         z-index: 99999 !important;

```

```

+ 271         font-size: 2em;
+ 272         color: #fff;
+ 273     }
+ 274 }
+ 275
+ 276 .fullscreen {
+ 277     .shop-gallery {
+ 278         top: 0 !important;
+ 279         bottom: 0 !important;
+ 280         left: 0 !important;
+ 281         width: 100% !important;
+ 282         background-color: #fff;
+ 283     }
+ 284     .shop-gallery-close {
+ 285         right: 0;
+ 286         top: 0;
+ 287     }
+ 288
+ 289     .shop-gallery-preview {
+ 290         margin: 0 auto;
+ 291     }
+ 292
+ 293     .shop-gallery-skin {
+ 294         .box-shadow(none);
+ 295         padding-bottom: 8em;
+ 296     }
+ 297
+ 298     .shop-gallery-inner {
+ 299         padding-top: 5em;
+ 300     }
+ 301 }
+ 302 }

```

styles/_skin.less

```

347     }
348 }
349
- 350 #box_productcomments {
+ 350 #box_productcomments, #box_articlecomments {
351     .btn {
352         background-color: @maincolor2;
353         border: none;

```

```

465     }
466 }
467
- 468 .addtobasket {
- 469     color: @colorWhite;

```

```

- 470     font-size: 1.1em;
- 471     font-weight: bold;
- 472     padding: 0.8em 1em;
- 473
- 474     &:hover {
- 475         background-color: @colorWhite;
- 476         color: @maincolor;
- 477         border-color: @maincolor;
- 478
- 479         img {
- 480             background: url('../images/cart-green.png') no-repeat;
- 481         }
- 482     }
- 483
- 484     img {
- 485         background: url('../images/cart-white.png') no-repeat;
- 486         display: inline-block;
- 487         width: 23px;
- 488         height: 21px;
- 489         display: inline-block;
- 490     }
+ 468     .addtobasket, .availability-notifier-btn {
+ 469         color: @colorWhite;
+ 470         font-size: 1.1em;
+ 471         font-weight: bold;
+ 472         padding: 0.8em 1em;
+ 473
+ 474         &:hover {
+ 475             background-color: @colorWhite;
+ 476             color: @maincolor;
+ 477             border-color: @maincolor;
+ 478         }
+ 479     }
+ 480
+ 481     .addtobasket {
+ 482         &:hover {
+ 483             img {
+ 484                 background: url('../images/cart-green.png') no-repeat;
+ 485             }
+ 486         }
+ 487
+ 488         img {
+ 489             background: url('../images/cart-white.png') no-repeat;
+ 490             display: inline-block;
+ 491             width: 23px;
+ 492             height: 21px;
+ 493             display: inline-block;
+ 494         }
+ 495     }
+ 496 }

```

```

497     }
498   }
499
500   &.viewfull {
- 501     .product {
- 502       .addtobasket {
- 503         color: @colorWhite;
- 504         font-size: 1.1em;
- 505         font-weight: bold;
- 506         padding: 0.8em 1em;
- 507       }
- 508       &:hover {
- 509         background-color: @colorWhite;
- 510         color: @maincolor;
- 511         border-color: @maincolor;
- 512       }
- 513       img {
- 514         background: url('../images/cart-green.png') no-repeat;
- 515       }
- 516     }
- 517   }
- 518   img {
- 519     background: url('../images/cart-white.png') no-repeat;
- 520     display: inline-block;
- 521     width: 23px;
- 522     height: 21px;
- 523     display: inline-block;
- 524   }
- 525 }
- 526 }
+ 475     .product {
+ 476       .addtobasket, .availability-notifier-btn {
+ 477         color: @colorWhite;
+ 478         font-size: 1.1em;
+ 479         font-weight: bold;
+ 480         padding: 0.8em 1em;
+ 481       }
+ 482       &:hover {
+ 483         background-color: @colorWhite;
+ 484         color: @maincolor;
+ 485         border-color: @maincolor;
+ 486       }
+ 487     }
+ 488   }
+ 489   .addtobasket {
+ 490     &:hover {
+ 491       img {
+ 492         background: url('../images/cart-green.png') no-repeat;
+ 493       }
+ 494     }

```

```
+ 495
+ 496         img {
+ 497             background: url('../images/cart-white.png') no-repeat;
+ 498             display: inline-block;
+ 499             width: 23px;
+ 500             height: 21px;
+ 501             display: inline-block;
+ 502         }
+ 503     }
+ 504 }
505 }
506 }
507
```

```
577 }
578 }
579
+ 580
+ 581
582 #box_basketlist {
583     .boxhead {
584         h3 {
```

```
639
640     .value {
641         font-size: 1.2em;
- 642         line-height: 3.2em;
+ 642     }
+ 643     }
+ 644     }
+ 645
+ 646     .promo-container {
+ 647         .promo {
+ 648             font-size: 1.2em;
+ 649
+ 650             .value {
+ 651                 color: #ee3a43
652             }
653         }
654     }
```

```
783 }
784
785     .otherprice {
- 786         font-size: 1.2em;
+ 786         font-size: 1.2em;
787     }
788
```

```

789     .form-basket {
- 790         margin-top: 20px;
- 791     }
- 792     .button_wrap {
- 793         .addtobasket {
- 794             background-color: @maincolor;
- 795             color: @colorWhite;
- 796             border-color: @inputBg;
- 797             font-size: 1.4em;
- 798         }
- 799         &:hover {
- 800             background-color: @inputBg;
- 801             color: @maincolor;
- 802         }
- 803     }
- 804 }
+ 790         margin-top: 20px;
791     }
- 792     .stocks {
- 793         label {
- 794             font-size: 1.1em;
- 795         }
- 796     }
+ 792     .button_wrap {
+ 793         .addtobasket, .availability-notifier-btn {
+ 794             background-color: @maincolor;
+ 795             color: @colorWhite;
+ 796             border-color: @inputBg;
+ 797             font-size: 1.4em;
+ 798         }
+ 799         &:hover {
+ 800             background-color: @inputBg;
+ 801             color: @maincolor;
+ 802         }
+ 803     }
+ 804 }
+ 805
+ 806     .stocks {
+ 807         label {
+ 808             font-size: 1.1em;
+ 809         }
+ 810     }
811 }
812 }
813

```

```

1287     }
1288 }
1289 }

```

```
+ 1290 }
+ 1291 }
+ 1292
+ 1293 @media (max-width: 979px) and (min-width: 768px) {
+ 1294   .rwd {
+ 1295     .menu {
+ 1296       .innermenu {
+ 1297         height: 48px;
+ 1298         min-height: 48px;
+ 1299         line-height: 48px;
+ 1300
+ 1301         .menu-list {
+ 1302           li {
+ 1303             h3 {
+ 1304               a {
+ 1305                 padding: 0.67em;
+ 1306               }
+ 1307             }
+ 1308
+ 1309             &.home-link-menu-li {
+ 1310               a {
+ 1311                 padding: 0;
+ 1312               }
+ 1313             }
+ 1314           }
+ 1315         }
+ 1316       }
+ 1317     }
+ 1318   }
+ 1319 }
```

styles/_slider.less

```
+ 1  .slider {
+ 2    position: relative;
+ 3    text-align: center;
+ 4    padding: 0 6px 0 10px;
+ 5
+ 6    .slider-wrapper {
+ 7      overflow: hidden;
+ 8      margin: 0 auto;
+ 9
+10      [data-slider="true"] {
+11        overflow: hidden;
+12        display: inline-block;
+13        position: relative;
+14
+15        li {
+16          float: left;
```

```
+ 17     margin-right: 4px;
+ 18
+ 19     /* test */
+ 20     border: 1px solid #D8D8D8;
+ 21 }
+ 22 }
+ 23 }
+ 24
+ 25     .slider-controls {
+ 26     [class*="slider-control"] {
+ 27         position: absolute;
+ 28         width: 10px;
+ 29         height: 10px;
+ 30         background-color: red;
+ 31         top: 15px;
+ 32         z-index: 10;
+ 33         cursor: pointer;
+ 34     }
+ 35
+ 36     .slider-control-next {
+ 37         right: 0;
+ 38     }
+ 39
+ 40     .slider-control-prev {
+ 41         left: 0;
+ 42     }
+ 43 }
+ 44 }
```

styles/styles.less

```
19 @import "_fonts.less";
20 @import "_rwdCustom.less";
21 @import "_iefallback.less";
+ 22 @import "_article.less";
+ 23 @import "_shopGallery.less";
+ 24 @import "_slider.less";
25 @import "_skin.less";
```