

Pliki .tpl**boxes/Bestsellers/box.tpl**

```
30 }  
31 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'  
32  
- 33 ce()}</em>  
+ 33 ce()}</em>  
34 {if $bs_product->specialOffer}  
35 <del>{currency value=$bs_product->defaultStock->getPrice()}</del>  
36 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPri  
37 ce()}</em>  
38 {if $bs_product->currency}  
39 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPri  
40 ntifier() != $bs_product->currency->getIdentifier()}  
41 <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_produc  
42 t->defaultStock->getCurrencySpecialOfferPrice())}</em>  
43 {/if}  
44 {else}  
45 <em>{currency value=$bs_product->defaultStock->getPrice()}</em>  
46 {if $bs_product->currency}  
47 <em class="color">{currency value=$bs_product->defaultStock->getPrice(true)}</em>  
48 {if $bs_product->specialOffer}  
49 <del>{currency value=$bs_product->defaultStock->getPrice(true)}</del>  
50 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffer  
51 rPrice(true)}</em>  
52 {if $bs_product->currency}  
53 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffer  
54 ce()}</em>  
55 {if $bs_product->currency}  
56 <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_produc  
57 t->defaultStock->getCurrencySpecialOfferPrice(true)})</em>  
58 {/if}  
59 {else}  
60 <em>{currency value=$bs_product->defaultStock->getPrice(true)}</em>  
61 {if $bs_product->currency}  
62 <em class="color">{currency value=$bs_product->defaultStock->getPrice(true)}</em>  
63 {if $bs_product->currency and $currency->getIdentifier() != $bs_product->curren  
64 cy->getIdentifier()}  
65 <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_produc  
66 t->defaultStock->getCurrencyPrice())}</em>  
67 {/if}  
68 {/if}  
69 {/if}
```

```

    rrency->getIdentifier()
56     oduct->defaultStock->getCurrencyPrice(true))</em>
57
58

```

{ currency id=\$bs_product->product->currency_id rate=1 value=\$bs_pr

{/if}

{/if}

boxes/NewProducts/box.tpl

```

31
32
33
} </em>
- 34
+ 34
35
36
37
38
- 39
+ 39
40
41
42

```

{if \$newproduct->specialOffer}
{currency value=\$newproduct->defaultStock->getPrice()}
<em class="color">{currency value=\$newproduct->defaultStock->getSpecialOfferPrice()
getIdentifier()}

{if \$newproduct->currency}
{if \$newproduct->currency and \$currency->getIdentifier() != \$newproduct->currency->
getIdentifier()}

{currency id=\$newproduct->product->currency_id rate=1 value=\$newproduct->d
efaultStock->getCurrencySpecialOfferPrice()}

{/if}
{else}
{currency value=\$newproduct->defaultStock->getPrice()}
{if \$newproduct->currency}
{if \$newproduct->currency and \$currency->getIdentifier() != \$newproduct->currency->
getIdentifier()}

{currency id=\$newproduct->product->currency_id rate=1 value=\$newproduct->d
efaultStock->getCurrencyPrice()}

{/if}
{/if}

```

49
50
51
ce(true)}</em>
- 52
+ 52
53
54
55
56
- 57
+ 57
58
59
60

```

{if \$newproduct->specialOffer}
{currency value=\$newproduct->defaultStock->getPrice(true)}
<em class="color">{currency value=\$newproduct->defaultStock->getSpecialOfferPri
ce(true)}
{if \$newproduct->currency}
{if \$newproduct->currency and \$currency->getIdentifier() != \$newproduct->curren
cy->getIdentifier()}

{em>{currency id=\$newproduct->product->currency_id rate=1 value=\$newprodu
t->defaultStock->getCurrencySpecialOfferPrice(true)}}

{/if}
{else}
{currency value=\$newproduct->defaultStock->getPrice(true)}
{if \$newproduct->currency}
{if \$newproduct->currency and \$currency->getIdentifier() != \$newproduct->curren
cy->getIdentifier()}

{em>{currency id=\$newproduct->product->currency_id rate=1 value=\$newprodu
t->defaultStock->getCurrencyPrice(true)}}

{/if}
{/if}

boxes/ProductOfTheDay/box.tpl

```

24
25
26
- 27
+ 27
28
29
30
31
- 32
+ 32
33
34
35

```

```

        {if $potd->specialOffer}
        <del>{currency value=$potd->defaultStock->getPrice()}</del>
        <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
        {if $potd->currency}
        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}

```

```

        <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencySpecialOfferPrice()}</em>
        {/if}
        {else}
        <em>{currency value=$potd->defaultStock->getPrice()}</em>
        {if $potd->currency}
        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}

```

```

        <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencyPrice()}</em>
        {/if}
        {/if}

```

```

42
43
44
45
46
47
48
49
- 50
+ 50
51
52
53

```

```

        {if $potd->specialOffer}
        <del>{currency value=$potd->defaultStock->getPrice(true)}</del>
        <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(true)}<
/em>
        {if $potd->currency}
        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()
r()}

```

```

        <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencySpecialOfferPrice(true)}</em>
        {/if}
        {else}
        <em>{currency value=$potd->defaultStock->getPrice(true)}</em>
        {if $potd->currency}
        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()
r()}

```

```

        <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencyPrice(true)}</em>
        {/if}
        {/if}

```

boxes/Recent/box.tpl

```

25
26
27
- 28
+ 28
29

```

```

        {if $special_product->specialOffer}
        <del>{currency value=$special_product->defaultStock->getPrice()}</del>
        <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
        {if $special_product->currency}
        {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}

```

```

        <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->default
Stock->getCurrencySpecialOfferPrice()}</em>

```

```

30
31
32
- 33
+ 33
34
35
36

```

```

        {/if}
    {else}
        <em>{currency value=$special_product->defaultStock->getPrice()}</em>
        {if $special_product->currency}
            {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}
                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->defaultStock->getCurrencyPrice()})</em>
            {/if}
        {/if}

```

```

43
44
45
46
- 46
+ 46
47
48
49
50
- 51
+ 51
52
53
54

```

```

        {if $special_product->specialOffer}
            <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
            <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true)}</em>
        em>
        {if $special_product->currency}
            {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}
                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
            {/if}
        {else}
            <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
            {if $special_product->currency}
                {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}
                    <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->defaultStock->getCurrencyPrice(true)})</em>
                {/if}
            {/if}
        {/if}

```

boxes/SpecialOffer/box.tpl

```

25
26
27
28
- 28
+ 28
29
30
31
32
- 33
+ 33
34

```

```

        {if $special_product->specialOffer}
            <del>{currency value=$special_product->defaultStock->getPrice()}</del>
            <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
        )</em>
        {if $special_product->currency}
            {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}
                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice()})</em>
            {/if}
        {else}
            <em>{currency value=$special_product->defaultStock->getPrice()}</em>
            {if $special_product->currency}
                {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}
                    <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->defaultStock->getCurrencyPrice()})</em>
                {/if}
            {/if}
        {/if}

```

```
35          {/if}
36      {/if}
```

```
43          {if $special_product->specialOffer}
44              <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
45              <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice(true)}</em>
- 46          {if $special_product->currency}
+ 46          {if $special_product->currency and $currency->getIdentifier() != $special_product-
currency->getIdentifier()}
47              <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
48                  {/if}
49                  {else}
50                      <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
- 51          {if $special_product->currency}
+ 51          {if $special_product->currency and $currency->getIdentifier() != $special_product-
currency->getIdentifier()}
52              <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencyPrice(true)})</em>
53                  {/if}
54          {/if}
```

scripts/basket/address.tpl

```
86
87
88
- 89          <div class="client-address">
89          <h4 class="separator">{translate key='Address details'}</h4>
90          <table class="address">
+ 89          <table class="address address-handler">
90              <tbody>
91                  {if 'user' == $mode && $user->user && count($user->user->addresses) > 0}
92                      <tr class="select_address">
93
94
95
- 196          </div>
96          <div class="client-add-info f-grid-6">
97              <div class="client-address-different">
+ 196              <div class="client-address-different address-handler" data-diff-address="1">
97                  <h4 class="different separator">{translate key='Different shipping address'}</h4>
98                  <table class="address-different">
99                      <tbody>
399
400
401          </div>
402          <script type="text/javascript">
402              try {literal} {$country2shipping = $country2shipping}; $Shop.values.ShippingExtraStep = ${$shipping_extra_s
```

```
tep} {literal}}{/literal} catch(e) {literal}{ }{/literal}
+ 402     try {literal}}{/literal} Shop.values.Country2Shipping = {$country2shipping}; Shop.values.ShippingExtraStep = {$shipping_extra_s
tep}; Shop.values.reverseTable = {$reverse_address_order}; {literal}}{/literal} catch(e) {literal}{ }{/literal}
403     </script>
404 {include file='footerbox.tpl'}
405 {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
kinFooterGroup,Logic_SkinFooterLink'}
```

scripts/basket/step3.tpl

```
80                     </p>
81                     {/if}
82
- 83             {if $data.name2 || $data.surname2}
- 84                 <p>
- 85                     {if $data.name2}
- 86                         {$data.name2|escape}
- 87                     {/if}
- 88                     {if $data.surname2}
- 89                         {$data.surname2|escape}
- 90                     {/if}
- 91                 </p>
- 92             {/if}
- 93
94             {if $data.coname2}
95                 <p>{$data.coname2|escape}</p>
96             {/if}
```

```
103                     </p>
104                     {/if}
105
+ 106             {if $data.state2}
+ 107                 <p>{$data.state2|escape}</p>
+ 108             {/if}
+ 109
110             {if $data.country2}
111                 <p>{country code=$data.country2}</p>
112             {/if}
```

```
158                     <p>{translate key='Personal Identification Number'}: {$data.pesel|escape}</p>
159                     {/if}
160
+ 161             {if $data.state}
+ 162                 <p>{$data.state|escape}</p>
+ 163             {/if}
+ 164
165             {if $data.country}
166                 <p>{country code=$data.country}</p>
```

scripts/login/register.tpl

```

30          <span>{translate key="Registration"}
31      </span>
32
- 33      <div class="innerbox">
+ 33      <div class="innerbox address-handler">
34          {foreach from=$table1 item=tr}
35              <div>
36                  <span class="login-label">

86          </div>
87
88          {foreach from=$table2 item=tr}
- 89          <div>
+ 89          <div class="{$tr.name|escape}">
90              <span class="adress-label">
91                  <label for="input_{$tr.name|escape}">
92                      {if true == $tr.obligatory}

99          <div class="input">
100             {if 'select' == $tr.type}
101                 <select class="{$tr.error} error{/if}" name="{$tr.name|escape}" id="input_{$
tr.name|escape}">
- 102                 {foreach from=$tr.list item=c key=k}
- 103                     <option value="{$k|escape}"{if $k == $tr.value} selected="selected"{/if
}>
- 104                     {$c|escape}
+ 102                     {foreach from=$countries_logiclist item=c}
+ 103                     <option data-value="{$c->getIdentifier()}" data-region="{$c->country
->regions}1{else}0{/if}"{if $c->country->isocode == $tr.value} selected="selected"{/if} value="{$c->country->isocode|escape}">
+ 104                     {$c->getLocalizedname()}
105                 </option>
106             {/foreach}
- 107             </select>
+ 105             </select>
106
107         {else}
108             <span class="shaded_inputwrap{if $tr.error} error{/if}">
                 <input type="{$tr.type|escape}" name="{$tr.name|escape}" value="{$tr.value|
escape}" size="25" id="input_{$tr.name|escape}">

```

scripts/panel/address-edit.tpl

```

42      <fieldset>
43          {include file='formantispam.tpl'}

```

```
44
- 45
+ 45 <table>
46 <table class="address-handler">
47 <tbody>
48 {foreach from=$table item=tr}
      <tr>

58 <td class="input">
59   {if 'select' == $tr.type}
60     <select class="{if $tr.error} error{/if}" name="{$tr.name|escape}" id="inpu
t_{$tr.name|escape}">
- 61       {foreach from=$tr.list item=c key=k}
- 62         <option value="{$k|escape}"{if $k == $tr.value} selected="selected"
{/if}>
- 63           {$c|escape}
+ 61         {foreach from=$countries_logiclist item=c}
+ 62           <option data-value="{$c->getIdentifier()}"{if $c->country->isocode
== $tr.value} selected="selected"{/if} data-region="{if $c->country->regions}1{else}0{/if}" value="{$c->country->isocode|escape}">
+ 63             {$c->getLocalizedname() }
64           </option>
65         {/foreach}
66       </select>
```

scripts/panel/address.tpl

```
75   </p>
76
77
+ 78   {if $address->state}
+ 79     <p class="state">{$address->state|escape}</p>
+ 80   {/if}
+ 81
82   {if $address->country}
83     <p class="country">{$address->country|escape}</p>
84   {/if}
```

scripts/panel/favourites.tpl

```
62 <td class="cell-center price">
63   {if $product->product->specialOffer}
64     {currency value=$product->getSpecialOfferPrice()}
65   {if $product->product->currency}
+ 65     {if $product->product->currency and $currency->getIdentifier() != $product->product
->currency->getIdentifier()}
66       <em class="default-currency">({currency id=$product->product->product->currency
_id rate=1 value=$product->getCurrencySpecialOfferPrice()})</em>
67       {/if}
68     {else}
```

```
69                                     {currency value=$product->getPrice()}
- 70                                     {if $product->product->currency}
+ 70                                     {if $product->product->currency and $currency->getIdentifier() != $product->product->currency->getIdentifier()}
71                                         <em class="default-currency">({currency id=$product->product->product->currency
_id rate=1 value=$product->getCurrencyPrice()} )</em>
72                                         {/if}
73                                         {/if}
```

scripts/panel/index.tpl

```
119                                     {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
120                                     {if $address->zip_code || $address->city
+ 121                                         }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}
+ 122                                     {if $address->state}<p>{$address->state|escape}</p>{/if}
123                                     {if $address->country}<p>{$address->country|escape}</p>{/if}
124                                     {if $address->phone}<p>{$address->phone|escape}</p>{/if}
125                                     {else}

137                                     {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
138                                     {if $address->zip_code || $address->city
+ 139                                         }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}
+ 140                                     {if $address->state}<p>{$address->state|escape}</p>{/if}
141                                     {if $address->country}<p>{$address->country|escape}</p>{/if}
142                                     {if $address->phone}<p>{$address->phone|escape}</p>{/if}
143                                     {else}
```

scripts/panel/order.tpl

```
136                                         </p>
137                                         {/if}
138
+ 139                                         {if $address->state}
+ 140                                         <p>{$address->state|escape}</p>
+ 141                                         {/if}
+ 142                                         {if $address->country}
143                                         <p>{$address->country|escape}</p>
144                                         {/if}
145

194                                         </p>
195                                         {/if}
196
+ 197                                         {if $address->state}
+ 198                                         <p>{$address->state|escape}</p>
+ 199                                         {/if}
```

+ 200
201
202
203

```
{if $address->country}
<p>{$address->country|escape}</p>
{/if}
```

scripts/product/index.tpl

```
78
79
80
- 81
+ 81 <span class="none" itemprop="price">
      {$product->defaultStock->getSpecialOfferPrice()}
    </span>
{if $product->currency}
{if $product->currency and $currency->getIdentifier() != $product->
  currency->getIdentifier()}
82   <em class="default-currency">({currency id=$product->product->
  currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
83
84   {/if}
{else}
```

```
88
89
90
- 91
+ 91 <span class="none" itemprop="price">
      {$product->defaultStock->getPrice()}
    </span>
{if $product->currency}
{if $product->currency and $currency->getIdentifier() != $product->
  currency->getIdentifier()}
92   <em class="default-currency">({currency id=$product->product->
  currency_id rate=1 value=$product->defaultStock->getCurrencyPrice()})</em>
93
94   {/if}
```

```
107
108   {if $product->specialOffer}
        <em class="main-price" {if $skin_settings->global->pricemode == '1'
  class="no-color" {/if}>{currency value=$product->defaultStock->getSpecialOfferPrice(true) ceil=2}</em>
        <del>{currency value=$product->defaultStock->getPrice(true)}</del>
        {if $product->currency}
        {if $product->currency and $currency->getIdentifier() != $product->
          currency->getIdentifier()}
111       <em class="default-currency">({currency id=$product->product->
          currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
112       {/if}
113     {else}
114       <em class="main-price" {if $skin_settings->global->pricemode == '1'
  class="no-color" {/if}>{currency value=$product->defaultStock->getPrice(true) ceil=2}</em>
- 115       {if $product->currency}
+ 115       {if $product->currency and $currency->getIdentifier() != $product->
          currency->getIdentifier()}
116         <em class="default-currency">({currency id=$product->product->c
          currency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)})</em>
117         {/if}
118       {/if}
```

scripts/product/related.tpl

```
45             {if $rproduct->specialOffer}
46                 <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}</em>
47
48 - 48             <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
49 + 48             {if $rproduct->currency}
50                 {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdent
51                     ifier()}
52
53 - 53             <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defaultSt
54 + 53             ock->getCurrencySpecialOfferPrice())}</em>
55
56             {/if}
57         {else}
58             <em>({currency value=$rproduct->defaultStock->getPrice()}</em>
59             {if $rproduct->currency}
60                 {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdent
61                     ifier()}
62
63             <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defaultSt
64             ock->getCurrencyPrice())}</em>
65
66             {/if}
67
68 - 66             {if $rproduct->specialOffer}
69                 <em>{currency value=$rproduct->defaultStock->getSpecialOfferPrice(true)}</em>
70                 <del>{currency value=$rproduct->defaultStock->getPrice(true)}</del>
71 - 71             {if $rproduct->currency}
72 + 71             {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdent
73                 ifier()}
74
75             <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defau
76             ltStock->getCurrencySpecialOfferPrice(true)})</em>
77
78             {/if}
79
80 - 71             {else}
81                 <em>({currency value=$rproduct->defaultStock->getPrice(true)}</em>
82                 {if $rproduct->currency}
83                     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdent
84                         ifier()}
85
86                 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defau
87                 ltStock->getCurrencyPrice(true)})</em>
88
89             {/if}
90
91             {/if}
```

scripts/product/tableofproducts.tpl

```
71             {if $product->specialOffer}
72                 <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice()}</
73
74             em>
75
76             <del>{currency value=$product->defaultStock->getPrice()}</del>
77             {if $product->currency}
```

```
+ 74     if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
75         <em class="default-currency">({currency id=$product->product->currency_id rate=
1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
76             {/if}
77             {else}
78                 <em>{currency value=$product->defaultStock->getPrice()}</em>
79             {if $product->currency}
+ 79         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
80             <em class="default-currency">({currency id=$product->product->currency_id rate=
1 value=$product->defaultStock->getCurrencyPrice()}</em>
81                 {/if}
82             {/if}
```

```
89         {if $product->specialOffer}
90             <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
91             <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 92             {if $product->currency}
+ 92         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
93             <em class="default-currency">({currency id=$product->product->currency_id r
ate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
94                 {/if}
95             {else}
96                 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 97             {if $product->currency}
+ 97         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
98             <em class="default-currency">({currency id=$product->product->currency_id r
ate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
99                 {/if}
100            {/if}
```

```
207         {if $product->specialOffer}
208             <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
209             <del>{currency value=$product->defaultStock->getPrice()}</del>
- 210             {if $product->currency}
+ 210         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
211             <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=$pro
duct->defaultStock->getCurrencySpecialOfferPrice()}</em>
212                 {/if}
213             {else}
214                 <em>{currency value=$product->defaultStock->getPrice()}</em>
- 215             {if $product->currency}
+ 215         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier())
216             <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=$pro
duct->defaultStock->getCurrencyPrice()}</em>
217                 {/if}
```

```

225             {if $product->specialOffer}
226                 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
227                 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
228             {if $product->currency}
229                 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()
230                     )}
231                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
232                         $product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
233                     {/if}
234                 {else}
235                     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
236             {if $product->currency}
237                 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()
238                     )}
239                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
240                         $product->defaultStock->getCurrencyPrice(true)})</em>
241                     {/if}
242                 {/if}
243             {/if}
244         {/if}
245     {/if}
246 
```

Pliki .css

Pliki .less

styles/_basket.less

```

265             width: 19em;
266             padding-left: 1em;
267             padding-right: 2em;
268             margin-bottom: 4px;
269         }
270     }
271 } 
```

```

778         font-weight: bold;
779     }
780 }
+ 781 }
+ 782
+ 783 .hide-state {
+ 784     display: none;
785 } 
```

styles/_modules.less

```
649      select {
650        width: 16em;
651        margin-bottom: 4px;
652      }
653    }
654  
```

```
.checkbox-wrap {
```

```
880    select {
881      width: 16em;
882      margin-bottom: 4px;
883    }
884  }
885 }
886 }
```

styles/_product.less

```
612          font-size: 1em;
613          line-height: 40px;
614        }
615      &::after {
616        &.loading {
617          .transition(all 0.4s linear);
618        }
619        position: relative;
620      }
621      &:::after {
622        .transition(all 0.4s linear);
623      }
624      display: inline-block;
625      font-family: FontAwesome;
626      font-style: normal;
627      font-weight: normal;
628      line-height: 1;
629      -webkit-font-smoothing: antialiased;
630      -moz-osx-font-smoothing: grayscale;
631      -webkit-animation: spin 2s infinite linear;
632      -moz-animation: spin 2s infinite linear;
633      -o-animation: spin 2s infinite linear;
634      animation: spin 2s infinite linear;
635      content: "\f013";
636      position: absolute;
637      left: 50%;
638      top: 50%;
639      z-index: 99999 !important;
640      font-size: 2em;
```

```
+ 641 }
+ 642
+ 643         &::before {
+ 644             .transition(all 0.4s linear);
+ 645
+ 646             content: '' !important;
+ 647             display: block;
+ 648             position: absolute;
+ 649             left: 0;
+ 650             top: 0;
+ 651             right: 0;
+ 652             bottom: 0;
+ 653             background-color: rgba(255, 255, 255, 0.9);
+ 654             z-index: 99999 !important;
+ 655         }
+ 656     }
657 }
658 }
659 .addtofav{
```

styles/_shopGallery.less

```
43     .shop-gallery-img-container {
44         margin: 0 auto;
45         padding: 0 3em;
+ 46         text-align: center;
47
48     .shop-gallery-img {
49         .transition(all 0.2s linear);
```

```
132     }
133 }
134
+ 135 .shop-gallery-resize {
+ 136     padding: 0.45em 0.65em 0.45em 0.75em;
+ 137     top: -1em;
+ 138     position: absolute;
+ 139     cursor: pointer;
+ 140     background-color: @maincolor;
+ 141     color: #fff;
+ 142     left: -1em;
+ 143
+ 144     &::before {
+ 145         display: inline-block;
+ 146         font-family: 'FontAwesome';
+ 147         font-style: normal;
+ 148         font-weight: normal;
+ 149         font-size: 13px;
+ 150         -webkit-font-smoothing: antialiased;
```

```
+ 151     -moz-osx-font-smoothing: grayscale;
+ 152 }
+ 153
+ 154     &.expand {
+ 155         &::before {
+ 156             content: "\f065";
+ 157         }
+ 158     }
+ 159
+ 160     &.collapse {
+ 161         &::before {
+ 162             content: "\f066";
+ 163         }
+ 164     }
+ 165 }
+ 166
167 .shop-gallery-preview {
168     overflow: hidden;
169     min-width: 300px;
```