

Pliki .tpl

boxes/Bestsellers/box.tpl

```

31             {if $bs_product->specialOffer}
32             <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPrice()}</em>
m>
33             <del>{currency value=$bs_product->defaultStock->getPrice()}</del>
+ 34             {if $bs_product->currency}
+ 35             <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 36             {/if}
37             {else}
38             <em>{currency value=$bs_product->defaultStock->getPrice()}</em>
+ 39             {if $bs_product->currency}
+ 40             <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice()}</em>
+ 41             {/if}
42             {/if}
43             {/if}
44         </div>

```

boxes/Currencies/box.tpl

```

13         <select class="singleselect gotourl" id="box_currencies_select">
14             {foreach from=$boxNs->$box_id->list item=desc key=cur}
15             <option{if $cur == $boxNs->$box_id->currency} selected="selected"{/if}
- 16             } value="{url}?currency={ $cur|escape}">{$desc|escape}</option>
+ 16             } value="?currency={ $cur|escape}">{$desc|escape}</option>
17             {/foreach}
18         </select>
19         {elseif $boxNs->$box_id->format == 2}
20         <ul class="listwithicons">
21             {foreach from=$boxNs->$box_id->list item=desc key=cur}
22             <li{if $cur == $boxNs->$box_id->currency} class="selected"{/if}
- 23             }><a href="{url}?currency={ $cur|escape}" title="{ $desc|escape}" class="spanhover">
+ 23             }><a href="?currency={ $cur|escape}" title="{ $desc|escape}" class="spanhover">
24                 
25                 <span>{ $desc|escape}</span>
26             </a>

```

boxes/FacebookLike/box.tpl

```
1 {if $boxNs->$box_id->pageid > 0}
- 2 <div class="box {$boxNs->$box_id->format|escape}" id="box_facebooklike">
- 3 <script type="text/javascript">
- 4 window.addEvent('domready', function(e) {literal}}{/literal}
- 5 w = $('box_facebooklike').getSize().x;
- 6 h = {if 1 == (int) $boxNs->$box_id->stream}600{else}300{/if};
- 7 $('box_facebooklike').set('html', '<iframe class="facebook fb_likebox" ' +
- 8 'src="https://www.facebook.com/plugins/likebox.php?href=' +
- 9 escape('http://www.facebook.com/profile.php?id={$boxNs->$box_id->pageid|escape}') +
- 10 '&#amp;#width=' + w + '&#amp;#colorscheme={$boxNs->$box_id->format|escape}' +
- 11 '&#amp;#show_faces=true&#amp;#stream={if 1 == (int) $boxNs->$box_id->stream}true{else}false{/if}' +
- 12 '&#amp;#header=true&#amp;#height=' + h + '&#amp;#font=tahoma&#amp;#locale={lang key='long'}" ' +
- 13 'scrolling="no" frameborder="0" style="border:none; overflow: hidden; width: ' + w +
- 14 'px; height:' + h + 'px;" allowTransparency="true"></iframe>');
- 15 {literal}}{/literal}};
- 16 </script>
- 17 </div>
+ 2 <div class="box {$boxNs->$box_id->format|escape}" id="box_facebooklike"></div>
+ 3
+ 4 <script type="text/javascript">
+ 5 window.addEvent('domready', function(e) {literal}}{/literal}
+ 6 w = $('box_facebooklike').getSize().x;
+ 7 h = {if 1 == (int) $boxNs->$box_id->stream}600{else}300{/if};
+ 8 $('box_facebooklike').set('html', '<iframe class="facebook fb_likebox" ' +
+ 9 'src="https://www.facebook.com/plugins/likebox.php?href=' +
+ 10 escape('http://www.facebook.com/profile.php?id={$boxNs->$box_id->pageid|escape}') +
+ 11 '&#amp;#width=' + w + '&#amp;#colorscheme={$boxNs->$box_id->format|escape}' +
+ 12 '&#amp;#show_faces=true&#amp;#stream={if 1 == (int) $boxNs->$box_id->stream}true{else}false{/if}' +
+ 13 '&#amp;#header=true&#amp;#height=' + h + '&#amp;#font=tahoma&#amp;#locale={lang key='long'}" ' +
+ 14 'scrolling="no" frameborder="0" style="border:none; overflow: hidden; width: ' + w +
+ 15 'px; height:' + h + 'px;" allowTransparency="true"></iframe>');
+ 16 {literal}}{/literal}};
+ 17 </script>
18 {/if}
```

boxes/FreeShipping/box.tpl

```
12 <div class="arrow"></div>
13 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
14 {if 0 == $user->basket->count()}
- 15 {translate key='Free shipping (%s) on orders of %s and more.' p1=$fs->shipping->name currency1=$fs->shi
ping->free_shipping format=true}
+ 15 {translate key='Free shipping (%s) on orders of %s and more.' p1=$fs->translation->name currency1=$fs->
shipping->free_shipping format=true}
16 {else}
17 {assign var=freeshipping_sum value=$user->basket->sumProducts()}
```

```

18             {if $freeshipping_sum > $fs->shipping->free_shipping}
- 19             {translate key='Order higher than %s - you get a free shipping (%s).' currency1=$fs->shipping->free
_shipping pl=$fs->shipping->name format=true}
+ 19             {translate key='Order higher than %s - you get a free shipping (%s).' currency1=$fs->shipping->free
_shipping pl=$fs->translation->name format=true}
20             {elseif $freeshipping_sum == $fs->shipping->free_shipping}
- 21             {translate key='Order for %s - you get a free shipping (%s).' currency1=$fs->shipping->free_shipping
g pl=$fs->shipping->name format=true}
+ 21             {translate key='Order for %s - you get a free shipping (%s).' currency1=$fs->shipping->free_shipping
g pl=$fs->translation->name format=true}
22             {else}
23             {assign var=freeshipping_sum_left value=$fs->shipping->free_shipping-$freeshipping_sum}
- 24             {translate key='You need another %s for free shipping (%s).' currency1=$freeshipping_sum_left pl=$f
s->shipping->name format=true}
+ 24             {translate key='You need another %s for free shipping (%s).' currency1=$freeshipping_sum_left pl=$f
s->translation->name format=true}
25             {/if}
26             {/if}
27         <div class="rightside"></div>

```

boxes/NewProducts/box.tpl

```

31             {if $newproduct->specialOffer}
32             <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPrice()}</em>
m>
33             <del>{currency value=$newproduct->defaultStock->getPrice()}</del>
+ 34             {if $newproduct->currency}
+ 35             <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->defau
ltStock->getCurrencySpecialOfferPrice()}</em>
+ 36             {/if}
37             {else}
38             <em>{currency value=$newproduct->defaultStock->getPrice()}</em>
+ 39             {if $newproduct->currency}
+ 40             <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->defau
ltStock->getCurrencyPrice()}</em>
+ 41             {/if}
42             {/if}
43             {/if}
44         </div>

```

boxes/ProductOfTheDay/box.tpl

```

22         </span>
23     </a>
24     {if $showprices}
- 25     {if $potd->specialOffer}
- 26     <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
- 27     <del>{currency value=$potd->defaultStock->getPrice()}</del>
- 28     {else}
- 29     <em>{currency value=$potd->defaultStock->getPrice()}</em>

```

```

- 30         {/if}
+ 25         {if $potd->specialOffer}
+ 26             <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
+ 27             <del>{currency value=$potd->defaultStock->getPrice()}</del>
+ 28             {if $potd->currency}
+ 29                 <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->getCurrency
SpecialOfferPrice()})</em>
+ 30             {/if}
+ 31             {else}
+ 32                 <em>{currency value=$potd->defaultStock->getPrice()}</em>
+ 33                 {if $newproduct->currency}
+ 34                     <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->getCurrency
Price()})</em>
+ 35                 {/if}
+ 36             {/if}
37         {/if}
38     </div>
39 {/foreach}

```

boxes/Recent/box.tpl

```

22         </span>
23     </a>
24     {if $showprices}
- 25         {if $special_product->specialOffer}
- 26             <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
- 27             <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 28             {else}
- 29                 <em>{currency value=$special_product->defaultStock->getPrice()}</em>
- 30             {/if}
+ 25         {if $special_product->specialOffer}
+ 26             <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 27             <del>{currency value=$special_product->defaultStock->getPrice()}</del>
+ 28             {if $special_product->currency}
+ 29                 <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencySpecialOfferPrice()})</em>
+ 30             {/if}
+ 31             {else}
+ 32                 <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 33                 {if $newproduct->currency}
+ 34                     <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencyPrice()})</em>
+ 35                 {/if}
+ 36             {/if}
37         {/if}
38     </div>
39 {/foreach}

```

boxes/SpecialOffer/box.tpl

```

22         </span>
23     </a>
24     {if $showprices}
- 25         {if $special_product->specialOffer}
- 26         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
- 27         <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 28         {else}
- 29         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
- 30         {/if}
+ 25         {if $special_product->specialOffer}
+ 26         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 27         <del>{currency value=$special_product->defaultStock->getPrice()}</del>
+ 28         {if $special_product->currency}
+ 29         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
+ 30         aultStock->getCurrencySpecialOfferPrice()}</em>
+ 31         {/if}
+ 32         {else}
+ 33         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 34         {if $newproduct->currency}
+ 35         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
+ 36         aultStock->getCurrencyPrice()}</em>
+ 37         {/if}
+ 38         {/if}
37     {/if}
38 </div>
39 {/foreach}

```

scripts/basket/index.tpl

```

110     <tr class="delivery{if $shipping_id == (int) $shipping->getIdentifier()} selected{/if}{if 0 ==
111     $smarty.foreach.list.index} first{/if}">
112         <td colspan="5" class="name">
113             <input type="radio" name="shipping_id" id="shipping_{$shipping->getIdentifier()}" value
114             ="{$shipping->getIdentifier()}" {if $shipping_id == (int) $shipping->getIdentifier()}checked="checked" {/if}/>
- 113             <label for="shipping_{$shipping->getIdentifier()}">{$shipping->shipping->name|escape}</
- 114             label>
+ 113             <span class="description">{$shipping->shipping->description|escape}</span>
+ 114             <label for="shipping_{$shipping->getIdentifier()}">{$shipping->translation->name|escape
+ 114             }</label>
+ 114             <span class="description">{$shipping->translation->description|escape}</span>
115         </td>
116         <td class="value">
117             {currency value=$shipping->getCost($user->basket)}

```

```

257         <td class="actions">
258             <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}" title="{
259             translate key='Remove product from cart'}" class="spanhover prodremove">
                

```

```
- 260 <span>{translate key='Usu'}</span>
+ 260 <span>{translate key='Remove'}</span>
261 </a>
262 </td>
263 </tr>
```

```
301 </div>
302
303 <script type="text/javascript">
- 304 try {literal}{{/literal} Shop.values.Country2Shipping = {$country2shipping}; Shop.values.Shipping2Payment = {$shipping2payment}
; Shop.values.SumNoShipping = {$sum_noship}; Shop.values.ShippingValue = {$shippingvalue}; Shop.values.PaymentAdditional = {$paymentaddi
tional}; Shop.values.CurrencyMap = "{$currencymap}"; {literal}{{/literal} catch(e) {literal}{{/literal}
+ 304 try {literal}{{/literal} Shop.values.Country2Shipping = {$country2shipping}; Shop.values.Shipping2Payment = {$shipping2payment}
; Shop.values.SumNoShipping = {$sum_noship}; Shop.values.ShippingValue = {$shippingvalue}; Shop.values.PaymentAdditional = {$paymentaddi
tional}; Shop.values.CurrencyMap = "{$currencymap}"; Shop.values.ShippingHidden = "{$shipping_hidden}"; {literal}{{/literal} catch(e) {l
iteral}{{/literal}
305 </script>
306
307 {dynamic}
```

scripts/basket/step3.tpl

```
102 <p>{if $data.name}{$data.name|escape} {/if}{if $data.surname}{$data.surname|escape}{/if}</p>{/
if}
103 {if $data.coname}<p>{$data.coname|escape}</p>{/if}
104 {if $data.nip}<p>{translate key='Tax ID': {$data.nip|escape}</p>{/if}
- 105 {if $data.other_address}<p>{$data.other_address2|escape}</p>{/if}
+ 105 {if $data.other_address}<p>{$data.other_address|escape}</p>{/if}
106 {if $data.zip || $data.city
107 <p>{if $data.zip}{$data.zip|escape}, {/if}{if $data.city}{$data.city|escape}{/if}</p>{/if}
108 {if $data.pesel}<p>{translate key='Personal Identification Number': {$data.pesel|escape}</p>{/if}
```

```
117 <dd class="date">{$delivery->translation->name|escape}</dd>
118 {/if}
119 <dt class="delivery">{translate key='Selected form of delivery'}:</dt>
- 120 <dd class="delivery">{$shipping->shipping->name|escape} ( {currency value=$shipping->getCost()} )</dd>
+ 120 <dd class="delivery">{$shipping->translation->name|escape} ( {currency value=$shipping->getCost()} )<
/ dd>
121 <dt class="payment">{translate key='Selected form of payment'}:</dt>
122 <dd class="payment">{$payment->translation->title|escape}</dd>
123 {if $discount_summary > 0}
```

scripts/panel/favourites.tpl

```
60 <a class="name" href="{route function='product' key=$product->product->getIdentifier() productN
ame=$product->product->translation->name
61 productId=$product->product->getIdentifier()}" title="{ $product->translation->name|escape}"
```

```

>{$product->product->translation->name|escape}</a>
62         <span class="variant">{$product->getName()|escape}</span></td>
- 63         <td class="price">{currency value=$product->getPrice()}</td>
+ 63         <td class="price">
+ 64             {if $product->product->specialOffer}
+ 65                 <em>{currency value=$product->getSpecialOfferPrice()}</em>
+ 66                 {if $product->product->currency}
+ 67                     <em>({currency id=$product->product->product->currency_id rate=1 value=$product->getCur
rencySpecialOfferPrice()})</em>
+ 68                 {/if}
+ 69                 {else}
+ 70                     <em>{currency value=$product->getPrice()}</em>
+ 71                     {if $product->product->currency}
+ 72                         <em>({currency id=$product->product->product->currency_id rate=1 value=$product->getCur
rencyPrice()})</em>
+ 73                     {/if}
+ 74                 {/if}
+ 75             </td>
76         {if 1 == $skin_settings->productdetails->availability}
77         <td class="sum">
78             {if $product->availability && $product->availability->translation}

```

scripts/panel/order.tpl

```

62         <dt class="payment">{translate key='Payment'}</dt>
63         <dd class="payment">{$order->payment->translation->title|escape}</dd>
64         <dt class="shipping">{translate key='Shipping method'}</dt>
- 65         <dd class="shipping">{$order->shipping->shipping->name|escape}</dd>
+ 65         <dd class="shipping">{$order->shipping->translation->name|escape}</dd>
66         {if $order->invoice && true == $show_invoice}
67         <dt class="invoice">{translate key='Invoice'}</dt>
68         <dd class="invoice"><a href="{baseDir}/console/invoices/pdf/id/{$order->invoice->invoice->invoice_id}{if $t
oken}/token/{$token|escape}{/if}">{translate key='display'}</a></dd>

```

```

135         <tfoot>
136             <tr class="sum">
137                 <td class="label" colspan="3">{translate key='Total'}</td>
- 138                 <td class="value">{currency value=$order->sumProductsCost()}</td>
+ 138                 <td class="value">{currency value=$order->sumProductsCost() id=$order->order->currency_id rate=$ord
er->order->currency_rate}</td>
139             </tr>
140             <tr class="shipping">
141                 <td class="label" colspan="3">{translate key='Shipping cost'}</td>
- 142                 <td class="value">{currency value=$order->order->shipping_cost}</td>
+ 142                 <td class="value">{currency value=$order->order->shipping_cost id=$order->order->currency_id rate=$
order->order->currency_rate}</td>
143             </tr>
144             {if $order->sumDiscounts() > 0}
145             <tr class="discount">

```

```

146         <td class="label" colspan="3">{translate key='Discounts granted'}:</td>
- 147         <td class="value">{currency value=$order->sumDiscounts()}</td>
+ 147         <td class="value">{currency value=$order->sumDiscounts() id=$order->order->currency_id rate=$order-
>order->currency_rate}</td>
148     </tr>
149     {/if}
150     <tr class="topay">
151         <td class="label" colspan="3">{translate key='To pay'}</td>
- 152         <td class="value">{currency value=$order->sumOrder()}</td>
+ 152         <td class="value">{currency value=$order->sumOrder() id=$order->order->currency_id rate=$order->ord
er->currency_rate}</td>
153     </tr>
154 </tfoot>
155 </tbody>

```

```

157         <tr class="{if $smarty.foreach.list.index % 2}odd{else}even{/if}">
158             <td class="name">{$product->product->name|escape}{if $product->hasOptionsRepresentation()} <span cl
ass="variant">{$product->getOptionsString()|escape}</span>{/if}</td>
159             <td class="quantity">{float value=$product->product->quantity}</td>
- 160             <td class="price">{currency value=$product->product->price}</td>
- 161             <td class="sum">{currency value=$product->getPriceTimesQuantity(false)}</td>
+ 160             <td class="price">{currency value=$product->product->price id=$order->order->currency_id rate=$orde
r->order->currency_rate}</td>
+ 161             <td class="sum">{currency value=$product->getPriceTimesQuantity(false) id=$order->order->currency_i
d rate=$order->order->currency_rate}</td>
162         </tr>
163     {/foreach}
164 </tbody>

```

scripts/panel/orders.tpl

```

58         <tr class="{if $smarty.foreach.list.index % 2}odd{else}even{/if}">
59             <td class="id">{$id|escape}</td>
60             <td class="date">{date value=$order->order->date}</td>
- 61             <td class="{if $order->sumOrder() == $order->order->paid}paid{else}notpaid{/if}">{currency value=$o
rder->sumOrder()}</td>
- 62             <td class="shipping">{$order->shipping->shipping->name|escape}</td>
+ 61             <td class="{if $order->sumOrder() == $order->order->paid}paid{else}notpaid{/if}">{currency value=$o
rder->sumOrder() id=$order->order->currency_id rate=$order->order->currency_rate}</td>
+ 62             <td class="shipping">{$order->shipping->translation->name|escape}</td>
63             {if $config_confirm}
64             <td class="status">
65                 {if 1 == $order->order->confirm}

```

scripts/pricelist/html.tpl

```

41         <td class="first"><a href="{ $product.url }">{$product.name|escape}</a></td>
42         {if $showprices}
43         <td>{currency value=$product.price_netto}</td>

```



```
- 44 <td>{currency value=$product.price_brutto}</td>
+ 44 <td>{currency value=$product.price_brutto} {if $product.price_currency_brutto}({currency value=
$product.price_currency_brutto rate=1 name=$product.currency}){/if}</td>
45 {else}
46 <td>-</td>
47 <td>-</td>
```

scripts/product/index.tpl

```
1 {include file='header.tpl'}
2
- 3 {if $loyalty_exchange}
- 4 {assign var=product_price value=0}
- 5 {elseif $product->specialOffer}
- 6 {assign var=product_price value=$product->defaultStock->getSpecialOfferPrice()}
- 7 {else}
- 8 {assign var=product_price value=$product->defaultStock->getPrice()}
- 9 {/if}
- 10
11 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
12 {include file='body_head.tpl'}
13
```

```
143 {if $product->specialOffer}
144 <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice()}</
em>
145 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 146 {if $product->currency}
+ 147 <em>({currency id=$product->product->currency_id rate=1 value=$product->default
Stock->getCurrencySpecialOfferPrice()}</em>
+ 148 {/if}
149 {else}
150 <em>{currency value=$product->defaultStock->getPrice()}</em>
151 <del class="none"></del>
+ 152 {if $product->currency}
+ 153 <em>({currency id=$product->product->currency_id rate=1 value=$product->default
Stock->getCurrencyPrice()}</em>
+ 154 {/if}
155 {/if}
156 </div>
157
```

```
164 {/if}
165 </div>
166 {/if}
- 167
+ 167
168 {if floatval($product->product->other_price)}
```

```
169 <div class="otherprice">
170 <span class="label">{translate key="Price in other stores"}:</span>
```

```
531 {if $rproduct->specialOffer}
532 <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}</em>
533 <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
+ 534 {if $rproduct->currency}
+ 535 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defaultStock-
>getCurrencySpecialOfferPrice()}</em>
+ 536 {/if}
537 {else}
538 <em>{currency value=$rproduct->defaultStock->getPrice()}</em>
+ 539 {if $rproduct->currency}
+ 540 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defaultStock-
>getCurrencyPrice()}</em>
+ 541 {/if}
542 {/if}
543 </div>
544 {/if}
```

scripts/product/tableofproducts.tpl

```
27 {if $product->specialOffer}
28 <em class="color">{currency value=$product->defaultStock->getSpecialOff
erPrice()}</em>
29 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 30 {if $product->currency}
+ 31 <em>({currency id=$product->product->currency_id rate=1 value=$prod
uct->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 32 {/if}
33 {else}
34 <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 35 {if $product->currency}
+ 36 <em>({currency id=$product->product->currency_id rate=1 value=$prod
uct->defaultStock->getCurrencyPrice()}</em>
+ 37 {/if}
38 {/if}
39 </div>
40 {/if}
```

```
135 <div class="price">
136 <span class="price">{translate key="Price"}:</span>
137 {if $product->specialOffer}
- 138 <em class="color">{currency value=$product->defaultStock->getSp
ecialOfferPrice()}</em>
- 139 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 138 <em class="color">{currency value=$product->defaultStock->g
etSpecialOfferPrice()}</em>
```

```

+ 139 <del>{currency value=$product->defaultStock->getPrice()}</d
el>
+ 140 {if $product->currency}
+ 141 <em>({currency id=$product->product->currency_id rate=1
value=$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 142 {/if}
143 {else}
- 144 <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 140 <em>{currency value=$product->defaultStock->getPrice()}</em
>
+ 141 {if $product->currency}
+ 142 <em>({currency id=$product->product->currency_id rate=1
value=$product->defaultStock->getCurrencyPrice()})</em>
+ 143 {/if}
144 {/if}
145 </div>
146 {/if}

```

```

176 {if $product->specialOffer}
177 <em class="color">{currency value=$product->defaultStock->getSpecialOff
erPrice()}</em>
178 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 179 {if $product->currency}
+ 180 <em>({currency id=$product->product->currency_id rate=1 value=$prod
uct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 181 {/if}
182 {else}
183 <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 184 {if $product->currency}
+ 185 <em>({currency id=$product->product->currency_id rate=1 value=$prod
uct->defaultStock->getCurrencyPrice()})</em>
+ 186 {/if}
187 {/if}
188 {/if}
189

```

Pliki .css

Pliki .less