

Pliki .tpl

boxes/Bestsellers/box.tpl

```

53             {/if}
54         </div>
55
- 56             {if $enablebasket && $bs_product->canBuyStock()}
+ 56             {if ($enable_availability_notifier && $bs_product->isEnabledNotifier()) || $enablebasket && $bs
_product->canBuyStock()}
57                 {if true == $bs_product->defaultStockOnly()}
58                     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId='post'}" method="post">
59                         {else}
60                         <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId=$bs_product->defaultStock->getIdentifier()}" method="get">
61                         {/if}
62
- 63                     <fieldset>
- 64                         {if true == $bs_product->defaultStockOnly()}
- 65                         <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANT
ITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
- 66                         <span class="unit">{$bs_product->unit->translation->name|escape}</span>
- 67                         <input type="hidden" value="{ $bs_product->defaultStock->getIdentifier()|escape}" na
me="stock_id">
- 68                     {/if}
- 69                     <button class="addtobasket btn btn-red" type="submit">
- 70                         
- 71                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 72                     </button>
- 73                     </fieldset>
+ 63                     {if $enablebasket && $bs_product->canBuyStock()}
+ 64                     <fieldset>
+ 65                     {if true == $bs_product->defaultStockOnly()}
+ 66                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$Q
UANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 67                     <span class="unit">{$bs_product->unit->translation->name|escape}</span>
+ 68                     <input type="hidden" value="{ $bs_product->defaultStock->getIdentifier()|escape}
" name="stock_id">
+ 69                     {/if}

```

```

+ 70         <button class="addtobasket btn btn-red" type="submit">
+ 71             
+ 72         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
+ 73     </button>
+ 74 </fieldset>
+ 75     {elseif $enable_availability_notifier && $bs_product->isEnabledNotifier()}
+ 76     {dynamic}
+ 77         {assign var="availabilityNotifyUser" value=$bs_product->defaultStock->getAvaila
bilityNotifyByUser()}
+ 78     <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">
+ 79         <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $bs_product->defaultStock->getIdentifier()}" data-product-id="{ $
bs_product->product->product_id}" data-product-name="{ $bs_product->translation->name|escape}">
+ 80             
+ 81             <span>{translate key="Notify of product availability"}</span>
+ 82         </button>
+ 83     </fieldset>
+ 84     {if true == $user_logged}
+ 85     <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
+ 86         <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $bs_product->defaultStock->stock->stock_id}">
+ 87             
+ 88             <span>{translate key="Cancel notify"}</span>
+ 89         </button>
+ 90     </fieldset>
+ 91     {/if}
+ 92     {/dynamic}
+ 93     {/if}
94     </form>
95     {/if}
96 </div>

```

boxes/NewProducts/box.tpl

```

53         {/if}
54     </div>
55
- 56     {if $enablebasket && $newproduct->canBuyStock()}
+ 56     {if ($enable_availability_notifier && $newproduct->isEnabledNotifier()) || $enablebasket && $ne
wproduct->canBuyStock()}
57         {if true == $newproduct->defaultStockOnly()}
58         <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId='post'}" method="post">
59             {else}
60             <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId=$newproduct->defaultStock->getIdentifier()}" method="get">
61             {/if}

```

```

- 62
- 63 <fieldset>
- 64 {if true == $newproduct->defaultStockOnly()}
- 65 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANT
ITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
- 66 <span class="unit">{$newproduct->unit->translation->name|escape}</span>
- 67 <input type="hidden" value="{ $newproduct->defaultStock->getIdentifier()|escape}" na
me="stock_id">
- 68 {/if}
- 69 <button class="addtobasket btn btn-red" type="submit">
- 70 
- 71 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 72 </button>
- 73 </fieldset>
+ 63 {if $enablebasket && $newproduct->canBuyStock()}
+ 64 <fieldset>
+ 65 {if true == $newproduct->defaultStockOnly()}
+ 66 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$Q
UANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 67 <span class="unit">{$newproduct->unit->translation->name|escape}</span>
+ 68 <input type="hidden" value="{ $newproduct->defaultStock->getIdentifier()|escape}
" name="stock_id">
+ 69 {/if}
+ 70 <button class="addtobasket btn btn-red" type="submit">
+ 71 
+ 72 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
+ 73 </button>
+ 74 </fieldset>
+ 75 {elseif $enable_availability_notifier && $newproduct->isEnabledNotifier()}
+ 76 {dynamic}
+ 77 {assign var="availabilityNotifyUser" value=$newproduct->defaultStock->getAvaila
bilityNotifyByUser()}
+ 78 <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">
+ 79 <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $newproduct->defaultStock->getIdentifier()}" data-product-id="{ $
newproduct->product->product_id}" data-product-name="{ $newproduct->translation->name|escape}">
+ 80 
+ 81 <span>{translate key="Notify of product availability"}</span>
+ 82 </button>
+ 83 </fieldset>
+ 84 {if true == $user_logged}
+ 85 <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
+ 86 <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $newproduct->defaultStock->stock->stock_id}">
+ 87 
+ 88 <span>{translate key="Cancel notify"}</span>
+ 89 </button>

```

```

+ 90                                     </fieldset>
+ 91                                     {/if}
+ 92                                     {/dynamic}
+ 93                                     {/if}
94                                     </form>
95                                     {/if}
96                                </div>

```

boxes/ProductOfTheDay/box.tpl

```

47                                </div>
48
49
- 50                                {if $enablebasket && $potd->canBuyStock()}
+ 50                                {if ($enable_availability_notifier && $potd->isEnabledNotifier()) || $enablebasket && $potd->canBuyStoc
k())}
51                                {if true == $potd->defaultStockOnly()}
52                                <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId='post'}" method="post">
53                                {else}
54                                <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId=$potd->defaultStock->getIdentifier()}" method="get">
55                                {/if}
56
- 57                                <fieldset>
- 58                                {if true == $potd->defaultStockOnly()}
- 59                                <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
- 60                                <span class="unit">{$potd->unit->translation->name|escape}</span>
- 61                                <input type="hidden" value="{ $potd->defaultStock->getIdentifier()|escape}" name="stock_id">
- 62                                {/if}
- 63                                <button class="addtobasket btn btn-red" type="submit">
- 64                                
- 65                                <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
- 66                                </button>
- 67                                </fieldset>
+ 57                                {if $enablebasket && $potd->canBuyStock()}
+ 58                                <fieldset>
+ 59                                {if true == $potd->defaultStockOnly()}
+ 60                                <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 61                                <span class="unit">{$potd->unit->translation->name|escape}</span>
+ 62                                <input type="hidden" value="{ $potd->defaultStock->getIdentifier()|escape}" name="stock_
id">
+ 63                                {/if}
+ 64                                <button class="addtobasket btn btn-red" type="submit">
+ 65                                
+ 66                                <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to

```

```

+ 67         </button>
+ 68     </fieldset>
+ 69     {elseif $enable_availability_notifier && $potd->isEnabledNotifier()}
+ 70         {dynamic}
+ 71         {assign var="availabilityNotifyUser" value=$potd->defaultStock->getAvailabilityNotifyBy
User()}
+ 72     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}">
+ 73         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"if true == $user_logged}true{else}false{/if}" data-stock-id="{ $potd->defaultStock->getIdentifier()}" data-product-id="{ $potd->product-
>product_id}" data-product-name="{ $potd->translation->name|escape}">
+ 74         
+ 75         <span>{translate key="Notify of product availability"}</span>
+ 76     </button>
+ 77 </fieldset>
+ 78     {if true == $user_logged}
+ 79     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
+ 80     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $potd->defaultStock->stock->stock_id}">
+ 81     
+ 82     <span>{translate key="Cancel notify"}</span>
+ 83     </button>
+ 84 </fieldset>
+ 85     {/if}
+ 86     {/dynamic}
+ 87     {/if}
88 </form>
89 {/if}
90 </div>

```

boxes/Recent/box.tpl

```

47     {/if}
48 </div>
49
- 50     {if $enablebasket && $special_product->canBuyStock()}
+ 50     {if ($enable_availability_notifier && $special_product->isEnabledNotifier()) || $enablebasket && $special_product->
canBuyStock()}
51     {if true == $special_product->defaultStockOnly()}
52     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRou
te stockId='post'}" method="post">
53     {else}
54     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRou
te stockId=$special_product->defaultStock->getIdentifier()}" method="get">
55     {/if}
56
- 57     <fieldset>
- 58     {if true == $special_product->defaultStockOnly()}

```

```

- 59      <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISION value=
1 trim=true}" type="text" class="short center"></div>
- 60      <span class="unit">{$special_product->unit->translation->name|escape}</span>
- 61      <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name="stock_id">
- 62      {/if}
- 63      <button class="addtobasket btn btn-red" type="submit">
- 64      
- 65      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</spa
n>
- 66      </button>
- 67      </fieldset>
+ 57      {if $enablebasket && $special_product->canBuyStock()}
+ 58      <fieldset>
+ 59      {if true == $special_product->defaultStockOnly()}
+ 60      <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISIO
N value=1 trim=true}" type="text" class="short center"></div>
+ 61      <span class="unit">{$special_product->unit->translation->name|escape}</span>
+ 62      <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
+ 63      {/if}
+ 64      <button class="addtobasket btn btn-red" type="submit">
+ 65      
+ 66      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}<
/span>
+ 67      </button>
+ 68      </fieldset>
+ 69      {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
+ 70      {dynamic}
+ 71      {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabilityNotifyByU
ser()}
+ 72      <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}">
+ 73      <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if true ==
$user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $special_product
->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
+ 74      
+ 75      <span>{translate key="Notify of product availability"}</span>
+ 76      </button>
+ 77      </fieldset>
+ 78      {if true == $user_logged}
+ 79      <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser == null
} none{/if}">
+ 80      <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-stock-
id="{ $special_product->defaultStock->stock->stock_id}">
+ 81      
+ 82      <span>{translate key="Cancel notify"}</span>
+ 83      </button>
+ 84      </fieldset>
+ 85      {/if}
+ 86      {/dynamic}
+ 87      {/if}
88      </form>

```

```
89         {/if}
90     </div>
```

boxes/SpecialOffer/box.tpl

```
47         </div>
48     {/if}
49
- 50         {if $enablebasket && $special_product->canBuyStock()}
+ 50         {if ($enable_availability_notifier && $special_product->isEnabledNotifier()) || $enablebasket && $special_product->canBuyStock()}
51             {if true == $special_product->defaultStockOnly()}
52                 <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId='post'}" method="post">
53                 {else}
54                 <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId=$special_product->defaultStock->getIdentifier()}" method="get">
55                 {/if}
56
- 57                 <fieldset>
- 58                     {if true == $special_product->defaultStockOnly()}
- 59                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
- 60                     <span class="unit">{$special_product->unit->translation->name|escape}</span>
- 61                     <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name=
"stock_id">
- 62                     {/if}
- 63                     <button class="addtobasket btn btn-red" type="submit">
- 64                         
- 65                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</span>
- 66                     </button>
- 67                 </fieldset>
+ 57                 {if $enablebasket && $special_product->canBuyStock()}
+ 58                 <fieldset>
+ 59                     {if true == $special_product->defaultStockOnly()}
+ 60                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 61                     <span class="unit">{$special_product->unit->translation->name|escape}</span>
+ 62                     <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name="stock_id">
+ 63                     {/if}
+ 64                     <button class="addtobasket btn btn-red" type="submit">
+ 65                         
+ 66                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</span>
+ 67                     </button>
+ 68                 </fieldset>
+ 69                 {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
+ 70                 {dynamic}
```

```

+ 71                                     {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabil
ityNotifyByUser()}}
+ 72                                     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
+ 73                                     <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $spe
cial_product->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
+ 74                                     
+ 75                                     <span>{translate key="Notify of product availability"}</span>
+ 76                                     </button>
+ 77                                     </fieldset>
+ 78                                     {if true == $user_logged}
+ 79                                     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
+ 80                                     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $special_product->defaultStock->stock->stock_id}">
+ 81                                     
+ 82                                     <span>{translate key="Cancel notify"}</span>
+ 83                                     </button>
+ 84                                     </fieldset>
+ 85                                     {/if}
+ 86                                     {/dynamic}
+ 87                                     {/if}
88                                     </form>
89                                     {/if}
90

```

scripts/basket/index.tpl

```

189
190                                     <div class="recount">
191                                     <span>
- 192                                     <span class="button" id="recalc">
+ 192                                     <span class="button" id="recalc" data-recount="{if $recount}true{else}false{/if}">
193                                     <input type="hidden" name="recount" value="1" />
194                                     <button type="submit" name="button" value="button" class="btn">
195                                     

```

scripts/basket/step3.tpl

```

66                                     <div class="clear overflow">
67                                     <div class="address delivery">
68                                     <h4 class="separator delivery">{translate key="Delivery address"}</h4>
- 69
70                                     {if $shipping->handler->isOverwriteDeliveryAddress()}
71                                     {plugin module=shop template=basket-address-delivery-overwrite-rwd}
72                                     {else}

```

```

88         <p>{translate key='Tax ID': {$data.nip|escape}</p>
89     }
90     {/if}
- 91     {if $data.street2}
- 92     <p>{$data.street2|escape}</p>
+ 91     {if $data.other_address2}
+ 92     <p>{$data.other_address2|escape}</p>
93     {/if}
94
95     {if $data.zip2 || $data.city2}

```

```

135     <p>{translate key='Tax ID': {$data.nip|escape}</p>
136 }
137 {/if}
- 138 {if $data.street}
- 139 <p>{$data.street|escape}</p>
+ 138 {if $data.other_address}
+ 139 <p>{$data.other_address|escape}</p>
140 {/if}
141
142 {if $data.zip || $data.city}

```

scripts/body_head.tpl

```

157
158     <ul class="path left inline">
159         {foreach from=$breadcrumbs->getBreadCrumbs() item=item name=bclist}
- 160         <li class="bred-{$smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" itemscope itemtyp
e="http://data-vocabulary.org/Breadcrumb">
+ 160         <li class="bred-{$smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" {if $item.url}ite
mscope itemType="http://data-vocabulary.org/Breadcrumb"{/if}>
161             {if $item.url}<a href="{ $item.url|escape}" itemprop="url">{/if}
162                 <span class="raq">&raquo;</span>
163                 <span itemprop="title">{$item.name}</span>

```

scripts/news/files.tpl

```

10     <ul class="innerbox tab-content tab-files">
11         {foreach from=$article->files item=file name=list}
12             <li class="articlefile" id="file{$file->file_id}">
- 13                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name}</a>
- 14                 <p>{$file->description}</p>
+ 13                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name|escape
}</a>
+ 14                 <p>{$file->description|escape}</p>
15             </li>
16         {/foreach}
17     </ul>

```

scripts/news/index.tpl

```
41         {foreach from=$article->getActiveCategories() item=category name=listCat}
42             {if $smarty.foreach.listCat.index == 0}
43                 {capture assign="articleCategories"}
- 44                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 44                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
45             {/capture}
46             {else}
47                 {capture append="articleCategories"}
- 48                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 48                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
49             {/capture}
50             {/if}
51         {/foreach}
52         {if $articleCategories|is_array}
53             {assign var="articleCategories" value=', '|implode:$articleCategories}
54         {/if}
- 55         {if $article->article->author}
- 56             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate
|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$artic
le->article->author|cat:'</span>'}
+ 55
+ 56             {assign var="articleAuthor" value=$article->article->author|escape}
+ 57             {if $articleAuthor}
+ 58             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate
|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$artic
leAuthor|cat:'</span>'}
59             {else}
60             {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</spa
n>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
61             {/if}

72         {if $article->tags|count > 0}
73             <ul class="article-tags">
74                 {foreach from=$article->tags item=tag name=listTag}
- 75                 <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name}</a></li>
+ 75                 <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name|escape}</a></li>
76                 {/foreach}
77             </ul>
78         {/if}
```

scripts/news/listofarticles.tpl

```

25         {foreach from=$article->getActiveCategories() item=category name=listCat}
26             {if $smarty.foreach.listCat.index == 0}
27                 {capture assign="articleCategories"}
- 28                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 28                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
29             {/capture}
30             {else}
31                 {capture append="articleCategories"}
- 32                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 32                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
33             {/capture}
34         {/if}
35     {/foreach}
36     {if $articleCategories|is_array}
37         {assign var="articleCategories" value=', ' |implode:$articleCategories}
38     {/if}
- 39     {if $article->article->author}
- 40         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</
span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$article->arti
cle->author|cat:'</span>'}
+ 39
+ 40         {assign var="articleAuthor" value=$article->article->author|escape}
+ 41         {if $articleAuthor}
+ 42         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</
span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$articleAuthor
|cat:'</span>'}
43     {else}
44         {translate key="Added: %s in category: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</span>' s2='
<span class="article-categories">' |cat:$articleCategories|cat:'</span>'}
45     {/if}

```

scripts/panel/favourites.tpl

```

66         {if $product->availability && $product->availability->translation}
67             {if $product->availability->availability->photo}
68                  {/if
- 69                 }{$product->availability->translation->name}
+ 69                 }{$product->availability->translation->name|escape}
70             {else}
71                 -
72             {/if}

90         </div>
91
92         <div class="availability-notifier-container{if $availabilityNotifyUser} none{/i
f}">

```

```

- 93      <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name}" title="{translate key='notify of product availability'}" class="btn btn-red2 availability-notifier-btn spanhov
er">
+ 93      <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name|escape}" title="{translate key='notify of product availability'}" class="btn btn-red2 availability-notifier-btn
spanhover">
94      
95      <span>{translate key='notify of product availability'}</span>
96      </a>

```

scripts/product/index.tpl

```

55      {if $product->defaultStock->availability->availability->photo}
56      
57      {/if}
- 58      <span class="second">{ $product->defaultStock->availability->translation
->name}</span>
+ 58      <span class="second">{ $product->defaultStock->availability->translation
->name|escape}</span>
59      </div>
60      {/if}
61

```

```

235      {assign var="availabilityNotifyUser" value=$product->defaultStock->getA
vailabilityNotifyByUser()}
236      <fieldset class="availability-notifier-container{if $availabilityNotify
User != null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
237      <div class="button_wrap">
- 238      <button type="submit" class="availability-notifier-btn btn btn-
red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 238      <button type="submit" class="availability-notifier-btn btn btn-
red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name|escape}">
239      
240      <span>{translate key="notify of product availability"}</spa
n>
241      </button>

```

```

446      {if 1 == $skin_settings->productdetails->pinit}
447      <script type="text/javascript" src="//assets.pinterest.com/js/pinit.js"></script>
448      {/if}
- 449
450      {include file='switch.tpl'}
+ 451

```

```
+ 452  {$snippet_product}  
453  </body>  
454  </html>
```

scripts/product/list.tpl

```
146  {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S  
kinFooterGroup,Logic_SkinFooterLink'}  
147  {plugin module=shop template=footer}  
148  {include file='switch.tpl'}  
+ 149  {$snippet_product_list}  
150  </body>  
151  </html>
```

scripts/product/related.tpl

```
86  {dynamic}  
87  {assign var="availabilityNotifyUser" value=$rproduct->defaultStock->getAvailabilityNoti  
fyByUser()}  
88  <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no  
ne{/if}">  
- 89  <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=  
"if true == $user_logged}true{else}false{/if}" data-stock-id="{ $rproduct->defaultStock->getIdentifier()}" data-product-id="{ $rproduct->  
product->product_id}" data-product-name="{ $rproduct->translation->name}">  
+ 89  <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=  
"if true == $user_logged}true{else}false{/if}" data-stock-id="{ $rproduct->defaultStock->getIdentifier()}" data-product-id="{ $rproduct->  
product->product_id}" data-product-name="{ $rproduct->translation->name|escape}">  
90    
91  <span>{translate key="Notify of product availability"}</span>  
92  </button>
```

scripts/product/tableofproducts.tpl

```
111  {dynamic}  
112  {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByU  
ser()}  
113  <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/  
if}">  
- 114  <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="if  
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc  
t->product_id}" data-product-name="{ $product->translation->name}">  
+ 114  <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="if  
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc  
t->product_id}" data-product-name="{ $product->translation->name|escape}">  
115    
116  <span>{translate key="Notify of product availability"}</span>  
117  </button>
```

```

242         <form class="availability-notifier">
243             {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByUser(
244             )}
245             <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}"
246             >
- 245                 <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 245                 <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name|escape}">
246
247                 
248                 <span>{translate key="Notify of product availability"}</span>
                </button>

```

Pliki .css

Pliki .less

styles/_responsive.less

```

1603         clear: both;
1604         margin-bottom: 0;
1605         margin-top: 6em;
- 1606         display: block;
+ 1606         display: block !important;
1607
1608         .search-input {
1609             width: 91%;

```

styles/_slider.less

```

1     .slider {
- 2         position: relative;
- 3         text-align: center;
- 4         padding: 0 6px 0 10px;
+ 2         //position: relative;
+ 3         //text-align: center;
+ 4         //padding: 0 6px 0 10px;
5
6     .slider-wrapper {
7         overflow: hidden;

```