

Pliki .tpl

scripts/basket/address.tpl

```

46         {foreach from=$table1 item=tr}
47         <tr class="{ $tr.name|escape}">
48             <td class="label">
- 49                 <label for="input_{ $tr.name|escape}">{if true == $tr.obligatory}<em class="color">*</em>
+ 49                 > {/if}{ $tr.label|escape}</label>
+ 49                 {if $tr.type != 'checkbox'}
+ 50                 <label for="input_{ $tr.name|escape}">{if true == $tr.obligatory}<em class="color">*</em> {/if}{ $tr.label|escape}</label>
+ 51                 {/if}
52             </td>
53             <td class="input">
54                 {if 'select' == $tr.type}
- 55                 <select class="{if $tr.error} shaded_error{/if}" name="{ $tr.name|escape}" id="input_{ $tr.name|escape}">
- 56                     {foreach from=$tr.list item=c key=k}
- 57                     <option value="{ $k|escape}" {if $k == $tr.value} selected="selected" {/if}>{ $c|escape }</option>
- 58                     {/foreach}
- 59                 </select>
+ 53                 <select class="{if $tr.error} shaded_error{/if}" name="{ $tr.name|escape}" id="input_{ $tr.name|escape}">
+ 54                     {foreach from=$tr.list item=c key=k}
+ 55                     <option value="{ $k|escape}" {if $k == $tr.value} selected="selected" {/if}>{ $c|escape }</option>
+ 56                     {/foreach}
+ 57                 </select>
58                 {else}
- 59                 <div {if $tr.type != 'checkbox'} class="shaded_inputwrap {if $tr.error} shaded_error{/if}" {/if}>
- 60                 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}" size="25" id="input_{ $tr.name|escape}" />
- 61                 </div>
+ 55                 <div {if $tr.type != 'checkbox'} class="shaded_inputwrap {if $tr.error} shaded_error{
+ 56                 /if}" {/if}>
+ 57
+ 58                 {if $tr.type == 'checkbox'}

```

```

+ 59         <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="1" size="25
" id="input_{ $tr.name|escape}" {if $tr.value} checked{/if} />
+ 60
+ 61         <label for="input_{ $tr.name|escape}">{if true == $tr.obligatory}<em class="
color">*</em> {/if}{ $tr.label|escape}</label>
+ 62         {else}
+ 63         <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value
|escape}" size="25" id="input_{ $tr.name|escape}" />
+ 64         {/if}
+ 65     </div>
66     {/if}
67 </td>
68 {if $tr.rowspan > 0}

```

```

245
246         <h4 class="separator">{translate key='Additional information'}</h4>
247
- 248     <table>
+ 248     <table class="additional-fields">
249         <tbody>
250             <tr>
251                 <td class="label">

```

```

284             <tr>
285                 {/if}
286
+ 287                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 288                 <td class="input_hidden" colspan="3">
+ 289                     {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 290                 </td>
+ 291                 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 292                 <td class="input_info" colspan="3">
+ 293                     { $field->translation->description}
+ 294                 </td>
+ 295                 {else}
296                 <td class="label">
297                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
298                     {if 1 == $field->field->req}<em class="color">*</em>{/if}

```

```

315         {additionalField field=$field name=$name value=$additional_value.$name|escape e
ditable=true}
316         {/if}
317     </td>
+ 318     {/if}
319
320 </tr>
321 {if $additional_error.$name}

```

```

326                                     </td>
327                                     <td />
328                                 </tr>
+ 329                                 {/if}
+ 330                             {/foreach}
+ 331
+ 332                             {foreach from=$table4 item=tr}
+ 333                                 <tr class="{ $str.name|escape}">
+ 334                                     <td class="label">
+ 335                                         {if $str.type != 'checkbox'}
+ 336                                             <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em class="color">*</em> {/if}{ $str.label|escape}</label>
+ 337                                         {/if}
+ 338                                     </td>
+ 339                                     <td class="input">
+ 340                                         {if 'select' == $str.type}
+ 341                                             <select class="{if $str.error} shaded_error{/if}" name="{ $str.name|escape}" id="input_{ $str.name|escape}">
+ 342                                                 {foreach from=$str.list item=c key=k}
+ 343                                                     <option value="{ $k|escape}" {if $k == $str.value} selected="selected" {/if}>{ $c|escape}</option>
+ 344                                                 {/foreach}
+ 345                                             </select>
+ 346                                         {else}
+ 347                                             <div {if $str.type != 'checkbox'} class="shaded_inputwrap {if $str.error} shaded_error{/if}" {/if}>
+ 348
+ 349
+ 350                                             {if $str.type == 'checkbox'}
+ 351                                                 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" size="25" id="input_{ $str.name|escape}" {if $str.value} checked{/if} />
+ 352
+ 353                                                 <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em class="color">*</em> {/if}{ $str.label|escape}</label>
+ 354                                             {else}
+ 355                                                 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|escape}" size="25" id="input_{ $str.name|escape}" />
+ 356                                             {/if}
+ 357                                         </div>
+ 358                                     {/if}
+ 359                                 </td>
+ 360                                 {if $str.rowspan > 0}
+ 361                                 <td class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{ $str.rowspan|escape}" {/if}>
+ 362                                     { $str.hint|escape|nl2br}
+ 363                                 </td>
+ 364                                 {/if}
+ 365                             </tr>
+ 366                             {if $str.error}
+ 367                             <tr class="error_{ $str.name|escape}">

```

```

+ 368 <td />
+ 369 <td class="error">
+ 370 <ul class="input_error">
+ 371 {foreach from=$tr.error item=err_text}
+ 372 <li>{$err_text|escape}</li>
+ 373 {/foreach}
+ 374 </ul>
+ 375 </td>
+ 376 <td />
+ 377 </tr>
378 {/if}
379 {/foreach}
380 </tbody>

```

scripts/contact/index.tpl

```

126 {else}
127 <tr>
128 {/if}
- 129
+ 129
+ 130 {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}}
+ 131 <td class="input_hidden" colspan="2">
+ 132 {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 133 </td>
+ 134 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}}
+ 135 <td class="input_info" colspan="2">
+ 136 {$field->translation->description}
+ 137 </td>
+ 138 {else}
139 <td class="label">
140 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}}
141 {if 1 == $field->field->req}<em class="color">*</em>{/if}

```

```

158 </div>
159 {/if}
160 </td>
+ 161 {/if}
+ 162
163 </tr>
164 {if $data_error.$name}
165 <tr>

```

scripts/login/register.tpl

```

46 {foreach from=$table1 item=tr}
47 <tr>
48 <td class="label">

```

```

- 49 <label for="input_{$str.name|escape}">{if true == $str.obligatory}<em class="color">*</em
+ 49 {if $str.type != 'checkbox'}
+ 50 <label for="input_{$str.name|escape}">{if true == $str.obligatory}<em class="color">*
</em> {/if}{$str.label|escape}:</label>
+ 51 {/if}
52 </td>
53 <td class="input">
54 <div{if $str.type != 'checkbox'} class="shaded_inputwrap{if $str.error} shaded_error{if}
"/if}>
- 55 <input type="{$str.type|escape}" name="{$str.name|escape}" value="{$str.value|escape}"
size="25" id="input_{$str.name|escape}" />
+ 53 {if $str.type == 'checkbox'}
+ 54 <input type="{$str.type|escape}" name="{$str.name|escape}" value="1" size="25" id
="input_{$str.name|escape}"{if $str.value} checked{/if} />
+ 55
+ 56 <label for="input_{$str.name|escape}">
+ 57 {$str.label|escape}
+ 58 </label>
+ 59 {else}
+ 60 <input type="{$str.type|escape}" name="{$str.name|escape}" value="{$str.value|esca
pe}" size="25" id="input_{$str.name|escape}" />
+ 61 {/if}
62 </div>
63 </td>
64 {if $str.rowspan > 0}

```

```

142 </table>
143 {/if}
144
- 145 {if count($additional_fields) > 0}
+ 145 {if count($additional_fields) > 0 || count($table3) > 0}
146 <h4 class="separator additional">{translate key='Additional information'}</h4>
- 147 <table>
+ 147 <table class="additional-fields">
148 <tbody>
- 149 {foreach from=$additional_fields item=field}
- 150 {assign var=name value='additional_'|cat:$field->getIdentfier()}
- 151 {if $additional_error.$name}
- 152 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 153 <tr class="witherror witherror_checkbox">
- 154 {else}
- 155 <tr class="witherror witherror_text">
- 156 {/if}
- 157 {else}
- 158 <tr>
- 159 {/if}
- 160
- 161 <td class="label">
- 162 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}

```

```

- 163         {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 164     {else}
- 165         <label for="{ $name|escape}">
- 166             {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 167             {$field->translation->description}
- 168         </label>
- 169     {/if}
- 170 </td>
- 171 <td class="input">
- 172     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 173         {additionalField field=$field name=$name value=$additional_value.$name editable=true}
- 174         <label for="{ $name|escape}">{$field->translation->description}</label>
- 175     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 176         {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true
- 177     {else}
- 178         <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
- 179             {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true
- 180         </div>
- 181     {/if}
- 182 </td>
- 183     {if $tr.hint}
- 184         <td class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}"{/if}
- 185             { $tr.hint|escape|nl2br}
- 186         </td>
- 187     {/if}
- 188 </tr>
- 189     {if $additional_error.$name}
- 190         <tr>
- 191             <td />
- 192             <td class="error">
- 193                 {formErrors errors=$additional_error.$name class="input_error"}
- 194             </td>
- 195             {if $tr.hint}
- 196                 <td />
- 197             {/if}
- 198         </tr>
- 199     {/if}
- 200 </foreach>
+ 149     {if count($additional_fields) > 0}
+ 150         {foreach from=$additional_fields item=field}
+ 151             {assign var=name value='additional_'|cat:$field->getIdentifier()}
+ 152             {if $additional_error.$name}
+ 153                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 154                     <tr class="witherror witherror_checkbox">
+ 155                         {else}
+ 156                         <tr class="witherror witherror_text">
+ 157                     {/if}

```

```

+ 158                                     {else}
+ 159                                     <tr>
+ 160                                     {/if}
+ 161
+ 162                                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}}
+ 163                                     <td class="input_hidden" colspan="{if $tr.hint}3{else}2{/if}">
+ 164                                     {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 165                                     </td>
+ 166                                     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}}
+ 167                                     <td class="input_info" colspan="{if $tr.hint}3{else}2{/if}">
+ 168                                     {$field->translation->description}
+ 169                                     </td>
+ 170                                     {else}
+ 171                                     <td class="label">
+ 172                                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}}
+ 173                                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 174                                     {else}
+ 175                                     <label for="{ $name|escape}">
+ 176                                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 177                                     {$field->translation->description}
+ 178                                     </label>
+ 179                                     {/if}
+ 180                                     </td>
+ 181                                     <td class="input">
+ 182                                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}}
+ 183                                     {additionalField field=$field name=$name value=$additional_value.$name editable=true}
+ 184                                     <label for="{ $name|escape}">{$field->translation->description}</label>
+ 185                                     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}}
+ 186                                     {additionalField field=$field name=$name value=$additional_value.$name|escape editable=
true}
+ 187                                     {else}
+ 188                                     <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
+ 189                                     {additionalField field=$field name=$name value=$additional_value.$name|escape editable
=true size=25}
+ 190                                     </div>
+ 191                                     {/if}
+ 192                                     </td>
+ 193                                     {if $tr.hint}
+ 194                                     <td class="{if $tr.hint}hint{/if}"{if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}"
{/if}>
+ 195                                     { $tr.hint|escape|nl2br}
+ 196                                     </td>
+ 197                                     {/if}
+ 198                                     {/if}
+ 199                                     </tr>
+ 200                                     {if $additional_error.$name}
+ 201                                     <tr>
+ 202                                     <td />
+ 203                                     <td class="error">
+ 204                                     {formErrors errors=$additional_error.$name class="input_error"}

```

```

+ 205 </td>
+ 206 {if $str.hint}
+ 207 <td />
+ 208 {/if}
+ 209 </tr>
+ 210 {/if}
+ 211 {/foreach}
+ 212 {/if}
+ 213
+ 214 {if count($table3) > 0}
+ 215 {foreach from=$table3 item=tr}
+ 216 <tr>
+ 217 <td class="label">
+ 218 {if $str.type != 'checkbox'}
+ 219 <label for="input_{$str.name|escape}">{if true == $str.obligatory}<em class="
color">*</em> {/if}{$str.label|escape}:</label>
+ 220 {/if}
+ 221 </td>
+ 222 <td class="input">
+ 223 <div{if $str.type != 'checkbox'} class="shaded_inputwrap{if $str.error} shaded_er
ror{/if}"{/if}>
+ 224 {if $str.type == 'checkbox'}
+ 225 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" size
="25" id="input_{$str.name|escape}" {if $str.value} checked{/if} />
+ 226
+ 227 <label for="input_{$str.name|escape}">
+ 228 {$str.label|escape}
+ 229 </label>
+ 230 {else}
+ 231 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.va
lue|escape}" size="25" id="input_{$str.name|escape}" />
+ 232 {/if}
+ 233 </div>
+ 234 </td>
+ 235 {if $str.rowspan > 0}
+ 236 <td class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{ $str.rowspan|escape
}"{/if}>
+ 237 {$str.hint|escape|nl2br}
+ 238 </td>
+ 239 {/if}
+ 240 </tr>
+ 241 {if $str.error}
+ 242 <tr>
+ 243 <td />
+ 244 <td class="error">
+ 245 <ul class="input_error">
+ 246 {foreach from=$str.error item=err_text}
+ 247 <li>{$err_text|escape}</li>
+ 248 {/foreach}
+ 249 </ul>
+ 250 </td>

```



```

+ 251                                     <td />
+ 252                                 </tr>
+ 253                             {/if}
+ 254                         {/foreach}
+ 255                     {/if}
256                 </tbody>
257             </table>
258         {/if}

```

scripts/panel/edit.tpl

```

85
86         {if count($additional_fields) > 0}
87         <h4 class="separator">{translate key='Additional information'}</h4>
- 88         {foreach from=$additional_fields item=field}
- 89         {assign var=name value='additional_'|cat:$field->getIdentfier()}
- 90
- 91         <label for="{ $name}">
- 92         {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 93
- 94         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 95         {additionalField field=$field name=$name value=$data.$name}
- 96         {$field->translation->description}
- 97         </label>
- 98         {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 99         {$field->translation->description}
- 100        </label>
- 101        {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
- 102        {else}
- 103        {$field->translation->description}
- 104        </label>
- 105        <div class="shaded_inputwrap{if $data_error.$name} shaded_error{/if}">
- 106        {additionalField field=$field name=$name value=$data.$name|escape editable=true size=30}
- 107        </div>
- 108        {/if}
- 109
- 110        {formErrors errors=$data_error.$name class="input_error"}
- 111        {/foreach}
+ 88        <table>
+ 89        <tbody>
+ 90        {foreach from=$additional_fields item=field}
+ 91        {assign var=name value='additional_'|cat:$field->getIdentfier()}
+ 92        {if $additional_error.$name}
+ 93        {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 94        <tr class="witherror witherror_checkbox">
+ 95        {else}
+ 96        <tr class="witherror witherror_text">
+ 97        {/if}
+ 98        {else}

```

```

+ 99         <tr>
+ 100             {/if}
+ 101
+ 102             {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 103                 <td class="input_hidden" colspan="{if $tr.hint}3{else}2{/if}">
+ 104                     {additionalField field=$field name=$name value=$data.$name|escape}
+ 105                 </td>
+ 106             {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 107                 <td class="input_info" colspan="{if $tr.hint}3{else}2{/if}">
+ 108                     {$field->translation->description}
+ 109                 </td>
+ 110             {else}
+ 111                 <td class="label">
+ 112                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 113                         {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 114                     {else}
+ 115                         <label for="{ $name|escape}">
+ 116                             {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 117                             {$field->translation->description}
+ 118                         </label>
+ 119                     {/if}
+ 120                 </td>
+ 121                 <td class="input">
+ 122                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 123                         {additionalField field=$field name=$name value=$data.$name editable=true}
+ 124                         <label for="{ $name|escape}">{$field->translation->description}</label>
+ 125                     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
+ 126                         {additionalField field=$field name=$name value=$data.$name|escape editable=true}
+ 127                     {else}
+ 128                         <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
+ 129                             {additionalField field=$field name=$name value=$data.$name|escape editable=
true size=25}
+ 130                         </div>
+ 131                     {/if}
+ 132                 </td>
+ 133             {if $tr.hint}
+ 134                 <td class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape
}"{/if}>
+ 135                     { $tr.hint|escape|nl2br}
+ 136                 </td>
+ 137             {/if}
+ 138         {/if}
+ 139     </tr>
+ 140     {if $additional_error.$name}
+ 141         <tr>
+ 142             <td />
+ 143             <td class="error">
+ 144                 {formErrors errors=$additional_error.$name class="input_error"}
+ 145             </td>

```

```

+ 146 {if $tr.hint}
+ 147 <td />
+ 148 {/if}
+ 149 </tr>
+ 150 {/if}
+ 151 {/foreach}
+ 152 </tbody>
+ 153 </table>
154 {/if}
155 <div class="floatfix"></div>
156 <div class="bottombuttons">

```

Pliki .css

styles/main.css

```

3852 tr.state, tr.state2 {
3853     display: none;
3854 }
+ 3855 .input_info {
+ 3856     padding: 0.2em 0.2em 1em;
+ 3857 }
+ 3858 ::-ms-clear {
+ 3859     display: none;
+ 3860 }

```

Pliki .less