

Pliki .tpl

scripts/basket/address.tpl

```
43                                     {if true == $str.obligatory}
44                                     <em class="color">*</em>
45                                     {/if}
- 46                                     { $str.label|escape}:
+ 46                                     {if $str.type != 'checkbox'}
+ 47                                     { $str.label|escape}:
+ 48                                     {/if}
49                                     </label>
50                                     </td>
51

60                                     </select>
61                                     {elseif $str.type === 'checkbox'}
62                                     <span class="checkbox-wrap">
- 63                                     <input type="{ $str.type|escape}" { $str.name|escape} value="{ $
tr.value|escape}" id="input_{ $str.name|escape}">
+ 63                                     <input type="{ $str.type|escape}" name="{ $str.name|escape}" va
lue="1" id="input_{ $str.name|escape}" {if $str.value} checked{/if}>
64                                     <label for="input_{ $str.name|escape}"></label>
65                                     </span>
+ 66                                     {if $str.type == 'checkbox'}
+ 67                                     <label for="input_{ $str.name|escape}">{ $str.label|escape}</la
bel>
+ 68                                     {/if}
69                                     {else}
70                                     <div class="shaded_inputwrap" {if $str.error} error{/if}>
71                                     <input type="{ $str.type|escape}" name="{ $str.name|escape}" va
lue="{ $str.value|escape}" id="input_{ $str.name|escape}">

322                                     <tr class="additional-fields">
323                                     {/if}
324
+ 325                                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 326                                     <td class="input_hidden" colspan="3">
+ 327                                     {additionalField field=$field name=$name value=$additional_value.$name|
```

```

escape}
+ 328 </td>
+ 329 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 330 <td></td>
+ 331 <td class="input_info" colspan="2">
+ 332 <p>{$field->translation->description}</p>
+ 333 </td>
+ 334 {else}
335 <td class="label">
- 336 {if $field->field->type != 6}
- 337 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CH
ECKBOX')}}
+ 326 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKB
OX')}}
+ 327 {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 328 {else}
+ 329 <label for="{ $name|escape}">
330 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 331 {else}
- 332 <label for="{ $name|escape}">
- 333 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 334 {$field->translation->description}
- 335 </label>
- 336 {/if}
+ 328 {$field->translation->description}
+ 329 </label>
330 {/if}
331 </td>
332 <td class="input" colspan="2">
- 333 {if $field->field->type != 6}
- 334 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CH
ECKBOX')}}
- 335 <span class="checkbox-wrap">
- 336 {additionalField field=$field name=$name value=$additional_
value.$name editable=true}
- 337 <label for="{ $name|escape}"></label>
- 338 </span>
- 339 <label for="{ $name|escape}">{$field->translation->description}<
/label>
- 340 {elseif $field->field->type == constant('Logic_AdditionalField::TYP
E_TEXT')}}
- 341 <div class="shaded_inputwrap{if $additional_error.$name} error{
/if}">
- 342 {additionalField field=$field name=$name value=$additional_
value.$name|escape editable=true}
- 343 </div>
- 344 {else}
+ 332 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKB
OX')}}
+ 333 <span class="checkbox-wrap">
+ 334 {additionalField field=$field name=$name value=$additional_valu

```

```

e.$name editable=true}
+ 335 <label for="{ $name|escape }"></label>
+ 336 </span>
+ 337 <label for="{ $name|escape }">{$field->translation->description}</lab
el>
+ 338 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_TE
XT') }
+ 339 <div class="shaded_inputwrap{if $additional_error.$name} error{/if}
">
340 {additionalField field=$field name=$name value=$additional_valu
e.$name|escape editable=true}
- 341 {/if}
- 342 {elseif $field->field->type == 6}
- 343 <p>
- 344 {$field->translation->description}
- 345 </p>
+ 334 </div>
+ 335 {else}
+ 336 {additionalField field=$field name=$name value=$additional_value.$n
ame|escape editable=true}
337 {/if}
338 </td>
+ 339 {/if}
340 </tr>
341
342 {if $additional_error.$name}

```

```

369 </td>
370
371 <td />
+ 372 </tr>
+ 373 {/if}
+ 374 {/foreach}
+ 375
+ 376 {foreach from=$table4 item=tr}
+ 377 <tr class="{ $tr.name|escape }">
+ 378 <td class="label">
+ 379 <label for="input_{ $tr.name|escape }">
+ 380 {if true == $tr.obligatory}
+ 381 <em class="color">*</em>
+ 382 {/if}
+ 383 {if $tr.type != 'checkbox'}
+ 384 {$tr.label|escape}:
+ 385 {/if}
+ 386 </label>
+ 387 </td>
+ 388
+ 389 <td class="input">
+ 390 {if 'select' == $tr.type}
+ 391 <select class="{if $tr.error} error{/if}" name="{ $tr.name|escape }"

```

```

id="input_{$str.name|escape}">
+ 392                                     {foreach from=$str.list item=c key=k}
+ 393                                     <option value="{ $k|escape}" {if $k == $str.value} selected="s
elected" {/if} {if $str.html5data
+ 394                                     } {foreach from=$str.html5data key=html5k item=html5d} data-{$
$html5k}="{ $html5d.$k}" {/foreach} {/if
+ 395                                     }>{$c|escape}</option>
+ 396                                     {/foreach}
+ 397                                     </select>
+ 398                                     {elseif $str.type === 'checkbox'}
+ 399                                     <span class="checkbox-wrap">
+ 400                                     <input type="{ $str.type|escape}" name="{ $str.name|escape}" value=
"1" id="input_{$str.name|escape}" {if $str.value} checked{/if}>
+ 401                                     <label for="input_{$str.name|escape}"></label>
+ 402                                     </span>
+ 403                                     {if $str.type == 'checkbox'}
+ 404                                     <label for="input_{$str.name|escape}">{$str.label|escape}</label>
+ 405                                     {/if}
+ 406                                     {else}
+ 407                                     <div class="shaded_inputwrap{if $str.error} error{/if}">
+ 408                                     <input type="{ $str.type|escape}" name="{ $str.name|escape}" value=
"{$str.value|escape}" id="input_{$str.name|escape}">
+ 409                                     </div>
+ 410                                     {/if}
+ 411                                     </td>
+ 412                                     </tr>
+ 413
+ 414                                     {if $str.error}
+ 415                                     <tr class="error_{$str.name|escape}">
+ 416                                     <td />
+ 417
+ 418                                     <td class="error">
+ 419                                     <ul class="input_error">
+ 420                                     {foreach from=$str.error item=err_text}
+ 421                                     <li>{$err_text|escape}</li>
+ 422                                     {/foreach}
+ 423                                     </ul>
+ 424                                     </td>
+ 425
+ 426                                     <td />
427                                     </tr>
428                                     {/if}
429                                     {/foreach}

```

scripts/basket/index.tpl

66

```

<span class="shaded_inputwrap{if true == $quantity_error.$id} error{/if}"><input
name="quantity_{$id}" value="{float precision=$QUANTITY_PRECISION value=$quantity.$id trim=true noformat=true}" type="text" class="sho
rt center" /></span>

```

```

67         {$basket_product->product->unit->translation->name|escape}
68     </td>
- 69     <td class="rwd-hide-small price">{currency value=$basket_product->getPrice()}</td>
- 70     <td class="sum"><em class="color">{currency value=$basket_product->getPriceForAll()}
    </em></td>
+ 69     <td class="rwd-hide-small price">{currency value=$basket_product->getPrice()}
+ 70     <td class="sum">
+ 71     <em class="color">{currency value=$basket_product->getPriceForAll()}</em>
+ 72     </td>
73     <td class="actions">
74         <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}"
    title="{translate key='Remove product from cart'}" class="prodremove">
75         

```

scripts/basket/step3.tpl

```

57         {$basket_product->product->unit->translation->name|escape}
58     </td>
59     <td class="price">{currency value=$basket_product->getPrice()}</td>
- 60     <td class="sum"><em class="color">{currency value=$basket_product->getPriceForAll()}</em></
    td>
+ 60     <td class="sum">
+ 61     <em class="color">{currency value=$basket_product->getPriceForAll()}</em>
+ 62     </td>
63     </tr>
64     {/foreach}
65 </tbody>

```

scripts/body_head.tpl

```

13     {/if}
14     {/dynamic}
15
- 16     <div class="wrap {if $smarty.cookies.show_full_page == 0}rwd{/if}">
+ 16     <div class="wrap rwd">
17         {if 1 == $skin_settings->header->basket}
18             {dynamic}
19             <div class="login-bar">

```

scripts/body_head_checkout.tpl

```

- 1     <div class="wrap {if $smarty.cookies.show_full_page == 0}rwd{/if}">
+ 1     <div class="wrap rwd">
2         <header class="row checkout">
3             <div class="logo-bar row container">
4                 <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
    else}link-logo-img{/if}">

```

```
113         {else}
114             <div class="f-row">
115         {/if}
- 116
- 117         <div class="label-checkbox f-grid-1">
- 118             {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 119                 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 120             {else}
- 121                 <label for="{ $name|escape}">
- 122                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 123                     {$field->translation->description}
- 124                 </label>
- 125             {/if}
- 126         </div>
127
- 128         <div>
- 129             {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 130                 {additionalField field=$field name=$name value=$data.$name editable=true}
- 131                 <label for="{ $name|escape}" class="f-grid-4">{$field->translation->description}</label>
- 132             {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 133                 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
- 134             {else}
- 135                 <div class="{if $data_error.$name}error{/if}" class="f-grid-7">
- 136                     {additionalField field=$field name=$name value=$data.$name|escape editable=true size=30}
- 137                 </div>
- 138             {/if}
- 139         </div>
+ 117         {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 118             {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 119         {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 120             <div class="input_info">
+ 121                 {$field->translation->description}
+ 122             </div>
+ 123         {else}
+ 124             <div class="label-checkbox f-grid-1">
+ 125                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 126                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 127                 {else}
+ 128                     <label for="{ $name|escape}">
+ 129                         {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 130                         {$field->translation->description}
+ 131                     </label>
+ 132                 {/if}
+ 133             </div>
+ 134
+ 135         <div>
+ 136             {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 137                 {additionalField field=$field name=$name value=$data.$name editable=true}
```

```

+ 138 </label>
+ 139 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
+ 140 {additionalField field=$field name=$name value=$additional_value.$name|escape e
ditable=true}
+ 141 {else}
+ 142 <div class="{if $data_error.$name}error{/if}" class="f-grid-7">
+ 143 {additionalField field=$field name=$name value=$data.$name|escape editable=
true size=30}
+ 144 </div>
+ 145 {/if}
+ 146 </div>
+ 147 {/if}
+ 148 </div>
149
150 {if $data_error.$name}
151 <div class="row">

```

scripts/footer.tpl

```

38 </div>
39 </div><!-- and of wrap -->
40
- 41 <div class="modal-overlay"></div><!-- overlay for modal lightbox-->
+ 41 <div class="modal-overlay"></div><!-- overlay for modal lightbox-->

```

scripts/header.tpl

```

8 <title>{$seo_title|escape}</title>
9 <meta name="keywords" content="{ $seo_keywords|escape}" />
10 <meta name="description" content="{ $seo_description|escape}" />
- 11 <meta name="viewport" content="{if $smarty.cookies.show_full_page == 0}width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0{/if}">
+ 11 <meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0">
12 <link rel="home" href="{baseDir nonempty=1}" />
13 <link rel="shortcut icon" href="{ $path}images/favicon.png" />
14

```

scripts/login/register.tpl

```

34 {foreach from=$table1 item=tr}
35 <div>
36 <span class="login-label">
- 37 <label for="input_{$tr.name|escape}">
- 38 {if true == $tr.obligatory}
- 39 <em class="color">*</em>
- 40 {/if}
- 41 {$tr.label|escape}:
- 42 </label>

```

```

+ 37                                     {if $str.type != 'checkbox'}
+ 38                                     <label for="input_{$str.name|escape}">
+ 39                                         {if true == $str.obligatory}
+ 40                                         <em class="color">*</em>
+ 41                                     {/if}
+ 42                                     {$str.label|escape}:
+ 43                                     </label>
+ 44                                     {/if}
45                                     </span>
46
47                                     <div class="input">
48                                         {if $str.type === 'checkbox'}
+ 49                                         {if true == $str.obligatory}
+ 50                                         <em class="color">*</em>
+ 51                                         {/if}
+ 52
53                                         <span class="checkbox-wrap">
- 54                                         <input type="{ $str.type|escape}" {$str.name|escape} value="{ $str.value|escape}" id
= "input_{$str.name|escape}">
+ 43                                         <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" id="input_{$
tr.name|escape}" {if $str.value} checked{/if}>
44                                         <label for="input_{$str.name|escape}"></label>
45                                         </span>
+ 46
+ 47                                         <label for="input_{$str.name|escape}">
+ 48                                         {$str.label|escape}
+ 49                                         </label>
50                                         {else}
51                                         <span class="shaded_inputwrap{if $str.error} error{/if}">
52                                         <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|esca
pe}" size="25" id="input_{$str.name|escape}" />

```

```

162                                     {else}
163                                     <div class="clear">
164                                     {/if}
- 165
- 166                                     <div class="input">
- 167                                     {if $field->field->type != 6}
+ 165
+ 166                                     {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 167                                     {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 168                                     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 169                                     <div class="input_info">
+ 170                                     {$field->translation->description}
+ 171                                     </div>
+ 172                                     {else}
+ 173                                     <div class="input">
174                                         <span class="check-label">
175                                         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
}

```



```

176         {if 1 == $field->field->req}<em class="color">*</em>{/if}
177         {else}
- 178         {if $field->field->type != 6}<label for="{ $name|escape }">{/if}
+ 170         <label for="{ $name|escape }">
171         {if 1 == $field->field->req}<em class="color">*</em>{/if}
172         {$field->translation->description}
- 173         {if $field->field->type != 6}</label>{/if}
+ 173         </label>
174         {/if}
175     </span>
176     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}

```

```

194         {additionalField field=$field name=$name value=$additional_value.$name|escape ed
itable=true size=25}
195         </span>
196         {/if}
- 197         {elseif $field->field->type == 6}
- 198         <p>
- 199         {$field->translation->description}
- 200         </p>
- 201         {/if}
- 202         </div>
+ 197         </div>
+ 198         {/if}
199
200         {if $str.hint}
201         <span class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{ $str.rowspan|escape }"/
if}>

```

```

212         {/foreach}
213     {/if}
214
+ 215     {foreach from=$table3 item=tr}
+ 216     <div class="clear">
+ 217     <div class="input">
+ 218     {if $str.type === 'checkbox'}
+ 219     <em class="color">{if true == $str.obligatory}*{else}&nbsp;&nbsp;&nbsp;{/if}</em>
+ 220
+ 221     <span class="checkbox-wrap">
+ 222     <input type="{ $str.type|escape }" name="{ $str.name|escape }" value="1" id="input_{ $
tr.name|escape }"{if $str.value} checked{/if}>
+ 223     <label for="input_{ $str.name|escape }"></label>
+ 224     </span>
+ 225
+ 226     <label for="input_{ $str.name|escape }">
+ 227     {$str.label|escape}
+ 228     </label>
+ 229     {else}
+ 230     <span class="check-label">

```

```

+ 231 <label for="input_{$tr.name|escape}">{$tr.label|escape}</label>
+ 232 </span>
+ 233
+ 234 <span class="shaded_inputwrap{if $tr.error} error{/if}">
+ 235 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|esca
pe}" size="25" id="input_{ $tr.name|escape}" />
+ 236 </span>
+ 237 {/if}
+ 238
+ 239 {if $tr.error}
+ 240 <div>
+ 241 <ul class="input_error">
+ 242 {foreach from=$tr.error item=err_text}
+ 243 <li>{$err_text|escape}</li>
+ 244 {/foreach}
+ 245 </ul>
+ 246 </div>
+ 247 {/if}
+ 248 </div>
+ 249
+ 250 {if $tr.rowspan > 0}
+ 251 <span class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}"
{/if}>
+ 252 { $tr.hint|escape|nl2br }
+ 253 </span>
+ 254 {/if}
+ 255 </div>
+ 256 {/foreach}
+ 257
258 <input type="hidden" name="addressform" value="{ $mode|escape}" />
259
260 <div class="bottombuttons">

```

scripts/panel/edit.tpl

```

95 {foreach from=$additional_fields item=field}
96 {assign var=name value='additional_'|cat:$field->getIdentifier()}
97
- 98 <label for="{ $name}" {if $data_error.$name && $field->field->type == constant('Logic_Additi
onalField::TYPE_CHECKBOX')}>class="witherror_checkbox" {/if}>
- 99 {if 1 == $field->field->req}
- 100 <em class="color">*</em>
+ 98 {if $additional_error.$name}
+ 99 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 100 <div class="witherror witherror_checkbox">
+ 101 {else}
+ 102 <div class="witherror witherror_text">
103 {/if}
+ 104 {else}
+ 105 <div class="clear">

```

```

+ 106         {/if}
107
- 108         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 109             <span class="checkbox-wrap">
- 110                 {additionalField field=$field name=$name value=$data.$name}
- 111                 <label for="{ $name}"></label>
- 112             </span>
- 113             {$field->translation->description}
- 114         </label>
- 115         {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 116             {$field->translation->description}
- 117         </label>
- 118         {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
|
- 119         {else}
- 120             {$field->translation->description}
- 121         </label>
- 122         <div class="shaded_inputwrap{if $data_error.$name} error{/if}">
- 123             {additionalField field=$field name=$name value=$data.$name|escape editable=true size=30}
|
- 124         </div>
- 125     {/if}
- 126     {formErrors errors=$data_error.$name class="input_error"}
+ 101     {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 102         {additionalField field=$field name=$name value=$data.$name|escape}
+ 103     {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 104         <div class="input_info">
+ 105             {$field->translation->description}
+ 106         </div>
+ 107     {else}
+ 108         <div class="input">
+ 109             <span class="check-label">
+ 110                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
|
+ 111                 {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 112                 {else}
+ 113                 <label for="{ $name|escape}">
+ 114                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 115                     {$field->translation->description}
+ 116                 </label>
+ 117                 {/if}
+ 118             </span>
+ 119             {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 120                 <span class="checkbox-wrap">
+ 121                 {additionalField field=$field name=$name value=$data.$name editable=true}
+ 122             </span>
+ 123             <label for="{ $name|escape}"></label>
+ 124             <label for="{ $name|escape}">{$field->translation->description}</label>
+ 125             {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}

```

```

+ 126 {additionalField field=$field name=$name value=$data.$name|escape editable=
true}
+ 127 {else}
+ 128 <span class="shaded_inputwrap{if $additional_error.$name} error{/if}">
+ 129 {additionalField field=$field name=$name value=$data.$name|escape edita
ble=true size=25}
+ 130 </span>
+ 131 {/if}
+ 132 </div>
+ 133 {/if}
+ 134 </div>
+ 135
+ 136 {if $additional_error.$name}
+ 137 <div class="error">
+ 138 {formErrors errors=$additional_error.$name class="input_error"}
+ 139 </div>
+ 140 {/if}
141 {/foreach}
142 {/if}
143

```

scripts/switch.tpl

```

1 {dynamic}
2 <div class="center">
- 3 <span id="turn-classic" class="btn{if $smarty.cookies.show_full_page == 0} rwd{/if}">
- 4 {if $smarty.cookies.show_full_page == 1}
- 5 {translate key="View responsive version"}
- 6 {else}
- 7 {translate key="View full version of the site"}
- 8 {/if}
+ 3 <span id="turn-classic" class="btn rwd">
+ 4 {translate key="View full version of the site"}
5 </span>
6 </div>
7 {/dynamic}

```

```

14 Shop.basket.basketProducts = '{if 0 != $user->basket->countProducts()}{foreach from=$user->basket item=basket_product name=basket}
{$basket_product->product->product_id|base64_encode},{/foreach}{/if}';
15 Shop.basket.categoryProducts = '{foreach from=$products item=product name=prodlist}{$product->product->product_id|base64_encode},{/fo
reach}';
16 Shop.values.currency = '{$currency->currency->name}';
+ 17 Shop.values.decimalSep = '{$number_decimal_sep}';
+ 18 Shop.values.thousandSep = '{$number_thousand_sep}';
19 {/dynamic}
20 </script>

```

Pliki .less

styles/_basket.less

```
268         margin-bottom: 4px;
269     }
270 }
+ 271     &.input_info {
+ 272         margin: 1em 0.2em;
+ 273         padding: 1em 0;
+ 274     }
275 }
276 }
277
```

styles/_formBasic.less

```
453     }
454 }
455
+ 456     ::-ms-clear {
+ 457         display: none;
+ 458     }
+ 459
460 // Ugly fix for Firefox 30.
461 @-moz-document url-prefix() {
462     #box_producers .producers_wrap {
- 463         border: none !important;
464         background: none !important;
465     }
466     select {
```

styles/_modules.less

```
636         margin: 0 0.2em;
637     }
638
+ 639     div.input_info {
+ 640         margin: 1em 0.2em;
+ 641         padding: 1em 0;
+ 642     }
+ 643
644     .hint {
645         vertical-align: top;
646         line-height: 35px;
```

```
664     }
665   }
666
+ 667   #box_useredit, #box_contact {
+ 668     div.input_info {
+ 669       margin: 1em 0.2em;
+ 670       padding: 1em 0;
+ 671     }
+ 672   }
+ 673
674   #box_panel {
675     h4 {
676       font-size: 1.2em;
```

styles/_product.less

```
155         height: 470px;
156         .box-sizing;
157
+ 158     &.additional-info {
+ 159       height: 490px;
+ 160     }
+ 161
162     .productname {
163       clear: both;
164       display: block;
```

```
432     }
433   }
434 }
- 435 .availability{
+ 435 .availability, .tax-additional-info {
436   .first{
437     font-size: 1em;
438     min-width: 25%;
```

```
441   }
442   .second{
443     font-size: 1em;
- 444     font-weight: bold;
445   }
446 }
447 .basket{
```

1019

```
1020 .evaluation{
1021     .votestars{
+ 1022         float: right;
+ 1023         margin-left: 0.5em;
+ 1024     }
1025     .star0{
1026         background: url("../images/star0.png") no-repeat 0% 50% transparent;
1027     }
+ 1028     .star0-5{
1029         background: url("../images/star0-5.png") no-repeat 0% 50% transparent;
1030     }
+ 1031     .star1{
1032         background: url("../images/star1.png") no-repeat 0% 50% transparent;
- 1033     }
1034     }
+ 1035     img[class*="star"] {
1036         display: inline-block;
1037         width: 21px;
```

```
1042         float: left;
1043     }
1044 }
+ 1045     .votecount{
1046         display: none;
1047         color: @fontLightColor;
1048         text-align: left;
1049     }
- 1050     b{
+ 1051     b {
1052         color: @maincolor;
1053     }
```

```
1509     }
1510 }
1511 }
- 1512 .default-currency {
+ 1512 .default-currency, .tax-additional-info {
1513     color: @greyFont;
+ 1514 }
+ 1515 }
+ 1516 .ajax-basket-container .ajax-product-block .ajax-product-block-info span.ajax-cart-tax-info {
+ 1517     line-height: 1;
+ 1518     font-size: 0.9em;
```

