

## Pliki .tpl

boxes/Bestsellers/box.tpl

```
81 <span class="unit">{$bs_product->unit->translation->name|escape}</span>
82 <input type="hidden" value="{ $bs_product->defaultStock->getIdentifier()|escape}
" name="stock_id">
83 {/if}
- 84 <button class="addtobasket btn btn-red" type="submit">
- 85 
- 86 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
- 87 </button>
+ 84
+ 85 {if !$bs_product->isBundle()}
+ 86 <button class="addtobasket btn btn-red" type="submit">
+ 87 
+ 88 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}{/if}</span>
+ 89 </button>
+ 90 {else}
+ 91 <a class="btn btn-red" href="{route function='product' key=$bs_product->get
Identifier() productName=$bs_product->translation->name productId=$bs_product->getIdentifier()
}>{translate key="check more"}</a>
+ 92 {/if}
+ 93 {/if}
94 </fieldset>
95 {elseif $enable_availability_notifier && $bs_product->isEnabledNotifier()}
96 {dynamic}
```

boxes/NewProducts/box.tpl

```
83 <span class="unit">{$newproduct->unit->translation->name|escape}</span>
84 <input type="hidden" value="{ $newproduct->defaultStock->getIdentifier()|escape}
" name="stock_id">
85 {/if}
- 86 <button class="addtobasket btn btn-red" type="submit">
- 87 
- 88 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
- 89 </button>
```

```

+ 86
+ 87                                     {if !$newproduct->isBundle()}
+ 88                                     <button class="addtobasket btn btn-red" type="submit">
+ 89                                     
+ 90                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}}{/if}</span>
+ 91                                     </button>
+ 92                                     {else}
+ 93                                     <a class="btn btn-red" href="{route function='product' key=$newproduct->get
Identifier() productName=$newproduct->translation->name productId=$newproduct->getIdentifier()
+ 94                                     }">{translate key="check more"}</a>
+ 95                                     {/if}
96                                     </fieldset>
97                                     {elseif $enable_availability_notifier && $newproduct->isEnabledNotifier()}
98                                     {dynamic}

```

### boxes/ProductOfTheDay/box.tpl

```

76                                     <span class="unit">{$potd->unit->translation->name|escape}</span>
77                                     <input type="hidden" value="{potd->defaultStock->getIdentifier()|escape}" name="stock_
id">
78                                     {/if}
- 79                                     <button class="addtobasket btn btn-red" type="submit">
- 80                                     
- 81                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}}{/if}</span>
- 82                                     </button>
+ 79                                     {if !$potd->isBundle()}
+ 80                                     <button class="addtobasket btn btn-red" type="submit">
+ 81                                     
+ 82                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}}{/if}</span>
+ 83                                     </button>
+ 84                                     {else}
+ 85                                     <a class="btn btn-red" href="{route function='product' key=$potd->getIdentifier() p
roductName=$potd->translation->name productId=$potd->getIdentifier()
+ 86                                     }">{translate key="check more"}</a>
+ 87                                     {/if}
88                                     </fieldset>
89                                     {elseif $enable_availability_notifier && $potd->isEnabledNotifier()}
90                                     {dynamic}

```

### boxes/Recent/box.tpl

```

77                                     <span class="unit">{$special_product->unit->translation->name|escape}</span>
78                                     <input type="hidden" value="{special_product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
79                                     {/if}
- 80                                     <button class="addtobasket btn btn-red" type="submit">

```

```

- 81 
- 82 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}<
    /span>
- 83 </button>
+ 80
+ 81 {if !$special_product->isBundle()}
+ 82 <button class="addtobasket btn btn-red" type="submit">
+ 83 
+ 84 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/
if}</span>
+ 85 </button>
+ 86 {else}
+ 87 <a class="btn btn-red" href="{route function='product' key=$special_product->getIdentifier() pr
oductName=$special_product->translation->name productId=$special_product->getIdentifier()
+ 88 }">{translate key="check more"}</a>
+ 89 {/if}
90 </fieldset>
91 {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
92 {dynamic}

```

---

### boxes/SpecialOffer/box.tpl

```

77 <span class="unit">{$special_product->unit->translation->name|escape}</span>
78 <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" n
ame="stock_id">
79 {/if}
- 80 <button class="addtobasket btn btn-red" type="submit">
- 81 
- 82 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}{/if}</span>
- 83 </button>
+ 80
+ 81 {if !$special_product->isBundle()}
+ 82 <button class="addtobasket btn btn-red" type="submit">
+ 83 
+ 84 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
+ 85 </button>
+ 86 {else}
+ 87 <a class="btn btn-red" href="{route function='product' key=$special_product->getIde
ntifier() productName=$special_product->translation->name productId=$special_product->getIdentifier()
+ 88 }">{translate key="check more"}</a>
+ 89 {/if}
90 </fieldset>
91 {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
92 {dynamic}

```

---

### scripts/login/register.tpl

```

144         </select>
145     {else}
146         <span class="shaded_inputwrap{if $str.error} error{/if}">
- 147             <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|
escape}" size="25" id="input_{ $str.name|escape}">
+ 147             <input {if $str.name == 'zip'}data-mask="__-__" data-pattern="{literal}^(\d
{2})(-)(\d{3})${/literal}" data-valid="00-000"{/if} type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|escape}" size="2
5" id="input_{ $str.name|escape}">
148         </span>
149     {/if}
150

```

### scripts/panel/address-edit.tpl

```

67         </select>
68     {else}
69         <div class="shaded_inputwrap{if $str.error} error{/if}">
- 70             <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.va
lue|escape}" size="25" id="input_{ $str.name|escape}">
+ 70             <input {if $str.name == 'zip'}data-mask="__-__" data-pattern="{literal}
^(\d{2})(-)(\d{3})${/literal}" data-valid="00-000"{/if} type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|escape}" siz
e="25" id="input_{ $str.name|escape}">
71         </div>
72     {/if}
73 </td>

```

### scripts/panel/favourites.tpl

```

87
88         <td class="actions">
89             {if true == $enablebasket && 1 == (int) $product->availability->availability->can_buy}
- 90             <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to car
t'}" class="btn btn-red2 addtobasket spanhover">
+ 90                 <a href="
+ 91                     {if $product->product->isBundle()}
+ 92                         {route function='product' key=$product->product->getIdentifier() productNam
e=$product->product->translation->name
+ 93                         productId=$product->product->getIdentifier()}
+ 94                     {else}
+ 95                         {route key=$basketAddRoute stockId=$id}" title="{translate key='add to cart
'}
+ 96                     {/if}
+ 97                 " class="btn btn-red2 addtobasket spanhover">
98                 
- 99                 <span>{translate key='add to cart'}</span>
+ 99                 <span>
+ 93                     {if $product->product->isBundle()}
+ 94                     {translate key='check more'}
+ 95                     {else}
+ 96                     {translate key='add to cart'}

```

```

+ 97         {/if}
+ 98     </span>
99     </a>
100     {elseif $enable_availability_notifier && $product->product->isEnabledNotifier()}
101         {dynamic}

```

## scripts/product/bundle.tpl

```

7     </h3>
8     </div>
9
+ 10     <p class="bundle-with-variants">
+ 11         {translate key="To add bundle to the basket, select all the required variants of each item."}
+ 12     </p>
+ 13
14     <div class="innerbox">
- 15         {foreach from=$product->bundle->items item=item key=k}
- 16             {assign var=bundleStock value=$product->bundle->getStock($item)}
+ 11             {foreach from=$product->bundle->stocks item=bundleStock key=k}
+ 12                 {assign var=item value=$product->bundle->getLogicStockById($bundleStock->id)}
13                 {assign var=options value=$item->product->getOptionsConfigurationStruct()}
- 14
- 15                 {section name=bundle start=0 loop=$bundleStock->stock step=1}
- 16                 <div data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
- 17                     <div class="f-row">
- 18                         <h3 class="rwd-show-medium rwd-hide-full">
- 19                             <a href="{route function='product' key=$item->product->getIdentifier() productName=$item->product->translation->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}">{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}</a>
- 20                         </h3>
+ 13
+ 14                         <div data-bundle-id="{ $bundleStock->id}" data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
+ 15                             <div class="f-row">
+ 16                                 <h3 class="rwd-show-medium rwd-hide-full">
+ 17                                     <a href="{route function='product' key=$item->product->getIdentifier() productName=$item->product->translation->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}">{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}</a>
+ 18                                 </h3>
19
20                             <div>
- 21                                 <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}">
+ 16                                 <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->id}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}">
17                                     product->translation->name|escape}{if $item->isOption() ( { $item->getName()|escape } )}{/if}">

```

```

18
- 19     {if count($item->product->galleryImages) > 1}
- 20     {translate key="see gallery"} ({$item->product->galleryImages|@count})
+ 19     {if count($item->product->galleryGfxs) > 1}
+ 20     <span>{translate key="see gallery"} ({$item->product->galleryGfxs|@count})</span>
21     {/if}
22     </a>
23
- 24     {if count($item->product->galleryImages) > 1}
+ 23     {if count($item->product->galleryGfxs) > 1}
24     <div class="none">
- 25     {foreach from=$item->product->galleryImages item=img}
- 26     {if $img->main == "0"}
- 27     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}" href="{imageUrl type='productGfx' imag
e=$img->unic_name}" title="{ $img->name|escape}">
- 28     name|escape}">
+ 25     {foreach from=$item->product->galleryGfxs item=img}
+ 26     {if $img->gfx->main == "0"}
+ 27     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{$bundleStock->id}" href="{imageUrl typ
e='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
+ 28     translation->name|escape}">
29     </a>
30     {/if}
31     {/foreach}
32     </div>
33     {/if}
34
- 35     <div class="f-grid-10">
- 36     <a class="details row" href="{route function='product' key=$item->product->getIdentifier() productName=$item->product->translat
ion->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if $item->isOption()} ({$item->g
etName()|escape}){/if}">
- 37     {$k+1} {translate key="of"} {$product->bundle->items|@count}:
- 38     <span class="productname">{$item->product->translation->name|escape}{if $item->isOption()} ({$item->getName()|escape}){/if}</s
pan>
- 39     </a>
- 40
- 41     <p class="manufacturer r--spacing-xs">
- 42     {translate key="Vendor"}: <strong>{$item->product->producer->manufacturer->name|escape}</strong>
- 43     </p>
- 44
- 45     <p class="price">
- 46     <del class="default-currency r--fs-xl">{currency value=$item->product->defaultStock->getPrice()}</del> {translate key="Cheaper
in the bundle!"}
- 47     </p>
+ 32     <div class="f-grid-10">
+ 33     <a class="details row rwd-hide-medium rwd-hide-small" href="{route function='product' key=$item->product->getIdentifier() produc
tName=$item->product->translation->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if
$item->isOption()} ({$item->getName()|escape}){/if}">
+ 34     <span class="productname">{$item->product->translation->name|escape}{if $item->isOption()} ({$item->getName()|escape}){/if}</sp

```

```

+ 35     an>
+ 36     </a>
- 37     <div class="description resetcss row">
- 38         {$item->product->translation->short_description}
- 39     </div>
+ 34     <p class="manufacturer">
+ 35         {translate key="Vendor"}: <strong>{$item->product->producer->manufacturer->name|escape}</strong>
+ 36     </p>
+ 37
+ 38     <p class="r--spacing-xs">
+ 39         {translate key="Quantity in bundle"}: <span data-quantity>{$bundleStock->stock|escape}</span> {$item->product->unit->translatio
n->name|escape}
+ 40     </p>
+ 41
+ 42     <p class="price">
+ 43         <del class="default-currency r--fs-xl">{currency value=$item->product->defaultStock->getPrice()}</del> {translate key="Cheaper
in the bundle!"}
+ 44     </p>
+ 45
- 46         {if $item->product->product->group_id && count($options)}
- 47         <div class="stocks-bundle" data-stocks="{ $item->product->getIdentifier()}">
- 48             {foreach from=$options item=option}
- 49                 {if $option.stock == 0}
- 50                 {if (0 == $option.stock && count($option.values) > 0) || 1 == $option.stock || $option.type == 'file' || $option.type == 't
ext' || $option.type == 'checkbox'}
- 51                 <div class="stock-control">
- 52                     <div class="stock-label">
- 53                         {if $option.type == 'checkbox'}
- 54                         <div class="form-control form-control-checkbox variant option-{$option.type|escape}{if 1 == $option.stock} option-trues
tock{else} option-stock{/if}{if 1 == $option.required} option-required{/if}">
- 55                             <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape
}}-{$smarty.section.bundle.iteration+1}" name="option_{$item->getIdentifier()}_{$option.id|escape}" value="1" data-variant-id="{ $option.i
d|escape}">
- 56                             <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option.i
d|escape}-{$smarty.section.bundle.iteration+1}"></label>
- 57                         </div>
- 58                     {/if}
- 59                     {if $option.type != 'checkbox'}<span class="label">{translate key="choose"}</span>{/if}
- 60                     <span class="stock-name{if 1 == $option.required} stock-required{/if}">
- 61                         {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()-{$option.id|escape}-{$smarty.section.bundle.
iteration+1}">{/if}{ $option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
- 62                     </span>
- 63                     <span class="selected-value"></span>
- 64                 </div>
- 65
- 66                 {if $option.type != 'checkbox'}
- 67                 <div class="stock-options">
- 68                     <div class="form-control variant option-{$option.type|escape}{if 1 == $option.stock} option-truestock{else} option-stoc
k{/if}{if 1 == $option.required} option-required{/if}">
- 69                     {if $option.type == 'file'}

```

```

- 70         <input type="file" id="option-{$item->getIdentifier()-{$option.id|escape}-{$smarty.section.bundle.iteration+1}" name
="option_{$item->getIdentifier()-{$option.id|escape}">
- 71         {elseif $option.type == 'text'}
- 72         <input type="text" id="option-{$item->getIdentifier()-{$option.id|escape}-{$smarty.section.bundle.iteration+1}" name
="option_{$item->getIdentifier()-{$option.id|escape}" data-variant-id="{ $option.id|escape}">
- 73
- 74         <button class="btn bundle-stock-ok">{translate key="ok"}</button>
- 75         {elseif $option.type == 'checkbox'}
- 76         <span class="checkbox-wrap-yesno">
- 77         <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape
pe}-{$smarty.section.bundle.iteration+1}" name="option_{$item->getIdentifier()-{$option.id|escape}" value="1" data-variant-id="{ $option
.id|escape}">
- 78         <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option
.id|escape}-{$smarty.section.bundle.iteration+1}"></label>
- 79         </span>
- 80         {elseif $option.type == 'radio' || $option.type == 'select'}
- 81         {foreach from=$option.values item=value}
- 82         <span class="radio-wrap">
- 83         <input data-variant-name="{ $value.name|escape}" type="radio" id="option-{$item->getIdentifier()-{$option.id|escape
}-{$value.id|escape}-{$smarty.section.bundle.iteration+1}" name="option_{$item->getIdentifier()-{$option.id|escape}" value="{ $value.id|
escape}" data-variant-id="{ $option.id|escape}" data-variant-value="{ $value.id|escape}">
- 84         <label for="option-{$item->getIdentifier()-{$option.id|escape}-{$value.id|escape}-{$smarty.section.bundle.iteratio
n+1}"></label>
- 85         </span>
- 86         <label for="option-{$item->getIdentifier()-{$option.id|escape}-{$value.id|escape}-{$smarty.section.bundle.iteration
+1}">{ $value.name|escape}</label> <br />
- 87         {/foreach}
- 88         {elseif $option.type == 'color'}
- 89         {foreach from=$option.values item=value}
- 90         <span data-color="{ $value.color|escape}" data-variant-name="{ $value.name|escape}" class="product-option_color" data-
stock-option title="{ $value.name|escape}" data-variant-id="{ $option.id|escape}" data-variant-value="{ $value.id|escape}" style="backgroun
d-color: { $value.color|escape}"></span>
- 91         {/foreach}
- 92         {/if}
- 93     </div>
+ 36     <div class="description resetcss row">
+ 37         {$item->product->translation->short_description}
+ 38     </div>
+ 39
+ 40     {if $item->product->product->group_id && count($options)}
+ 41     <div class="stocks-bundle" data-stocks="{ $item->product->getIdentifier()}">
+ 42         {foreach from=$options item=option}
+ 43         {if $option.stock == 0}
+ 44         {if (0 == $option.stock && count($option.values) > 0) || 1 == $option.stock || $option.type == 'file' || $option.type == 'te
xt' || $option.type == 'checkbox'}
+ 45         <div class="stock-control">
+ 46         <div class="stock-label">
+ 47         {if $option.type == 'checkbox'}
+ 48         <div class="form-control form-control-checkbox variant option-{$option.type|escape}{if 1 == $option.stock} option-truest
ock{else} option-stock{/if}{if 1 == $option.required} option-required{/if}">
+ 49         <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape}

```



```

-{$bundleStock->id}" name="option_{$item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="1" data-variant-id="{ $option.i
d|escape}">
+ 50 <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()}-{$option.id
|escape}-{$bundleStock->id}"></label>
51 </div>
52 {/if}
+ 53 {if $option.type != 'checkbox'}<span class="label">{translate key="choose"}</span>{/if}
+ 54 <span class="stock-name{if 1 == $option.required} stock-required{/if}">
+ 55 {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()}-{$option.id|escape}-{$bundleStock->id}">{/if}
{$option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
+ 56 </span>
+ 57 <span class="selected-value"></span>
58 </div>
- 59 {/if}
+ 40
+ 41 {if $option.type != 'checkbox'}
+ 42 <div class="stock-options">
+ 43 <div class="form-control variant option-{$option.type|escape}{if 1 == $option.stock} option-truestock{else} option-stock
{/if}{if 1 == $option.required} option-required{/if}">
+ 44 {if $option.type == 'file'}
+ 45 <input type="file" id="option-{$item->getIdentifier()}-{$option.id|escape}-{$bundleStock->id}" name="option_{$item->ge
tIdentifier()}_{$option.id|escape}_{$bundleStock->id}" data-variant-id="{ $option.id|escape}">
+ 46 {elseif $option.type == 'text'}
+ 47 <input type="text" id="option-{$item->getIdentifier()}-{$option.id|escape}-{$bundleStock->id}" name="option_{$item->ge
tIdentifier()}_{$option.id|escape}_{$bundleStock->id}" data-variant-id="{ $option.id|escape}">
+ 48
+ 49 <button class="btn bundle-stock-ok">{translate key="ok"}</button>
+ 50 {elseif $option.type == 'checkbox'}
+ 51 <span class="checkbox-wrap-yesno">
+ 52 <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()}-{$option.id|escap
e}-{$bundleStock->id}" name="option_{$item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="1" data-variant-id="{ $option
.id|escape}">
+ 53 <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()}-{$option.
id|escape}-{$bundleStock->id}"></label>
+ 54 </span>
+ 55 {elseif $option.type == 'radio' || $option.type == 'select'}
+ 56 {foreach from=$option.values item=value}
+ 57 <span class="radio-wrap">
+ 58 <input data-variant-name="{ $value.name|escape}" type="radio" id="option-{$item->getIdentifier()}-{$option.id|escape}
-{$value.id|escape}-{$bundleStock->id}" name="option_{$item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="{ $value.id|
escape}" data-variant-id="{ $option.id|escape}" data-variant-value="{ $value.id|escape}">
+ 59 <label for="option-{$item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->id}"></label>
+ 60 </span>
+ 61 <label for="option-{$item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->id}">{$value.name|e
scape}</label> <br />
+ 62 {/foreach}
+ 63 {elseif $option.type == 'color'}
+ 64 {foreach from=$option.values item=value}
+ 65 <span data-color="{ $value.color|escape}" data-variant-name="{ $value.name|escape}" class="product-option_color" data-s
tock-option title="{ $value.name|escape}" data-variant-id="{ $option.id|escape}" data-variant-value="{ $value.id|escape}" style="background
-color: { $value.color|escape}"></span>

```

```

+ 66         {/foreach}
+ 67     {/if}
+ 68 </div>
+ 69 </div>
+ 70     {/if}
+ 71 </div>
72     {/if}
- 73 {/foreach}
- 74 </div>
- 75 {/if}
- 76 </div>
+ 42     {/if}
+ 43 {/foreach}
+ 44 </div>
+ 45     {/if}
46 </div>
47 </div>
48 </div>
- 49 {/section}
+ 46 </div>
47 {/foreach}
48 </div>
49 </div>

```

---

## scripts/product/gallery-tab.tpl

```

- 1 {if count($gallery) > 1 && 1 == (int) $skin_settings->productdetails->miniaturesposition}
+ 1 {if count($galleryGfxs) > 1 && 1 == (int) $skin_settings->productdetails->miniaturesposition}
2     <div class="box row tab" id="box_productgallery">
3         <div class="boxhead tab-head">
4             <h3>
9
10         <div class="innerbox tab-content">
11             <div class="gallery f-row">
- 12 {foreach from=$gallery item=img name=list}
+ 12 {foreach from=$galleryGfxs item=img name=list}
13                 <div class="f-grid-4">
- 14 <a id="proding{$img->gfx_id}" data-gallery="true" data-gallery-list="{ $product->translation->name|escape}" href
=>="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}" class="gallery-img">
- 15 name|escape}">
+ 14 <a id="proding{$img->getIdentifier()}" data-gallery="true" data-gallery-list="{ $product->translation->name|esca
pe}" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}" class="gallery-img">
+ 15 translation->name|escape}">
16                 </a>
17             </div>
18         {/foreach}

```

## scripts/product/gallery.tpl

```
1 <div class="productimg f-grid-6">
2 <div class="mainimg productdetailsimgsize row">
- 3 {if count($gallery)}
- 4 {assign var=img value=$gallery.0}
+ 3 {if count($galleryGfxs)}
+ 4 {assign var=img value=$galleryGfxs.0}
5 {/if}
- 6 {if 1 == count($gallery)}
- 7 <a id="proding{$img->gfx_id}" data-gallery-list="{ $product->translation->name|escape}" data-gallery="true" href="{imageUrl
type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}">
+ 5 {if 1 == count($galleryGfxs)}
+ 6 <a id="proding{$img->getIdentifier()}" data-gallery-list="{ $product->translation->name|escape}" data-gallery="true" href="{
imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
7 <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_setting
s->productdetails->productzoom}outerzoom {/if
- 8 }" src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$i
mg->unic_name}" alt="{ $img->name|escape}">
+ 7 }" src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$i
mg->gfx->unic_name}" alt="{ $img->translation->name|escape}">
8 </a>
9 {else}
10 <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_settings->p
roductdetails->productzoom}outerzoom {/if
11 src="{imageUrl
- 12 type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$product->default
tStock->mainImageName() overlay=1}" alt="{ $img->name|escape}" />
+ 12 type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$product->default
tStock->mainImageName() overlay=1}" alt="{ $img->translation->name|escape}" />
13 {/if}
14
15 {if $product->specialOffer || $product->isNew()}

27 </div>
28
29 <div class="smallgallery row">
- 30 {if count($gallery) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
+ 30 {if count($galleryGfxs) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
31 <div class="innersmallgallery">
32 <ul class="r--l-flex r--l-flex-wrap">
- 33 {foreach from=$gallery item=img}
+ 33 {foreach from=$galleryGfxs item=img}
+ 34 {assign var=imgId value=$img->getIdentifier()}
35 <li class="r--l-flex r--l-flex-vcenter">
- 36 <a id="proding{$img->gfx_id}" data-gallery-list="{ $product->translation->name|escape}" data-gallery="true"
href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}" class="gallery{if $img->gfx_id == $product->default
tStock->mainImageId()} current{/if}">
```

```

+ 35 <a id="proding{$img->getIdentifier()}" data-gallery-list="{ $product->translation->name|escape}" data-galler
y="true" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}" class="gallery{if $img-
>getIdentifier() == $product->defaultStock->mainImageId()} current{/if}">
36 name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big height=$skin_settings->img->big image=$img->unic_name}">
+ 37 image=$img->gfx->unic_name}" alt="{ $img->translation->name|escape}" data-img-name="{imageUrl type='prod
uctGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$img->gfx->unic_name}">
38 </a>
39 </li>
40 {/foreach}

```

## scripts/product/index.tpl

```

84 <em class="main-price color">{currency value=$product->defaultStock
->getSpecialOfferPrice()}</em>
85 <del>{currency value=$product->defaultStock->getPrice()}</del>
86 <span class="none" itemprop="price">
- 87 { $product->defaultStock->getSpecialOfferPrice()}
+ 87 {currency value=$product->defaultStock->getSpecialOfferPrice()
float_currency=true}
88 </span>
89 {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
90 <em class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
91 {/if}
92 {else}
93 <del class="none"></del>
- 94
+ 94
95 <em class="main-price">{currency value=$product->defaultStock->getP
rice()}</em>
96 <span class="none" itemprop="price">
- 97 { $product->defaultStock->getPrice()}
+ 97 {currency value=$product->defaultStock->getPrice() float_curren
cy=true}
98 </span>
99 {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
100 <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice()}</em>
101 {/if}
102
+ 103 {if $original_bundle_products_price}
+ 104 <del class="original-bundle-price">{translate key="instead of"}
{currency value=$original_bundle_products_price}</del>
+ 105 {/if}
106 {/if}
107 <meta itemprop="priceCurrency" content="{currencyName short=true}">
108 </div>

```

```

147                                     {/if}
148                                     {if $product->specialOffer}
149                                     <em class="main-price" {if $price_mode == '1'}class="no-color" {/if}
>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 150                                     {if $price_mode == '2'}
+ 151                                     <span class="none" itemprop="price">
+ 152                                     {currency value=$product->defaultStock->getSpecialOfferPric
e(true) float_currency=true}
+ 153                                     </span>
+ 154                                     {/if}
155                                     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
156                                     {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
157                                     <em class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
158                                     {/if}
159                                     {else}
160                                     <em class="main-price" {if $price_mode == '1'}class="no-color" {/if}
>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 161                                     {if $price_mode == '2'}
+ 162                                     <span class="none" itemprop="price">
+ 163                                     {currency value=$product->defaultStock->getPrice(true) floa
t_currency=true}
+ 164                                     </span>
+ 165                                     {/if}
166                                     {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
167                                     <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)})</em>
168                                     {/if}
+ 169
+ 170                                     {if $original_bundle_products_price}
+ 171                                     <del class="original-bundle-price">{translate key="instead of"}
{currency value=$original_bundle_products_price}</del>
+ 172                                     {/if}
173                                     {/if}
174                                     </div>
175                                     {/if}

```

```

427                                     <ul class="row links-q">
428                                     {if 1 == $skin_settings->productdetails->question}
429                                     <li class="question">
- 430                                     <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" data-title="{translate key='ask about product'}" title="{translate key='ask about product'}" class="question ajaxlayer">
+ 430                                     <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
431                                     
432                                     <span>{translate key="ask about product"}</span>

```

```

483         <fb:like href="{route full=true function='product' key=$product->product->produ
ct_id productName=$product->translation->name productId=$product->product->product_id}" send="false" layout="button_count" show_faces="t
rue" width="110" font="tahoma"></fb:like>
484         {/if}
485
- 486         {if 1 == $skin_settings->productdetails->pinit && $product->mainImage->unic_nam
e}
- 487         <a href="{if $isHttps}https{else}http{/if}://pinterest.com/pin/create/button/?u
rl={route full=true function='product' key=$product->product->product_id productName=$product->translation->name productId=$product->pro
duct->product_id}&amp;media={imageUrl type='productGfx' width=$skin_settings->productdetails->imgwidth height=$skin_settings->productdet
ails->imgheight image=$product->mainImage->unic_name fullurl=true}&amp;description={$product->translation->name|escape}" count-layout="h
orizontal"></a>
+ 486         {if 1 == $skin_settings->productdetails->pinit && $product->mainGfx->gfx->unic_
name}
+ 487         <a href="{if $isHttps}https{else}http{/if}://pinterest.com/pin/create/button/?u
rl={route full=true function='product' key=$product->product->product_id productName=$product->translation->name productId=$product->pro
duct->product_id}&amp;media={imageUrl type='productGfx' width=$skin_settings->productdetails->imgwidth height=$skin_settings->productdet
ails->imgheight image=$product->mainGfx->gfx->unic_name fullurl=true}&amp;description={$product->translation->name|escape}" count-layout
="horizontal"></a>
488         {/if}
489     </div>
490 {/if}

```

```

497
498     {if (false != $product_comments && 1 == $skin_settings->productdetails->comments)
499         || (count($related_products) && 1 == $skin_settings->productdetails->related)
- 500         || (count($gallery) > 1 && 1 == (int) $skin_settings->productdetails->miniaturesposition)
+ 500         || (count($galleryGfxs) > 1 && 1 == (int) $skin_settings->productdetails->miniaturesposition)
501         || strlen(trim($product->translation->description)) || count($product->files)
502         || count($attrs)
503         || $product->isBundle()

```

```

549
550     {if $product->isBundle()}
551         <div class="bundle-fixed-cart">
- 552             <div class="bundle-fixed-cart-container">
+ 552             <div class="bundle-fixed-cart-container{if false == $product->canBuyStock()} none{/if}">
553                 <div class="bundle-header">
554                     <span class="bundle-name"><strong>{$product->translation->name|escape}</strong></span>
- 555                     <span class="bundle-selected">Wybierz warianty elementów (<span class="bundle-selected-item">1</span>/{$product->b
undle->items|@count})</span>
+ 555                     <span class="bundle-selected">{translate key="Choose product variants"} (<span class="bundle-selected-item">1</span
>/{$product->bundle->items|@count})</span>
556                 </div>
557
- 558             <div class="bundle-cart">
+ 558             <div class="bundle-cart">

```

```

559         <input name="quantity" value="1" type="text" class="fixed-cart-quantity">
- 560         <button id="fixed-cart-add" class="btn btn-red">Do koszyka</button>
+ 560         <button id="fixed-cart-add" class="btn btn-red">{translate key="Add to cart"}</button>
561     </div>
562 </div>
563 </div>

```

### scripts/product/question.tpl

```

4     <title></title>
5 </head>
6     <body>
- 7     <div class="ask-for-product">
+ 7     <div class="ask-for-product" {if $mail_send != true}data-header-title="{translate key='ask about product'}:"{/if}>
8         {dynamic}
9         {include file='flash_messages.tpl'}
10        {/dynamic}

```

### scripts/product/related.tpl

```

124         <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute sto
ckId=$rproduct->defaultStock->getIdentifier()}" method="post">
125             {if $enablebasket && $rproduct->canBuyStock()}
126                 <fieldset>
- 127                     <button class="addtobasket btn btn-red" type="submit">
- 128                         
- 129                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 130                     <input type="hidden" value="{ $rproduct->defaultStock->getIdentifier()|escape}"
name="stock_id">
- 131                     </button>
+ 127                     {if !$rproduct->isBundle()}
+ 128                         <button class="addtobasket btn btn-red" type="submit">
+ 129                         
+ 130                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
+ 131                         <input type="hidden" value="{ $rproduct->defaultStock->getIdentifier()|escap
e}" name="stock_id">
+ 132                         </button>
+ 133                     {else}
+ 134                     <a class="btn btn-red" href="{route function='product' key=$rproduct->getIdentifi
fier() productName=$rproduct->translation->name productId=$rproduct->getIdentifier()
+ 135                     }">{translate key="check more"}</a>
+ 136                     {/if}
137                 </fieldset>
138             {elseif $enable_availability_notifier && $rproduct->isEnabledNotifier()}
139                 {dynamic}

```

## scripts/product/tableofproducts.tpl

```
227         <div class="product-inner-wrap">
228             <a class="prodimage f-row" href="{route function=$productRoute key=$product->product->product_id productName=$p
roduct->translation->name
229                 productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="dofollow">
- 230         <span class="f-grid-12 img-wrap{if $product->galleryImages|@count > 1} replace-img-list{/if} lazy-load">
- 231         img->medium height=$skin_settings->img->medium image=$product->mainImageName() overlay=1}" alt="{ $product->
translation->name|escape}" {foreach from=$product->galleryImages item=img name=gal}
+ 230         <span class="f-grid-12 img-wrap{if $product->galleryGfxs|@count > 1} replace-img-list{/if} lazy-load">
+ 231         img->medium height=$skin_settings->img->medium image=$product->mainImageName() overlay=1}" alt="{ $product->
translation->name|escape}" {foreach from=$product->galleryGfxs item=img name=gal}
232             {if $smarty.foreach.gal.index == 1}
- 233             data-src-alt="{imageUrl type='productGfx' width=$skin_settings->img->medium height=$skin_settin
gs->img->medium image=$img->unic_name}"
+ 232             data-src-alt="{imageUrl type='productGfx' width=$skin_settings->img->medium height=$skin_settin
gs->img->medium image=$img->gfx->unic_name}"
233             {/if}
234             {/foreach} />
235
```

## Pliki .css

## Pliki .less

### styles/\_bundles.less

```
145     &_selected {
146         position: relative;
147
- 148         &::before {
- 149             position: absolute;
- 150             font-family: 'rwd-custom';
- 151             speak: none;
- 152             font-style: normal;
- 153             font-weight: normal;
- 154             font-variant: normal;
- 155             text-transform: none;
- 156             line-height: 1;
- 157             -webkit-font-smoothing: antialiased;
- 158             -moz-osx-font-smoothing: grayscale;
- 159             content: "\e907";
- 160             font-size: 25px;
- 161             color: #fff;
+ 148         &:not([type="file"]) {
```



```
+ 149 &::before {
+ 150   position: absolute;
+ 151   font-family: 'rwd-custom';
+ 152   speak: none;
+ 153   font-style: normal;
+ 154   font-weight: normal;
+ 155   font-variant: normal;
+ 156   text-transform: none;
+ 157   line-height: 1;
+ 158   -webkit-font-smoothing: antialiased;
+ 159   -moz-osx-font-smoothing: grayscale;
+ 160   content: "\e907";
+ 161   font-size: 25px;
+ 162   color: #fff;
+ 163 }
164 }
165 }
166 }
167
168 .bundle-fixed-cart {
+ 169   background-color: #f5f5f5;
170   position: fixed;
171     top: 0;
172     left: 0;
173   right: 0;
174   z-index: 10;
+ 175   box-shadow: 1px 1px 1px #a0a0a0;
+ 176   z-index: 50;
177
178   .bundle-fixed-cart-container {
- 179     background-color: #f5f5f5;
180     max-width: 700px;
181     margin: 0 auto;
182     display: flex;
```

---

```
183     justify-content: space-between;
184
185     .bundle-header {
+ 186     display: flex;
+ 187     align-items: left;
+ 188     flex-direction: column;
+ 189     justify-content: center;
+ 190
191     .bundle-name {
192     display: block;
193     }
```

---

```
195 }
```

```
196 }
197
+ 198 .bundle-fixed-cart-buyable {
+ 199   background-color: #d2ecd8;
+ 200 }
+ 201
202 .fixed-cart-quantity {
203   width: 1.5em;
204   padding: 0.33em;
```

---

```
210 .color-selected {
211   border-left-width: 5px;
212   border-left-style: solid;
+ 213 }
+ 214
+ 215 #box_bundle {
+ 216   .productname {
+ 217     margin-bottom: 1em;
+ 218     display: block;
+ 219   }
+ 220
+ 221   .product {
+ 222     border-top: 1px solid transparent;
+ 223     border-left: 1px solid transparent;
+ 224     border-right: 1px solid transparent;
+ 225
+ 226     &.bundle-product-selected {
+ 227       border-color: #7fb88c;
+ 228
+ 229       &:not(:first-child) {
+ 230         border-top-color: transparent;
+ 231       }
+ 232
+ 233       &:last-child {
+ 234         border-bottom: 1px solid #7fb88c;
+ 235       }
+ 236
+ 237       &::after {
+ 238         position: absolute;
+ 239         font-family: 'rwd-custom';
+ 240         speak: none;
+ 241         font-style: normal;
+ 242         font-weight: normal;
+ 243         font-variant: normal;
+ 244         text-transform: none;
+ 245         line-height: 1;
+ 246         -webkit-font-smoothing: antialiased;
+ 247         -moz-osx-font-smoothing: grayscale;
+ 248         content: "\e907";
```

---

```
+ 249     font-size: 25px;
+ 250     color: #7fb88c;
+ 251     top: 1em;
+ 252     right: 1em;
+ 253 }
+ 254 }
+ 255 }
+ 256 }
+ 257
+ 258 .error-file-upload {
+ 259     display: block;
+ 260     margin-top: 0.5em;
+ 261 }
+ 262
+ 263 @media screen and (max-width: 767px) {
+ 264     #box_bundle {
+ 265         .product {
+ 266             [data-gallery="true"] {
+ 267                 margin-bottom: 1.5em;
+ 268                 text-align: center;
+ 269
+ 270                 span {
+ 271                     display: block;
+ 272                 }
+ 273             }
+ 274         }
+ 275     }
+ 276 }
```

---

### styles/\_formBasic.less

```
555         left: 0;
556         top: 50%;
557     }
+ 558 }
+ 559
+ 560 input[type=number]::-webkit-inner-spin-button,
+ 561 input[type=number]::-webkit-outer-spin-button {
+ 562     -webkit-appearance: none;
+ 563     -moz-appearance: none;
+ 564     appearance: none;
+ 565     margin: 0;
566 }
```

---

### styles/\_product.less

```
393     font-size: 1.4em;
394     padding: 0 0.2em;
395     color: @greyFont;
```

```
+ 396
+ 397     &.original-bundle-price {
+ 398         font-size: 1em;
+ 399         text-decoration: none;
+ 400     }
401     }
402     em{
403         font-size: 1.4em;
```

---

## styles/\_templateBasic.less

```
345
346 .price i {
347     font-style: normal;
+ 348 }
+ 349
+ 350 .progress-bar {
+ 351     background-color: #fff;
+ 352     height: 1em;
+ 353     position: relative;
+ 354
+ 355     &::after {
+ 356         content: attr(data-progress) "/" attr(data-progress-max);
+ 357         text-align: right;
+ 358         display: block;
+ 359         font-size: 0.9em;
+ 360         margin-top: -1.2em;
+ 361         margin-right: 0.3em;
+ 362     }
+ 363
+ 364     &__bar {
+ 365         margin-top: 0.5em;
+ 366         transition: width 0.2s ease-in;
+ 367         display: block;
+ 368         height: 100%;
+ 369         background-color: @maincolor;
+ 370         width: 0;
+ 371     }
372 }
```

---

## styles/\_userClasses.less

```
178     }
179
180     &.btn-inactive {
- 181         border-color: #ababab;
- 182         background-color: #ababab;
+ 181         border-color: #929292;
+ 182         background-color: #929292;
```

---

```
183     }  
184 }  
185
```

---

## styles/\_variables.less

```
3  @fontBasicColor: #111;  
4  @fontLightColor: #666;  
5  @linkBasicColor: #333;  
- 6  @greyFont: #d0d0d0;  
+ 6  @greyFont: #6d6a6a;  
7  @menuCountColor: #aaaaaa;  
8  
9  /* Backgrounds */
```