

## Pliki .tpl

scripts/archive/index.tpl

```
1 {include file='header.tpl'}
2 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
3 {include file='body_head.tpl'}
- 4 <div class="main row rodo">
+ 4 <div class="js__code-verification-service main row rodo" data-service="rodo">
5     <div class="innermain container">
6         <div class="s-row">
7             <div class="rodo__container center-row s-grid-6">
18                 {capture assign="route"}
19                     {route key='archiveCode'}
20                 {/capture}
- 21 <p>{translate key="Did not receive an email? %sGet a new access code%s" p1="<a data-customer-email=
'$marked_email' data-action='$route' data-rodo-new-code>" p2="</a>"}</p>
+ 21 <p>{translate key="Did not receive an email? %sGet a new access code%s" p1="<a data-customer-email=
'$marked_email' data-action='$route' verification-get-new-code>" p2="</a>"}</p>
22     </div>
23     <div class="f-row">
24         <div class="center-row f-grid-6">
36     </div>
37     <div class="bottombuttons f-row">
38         <div class="center-row f-grid-6">
- 39 <button data-rodo-download-archive type="submit" name="download" value="download" class="btn bt
n-red">
+ 39 <button verification-submit-action type="submit" name="download" value="download" class="btn bt
n-red">
40         
41         <span>{translate key='Download your archive'}
- 42         (<span data-rodo-convert-size>{ $archive_size|escape}</span>)
+ 42         (<span class="js__convert-size-pretty">{ $archive_size|escape}</span>)
43     </span>
44     </button>
45     <p>{translate key="Available for only %s days" p1="$days_left"}.</p>
```

## scripts/basket/index.tpl

```
78         {if $showDelivery}
79         <td class="rwd-hide-medium time">{$basket_product->stock->delivery->transla
tion->name|escape}</td>
80         {/if}
- 81         <td class="quantity">{assign var=id value=$basket_product->getIdentifier()}
+ 81         <td class="quantity">
+ 82         {assign var=id value=$basket_product->getIdentifier()}
+ 83
84         <span class="shaded_inputwrap{if true == $quantity_error.$id} error{/if}"><
input name="quantity_{$id}" value="{float precision=$QUANTITY_PRECISION value=$quantity.$id trim=true noformat=true}" type="{if $basket_
product->product->unit->unit->floating_point == 0}number{else}text{/if}" class="short center" /></span>
+ 85
86         {$basket_product->product->unit->translation->name|escape}
87     </td>
- 88     <td class="rwd-hide-small price">{currency value=$basket_product->getPrice()}
+ 85
+ 86     <td class="rwd-hide-small price">
+ 87     {if $basket_product->isLoyaltyExchanged()}
+ 88     <span class="color_dim line-through">{currency value=$basket_product->g
etPrice(false, true)}</span>
+ 89     {else}
+ 90     {currency value=$basket_product->getPrice()}
+ 91     {/if}
+ 92
+ 93     {if $basket_product->isLoyaltyExchanged()}
+ 94     <br>{ $basket_product->getLoyaltyPoints() } {translate key="pts"}
+ 95
+ 96     {if $basket_product->getPrice() != 0}
+ 97     + {currency value=$basket_product->getPrice()}
+ 98     {/if}
+ 99     {/if}
+ 100    </td>
+ 101
102    <td class="sum">
- 103    <em class="color">{currency value=$basket_product->getPriceForAll()}</em>
+ 87    {if $basket_product->isLoyaltyExchanged()}
+ 88    <em class="color_dim line-through">{currency value=$basket_product->get
PriceForAll(false, true)}</em>
+ 89    {else}
+ 90    <em class="color">{currency value=$basket_product->getPriceForAll()}</e
m>
+ 91    {/if}
+ 92
+ 93    {if $basket_product->isLoyaltyExchanged()}
+ 94    <br><em class="color">{ $basket_product->getLoyaltyPointsForAll() } {tran
slate key="pts"}</em>
+ 95    {if $basket_product->getPriceForAll() != 0}
+ 96    + {currency value=$basket_product->getPriceForAll() }
```

```

+ 97                                     {/if}
+ 98                                     {/if}
99                                     </td>
+ 100
101                                     <td class="actions">
102                                     <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier(
))" title="{translate key='Remove product from cart'}" class="prodremove">
103                                     

```

### scripts/basket/step3.tpl

```

72                                     {float precision=$QUANTITY_PRECISION value=$basket_product->basket->quantity trim=t
rue}
73                                     {$basket_product->product->unit->translation->name|escape}
74                                     </td>
- 75                                     <td class="price">{currency value=$basket_product->getPrice()}</td>
+ 75
+ 76                                     <td class="price">
+ 77                                     {if $basket_product->isLoyaltyExchanged()}
+ 78                                     <span class="color_dim line-through">{currency value=$basket_product->getPrice(
false, true)}</span>
+ 79                                     {else}
+ 80                                     {currency value=$basket_product->getPrice()}
+ 81                                     {/if}
+ 82
+ 83                                     {if $basket_product->isLoyaltyExchanged()}
+ 84                                     <br>{ $basket_product->getLoyaltyPoints() } {translate key="pts"}
+ 85
+ 86                                     {if $basket_product->getPrice() != 0}
+ 87                                     + {currency value=$basket_product->getPrice()}
+ 88                                     {/if}
+ 89                                     {/if}
+ 90                                     </td>
+ 91
92                                     <td class="sum">
- 93                                     <em class="color">{currency value=$basket_product->getPriceForAll()}</em>
+ 77                                     {if $basket_product->isLoyaltyExchanged()}
+ 78                                     <em class="color_dim line-through">{currency value=$basket_product->getPriceFor
All(false, true)}</em>
+ 79                                     {else}
+ 80                                     <em class="color">{currency value=$basket_product->getPriceForAll()}</em>
+ 81                                     {/if}
+ 82
+ 83                                     {if $basket_product->isLoyaltyExchanged()}
+ 84                                     <br><em class="color">{ $basket_product->getLoyaltyPointsForAll() } {translate ke
y="pts"}</em>
+ 85                                     {if $basket_product->getPriceForAll() != 0}
+ 86                                     + {currency value=$basket_product->getPriceForAll()}
+ 87                                     {/if}
+ 88                                     {/if}

```

```
89         </td>
90     </tr>
91 </if>
```

## scripts/panel/index.tpl

```
197         <td class="prod">{translate key='Product'}</td>
198         <td class="quantity">{translate key='Quantity'}</td>
199         <td class="points">{translate key='Points'}</td>
- 200         <td class="status">{translate key='Status'}</td>
201     </tr>
202 </thead>
203 <tbody>
```

```
218         {assign var=expoints value=$expoints*-1}
219         {float value=$expoints precision=0|replace:' ':'&nbsp;'}
220     </td>
- 221     <td class="status">
- 222         {if 1 == (int) $exevent->loyalty->status}
- 223             {translate key='Exchanged'}
- 224         {else}
- 225             {translate key='Submitted for exchange'}
- 226             <span class="smalldate">({date value=$exevent->loyalty->date})</span>
- 227         {/if}
- 228     </td>
229 </tr>
230 </foreach>
231 </tbody>
```

## scripts/panel/order.tpl

```
273         </if>
274     </if>
275 </td>
- 276     <td class="quantity">{stock value=$product->product->quantity} {$product->product->unit
|escape}</td>
- 277     <td class="price">{currency value=$product->product->price id=$order->order->currency_i
d rate=$order->order->currency_rate}</td>
- 278     <td class="sum">{currency value=$product->getPriceTimesQuantity(false) id=$order->order
->currency_id rate=$order->order->currency_rate}</td>
+ 276
+ 277     <td class="quantity">
+ 278         {stock value=$product->product->quantity} {$product->product->unit|escape}
+ 279     </td>
+ 280
+ 281     <td class="price">
+ 282         {if $product->isLoyaltyExchanged()}
+ 283             {$product->getLoyaltyPoints()} {translate key="pts."}
```

```

+ 284
+ 285                                     {if $product->product->price != 0}
+ 286                                     + {currency value=$product->product->price id=$order->order->currency_id ra
te=$order->order->currency_rate}
+ 287                                     {/if}
+ 288                                     {else}
+ 289                                     {currency value=$product->product->price id=$order->order->currency_id rate=$or
der->order->currency_rate}
+ 290                                     {/if}
+ 291                                     </td>
+ 292
+ 293                                     <td class="sum">
+ 294                                     {if $product->isLoyaltyExchanged()}
+ 295                                     {$product->getLoyaltyPointsForAll()} {translate key="pts."}
+ 296                                     + {currency value=$product->getPriceTimesQuantity(false) id=$order->order->curr
ency_id rate=$order->order->currency_rate}
+ 297                                     {else}
+ 298                                     {currency value=$product->getPriceTimesQuantity(false) id=$order->order->curren
cy_id rate=$order->order->currency_rate}
+ 299                                     {/if}
+ 300                                     </td>
301                                     </tr>
302                                     {/if}
303                                     {/foreach}

```

## scripts/panel/verification.tpl

```

+ 1  {include file='header.tpl'}
+ 2  <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
+ 3  {include file='body_head.tpl'}
+ 4  <div class="js_code-verification-service main row rodo" data-service="order">
+ 5  <div class="innermain container">
+ 6  <div class="s-row">
+ 7  <div class="rodo_container center-row s-grid-6">
+ 8  <div class="box">
+ 9  <form action="" method="post">
+ 10 <fieldset>
+ 11 <div class="boxhead">
+ 12 <h3>{translate key="Enter a verificat
ion code that we have sent to your email"}</h3>
+ 13 </div>
+ 14 <div class="f-row">
+ 15 <p>{translate key="To protect your data, we have sent you a one-time verification code to your addr
ess %s. Enter the code to access the data." pl="$marked_email"}</p>
+ 16 </div>
+ 17 <div class="f-row">
+ 18 {capture assign="route"}
+ 19 {route key='panelVerifyCode'}
+ 20 {/capture}
+ 21 <p>{translate key="Did not receive an email? %sGet a new access code%s" pl="<a data-customer-email=

```

```

+ 22     '$marked_email' data-action='$_route' verification-get-new-code" p2="</a>"</p>
+ 23     </div>
+ 24     <div class="f-row">
+ 25         <div class="center-row f-grid-6">
+ 26             <div>
+ 27                 <input id="verification_code" placeholder="{translate key='Enter 6-digit code'}" type="text
+ 28                 " name="verification_code" class="{if $data_error.verification_code}error{/if}">
+ 29             </div>
+ 30             {if $data_error.verification_code}
+ 31                 <ul class="row error">
+ 32                     {foreach from=$data_error.verification_code item=err_text}
+ 33                         <li>{$err_text|escape}</li>
+ 34                     {/foreach}
+ 35                 </ul>
+ 36             {/if}
+ 37         </div>
+ 38     </div>
+ 39     <div class="bottombuttons f-row">
+ 40         <div class="center-row f-grid-6">
+ 41             <button verification-submit-action type="submit" name="download" value="download" class="btn bt
+ 42             n-red">
+ 43                 
+ 44                 {translate key='Ready'}
+ 45             </button>
+ 46         </div>
+ 47     </div>
+ 48 </div>
+ 49 </div>
+ 50 </div>
+ 51 </div>
+ 52 {include file='footerbox.tpl'}
+ 53 {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
+ 54 kinFooterGroup,Logic_SkinFooterLink'}
+ 55 {plugin module=shop template=footer}
+ 56 {include file='switch.tpl'}
+ 57 </body>
+ 58 </html>

```

## scripts/product/index.tpl

```

74         {if $loyalty_exchange}
75             <div class="price">
76                 <span class="price-name">{translate key="Price"}:</span>
- 77                 <em>{$product->defaultStock->loyaltyPointsPrice(true)|escape}</em>
+ 77                 <em>
+ 78                 {$product->defaultStock->loyaltyPointsPrice(true)|escape}
+ 79             </div>

```

```

+ 80 {if $product->defaultStock->loyaltyCurrencyPrice() != 0}
+ 81 + {currency value=$product->defaultStock->loyaltyCurrencyPrice()}
+ 82 {/if}
+ 83 </em>
84 </div>
85 {elseif $showprices}
86 {if $price_mode == '1' || $price_mode == '3'}

```

```

566
567 <div class="bundle-cart">
568 <input name="quantity" value="1" type="text" class="fixed-cart-quantity">
- 569 <button id="fixed-cart-add" class="btn btn-red">{translate key="Add to cart"}</button>
+ 569 <button id="fixed-cart-add" class="btn btn-red">{if $loyalty_exchange}{translate key="Exchange"}{else}{translate ke
y="Add to cart"}{/if}</button>
570 </div>
571 </div>
572 </div>

```

### scripts/product/list.tpl

```

1 {include file='header.tpl'}
2 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
3 {include file='body_head.tpl'}
- 4
5 <div class="main row">
6 <div class="innermain container">
7 <div class="s-row">

```

```

41 {/if}
42 {/if}
43
- 44 {if $products->getTotalItemCount() > 0}
- 45 {if $loyalty_exchange}
- 46 {include file="product/loyalty.tpl"}
- 47 {/if}
+ 44 {if $loyalty_exchange}
+ 45 {include file="product/loyalty.tpl"}
+ 46 {/if}
47
+ 48 {if $products->getTotalItemCount() > 0}
49 <div class="box" id="box_mainproducts">
50 <div class="boxhead">
51 <h1 class="category-name">

```

### scripts/product/loyalty.tpl

```

- 1 <div class="box" id="box_loyalty">

```

```

- 2         <div class="boxhead">
- 3             <h3>
- 4                 
- 5                 {translate key="Exchangeable products in the loyalty program"}
- 6             </h3>
- 7         </div>
+ 1     <div class="box" id="box_loyalty">
+ 2         <div class="boxhead">
+ 3             <h3>
+ 4                 
+ 5                 {translate key="Exchangeable products in the loyalty program"}
+ 6             </h3>
+ 7         </div>
+ 8
+ 9         <div class="innerbox">
+ 10            <div class="mb-2">
+ 11                <span class="mb-2 r--fs-xl">{translate key="Your points: %s" pl=$user_points}</span>
+ 12
- 13            <div class="innerbox">
- 14                <span class="user_points">{translate key="Your points: %s" pl=$user_points}</span>
- 15                <span class="get_more_points tooltip_pointer" title="loyalty_msg">{translate key="How to gain more points"}
</span>
- 16
- 17                {if count($loyalty_msgs)}
- 18                    <label class="tooltip indent" id="loyalty_msg">
- 19                        {foreach from=$loyalty_msgs item=msg}
- 20                            <p class="title check">{$msg.title|escape}</p>
- 21                            <p>{$msg.text}</p>
- 22                        {/foreach}
- 23                    </label>
- 24                {/if}
+ 3                {if count($awarding_msgs) > 0}
+ 4                    <div class="tooltip">
+ 5                        <span class="r--fs color_highlight tooltip_pointer">{translate key="How to gain more points"}</span>
+ 6
- 7                    <form class="loyalty_filter row" method="post" action="{route key='search'}">
- 8                        <fieldset>
- 9                            <b>{translate key='View'}:</b>
- 10                            <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=0}"
" id="loylaty_filter0"{if 0 == (int) $loyalty_filter} checked="checked"{/if} />
- 11                            <label for="loylaty_filter0">{translate key='all products'}</label>
- 12                            <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=1}"
" id="loylaty_filter1"{if 1 == (int) $loyalty_filter} checked="checked"{/if} />
- 13                            <label for="loylaty_filter1">{translate key='available for me'}</label>
- 14                        </fieldset>
- 15                    </form>
+ 5                    <div class="tooltip-container">
+ 6                        <ul>
+ 7                            {foreach from=$awarding_msgs item=msg}
+ 8                                <li>

```



```

+ 9         <strong>{$msg.title|escape}</strong><br>
+ 10         {$msg.text|escape}
+ 11     </li>
+ 12     {/foreach}
+ 13 </ul>
+ 14     </div>
+ 15 </div>
+ 16     {/if}
+ 17 </div>
+ 18
+ 19     {if count($exchanging_msgs) > 0}
+ 20     <ul class="mb-1">
+ 21         {foreach from=$exchanging_msgs item=msg}
+ 22         <li>
+ 23             {$msg|escape}
+ 24         </li>
+ 25         {/foreach}
+ 26     </ul>
+ 27     {/if}
+ 28
+ 29     <form class="loyalty_filter row mb-0" method="post" action="{route key='search'}">
+ 30         <fieldset>
+ 31             <b>{translate key='View'}:</b>
+ 32             <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=0}" id="loylaty_fi
lter0" {if 0 == (int) $loyalty_filter} checked="checked" {/if} />
+ 33             <label for="loylaty_filter0">{translate key='all products'}</label>
+ 34             <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=1}" id="loylaty_fi
lter1" {if 1 == (int) $loyalty_filter} checked="checked" {/if} />
+ 35             <label for="loylaty_filter1">{translate key='available for me'}</label>
+ 36         </fieldset>
+ 37     </form>
+ 38 </div>
+ 39 </div>

```

---

## scripts/product/tableofproducts.tpl

```

+ 65         {if $loyalty_exchange}
+ 66         <div class="price {if ($enable_availability_notifier && $product->isEnabledNotifier()) == false && (
$enablebasket && $product->canBuyStock()) == false} noform{/if}">
+ 67             <span>{translate key="Price"}</span>
- 68             <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
+ 68             <em>
+ 69                 {float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}
+ 70
+ 71             {if $product->defaultStock->loyaltyCurrencyPrice() != 0}
+ 72                 + {currency value=$product->defaultStock->loyaltyCurrencyPrice()}
+ 73             {/if}
+ 74             </em>
+ 75         </div>
+ 76     {else}

```

```

217         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}{/if}</span>
218         </button>
219         {else}
- 220         <a href="{route function=$productRoute key=$product->product->product_id productName=$p
product->translation->name productId=$product->product->product_id}" class="btn btn-red">{translate key="Add to cart"}</a>
+ 220         <a href="{route function=$productRoute key=$product->product->product_id productName=$p
product->translation->name productId=$product->product->product_id}" class="btn btn-red">{if $loyalty_exchange}{translate key="Exchange"}
{else}{translate key="Add to cart"}{/if}</a>
221         {/if}
222     </fieldset>
223     {elseif $enable_availability_notifier && $product->isEnabledNotifier()}

```

```

307     <div class="price f-row">
308         {if $loyalty_exchange}
309         <span>{translate key="Price"}:</span>
- 310         <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
+ 310         <em>
+ 311             {float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}
+ 312
+ 313             {if $product->defaultStock->loyaltyCurrencyPrice() != 0}
+ 314             + {currency value=$product->defaultStock->loyaltyCurrencyPrice()}
+ 315             {/if}
+ 316         </em>
317         {else}
318         {if $showprices}
319         {if $price_mode == '1' || $price_mode == '3'}

```

```

461         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
462         </button>
463         {else}
- 464         <a href="{route function=$productRoute key=$product->product->product_id productName=$produ
ct->translation->name productId=$product->product->product_id}" class="btn btn-red">{translate key="Add to cart"}</a>
+ 464         <a href="{route function=$productRoute key=$product->product->product_id productName=$produ
ct->translation->name productId=$product->product->product_id}" class="btn btn-red">{if $loyalty_exchange}{translate key="Exchange"}{els
e}{translate key="Add to cart"}{/if}</a>
465         {/if}
466     </fieldset>
467 </form>

```

### styles/\_basket.less

```
929         min-width: 100% !important;
930     }
931 }
+ 932
+ 933 .js__exchange-loyalty-link {
+ 934     color: @maincolor;
+ 935     cursor: pointer;
+ 936
+ 937     &:hover {
+ 938         text-decoration: underline;
+ 939     }
+ 940 }
```

### styles/\_modules.less

```
1196     height: 300px;
1197 }
1198
+ 1199 .js__loyalty-exchange-form {
+ 1200     margin: 0;
+ 1201 }
+ 1202
1203 @media screen and (max-width: 980px) {
1204     #box_login .register-inner {
1205         border-top: 1px solid #cccccc;
```

### styles/\_tableBasic.less

```
191     }
192 }
193
+ 194     &.table_secondary {
+ 195         width: 100%;
+ 196
+ 197         &.zebra {
+ 198             tbody {
+ 199                 tr {
+ 200                     &:nth-child(odd) {
+ 201                         background-color: transparent;
+ 202                     }
+ 203
+ 204                     &:nth-child(even) {
+ 205                         background-color: @tableZebraColor;
+ 206                     }
```

```
+ 207     }
+ 208   }
+ 209 }
+ 210
+ 211   td {
+ 212     padding: 5px 8px;
+ 213     line-height: 20px;
+ 214   }
+ 215 }
+ 216
217     &.payable {
218       .sum, .status, .parcel {
219         text-align: center;
```

---

## styles/\_userClasses.less

```
228     background-color: rgba(255, 255, 255, 0.9);
229     z-index: 99999 !important;
230   }
+ 231 }
+ 232
+ 233 .color_highlight, .link {
+ 234   color: @maincolor;
+ 235 }
+ 236
+ 237 .color_dim {
+ 238   color: @greyFont;
+ 239 }
+ 240
+ 241 .line-through {
+ 242   text-decoration: line-through;
+ 243 }
+ 244
+ 245 .tooltip {
+ 246   position: relative;
+ 247   display: inline-block;
+ 248
+ 249   .tooltip-pointer {
+ 250     cursor: pointer;
+ 251
+ 252     &:hover {
+ 253       + .tooltip-container {
+ 254         display: block;
+ 255       }
+ 256     }
+ 257   }
+ 258
+ 259   .tooltip-container {
+ 260     position: absolute;
```

```
+ 261 display: none;
+ 262 right: 0;
+ 263 top: 150%;
+ 264 z-index: 4;
+ 265
+ 266 min-width: 258px;
+ 267 font-size: 0.8em;
+ 268 padding: 1em;
+ 269
+ 270 background-color: @maincolor;
+ 271 color: #fff;
+ 272
+ 273 &::after {
+ 274 content: '';
+ 275 display: block;
+ 276 position: absolute;
+ 277 top: -14px;
+ 278 right: 4px;
+ 279
+ 280 border-width: 7px;
+ 281 border-style: solid;
+ 282 border-color: transparent transparent @maincolor transparent;
+ 283 }
+ 284 }
285 }
```