

## Pliki .tpl

### boxes/Basket/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4          <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6
6          <div class="rightside"></div>
7      </div>
8      <div class="innerbox">

```

### boxes/Bestsellers/box.tpl

```

3      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4      <div class="boxhead">
5          <div class="leftside"></div>
- 6      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6      <h3>{$boxNs->$box_id->title|escape}</h3>
7
7          <div class="rightside"></div>
8      </div>
9      <div class="innerbox">

```

### boxes/Currencies/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4          <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6
6          <div class="rightside"></div>
7      </div>
8      <div class="innerbox">

```

```

21      {foreach from=$boxNs->$box_id->list item=desc key=cur}

```

```

22         <li{if $cur == $boxNs->$box_id->currency} class="selected">{/if
23             }><a href="?currency={$cur|escape}" title="{ $desc|escape}" class="spanhover">
- 24         
+ 24         
25             <span>{ $desc|escape}</span>
26             </a>
27         </li>

```

### boxes/Custom/box.tpl

```

4         {if $boxNs->$box_id->title}
5         <div class="boxhead">
6             <div class="leftside"></div>
- 7         <h3>{ $boxNs->$box_id->title|escape}</h3>
+ 7         <h3>{ $boxNs->$box_id->title|escape}</h3>
8         </div>
9         <div class="rightside"></div>
10        {/if}

```

### boxes/Filter/box.tpl

```

3         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4         <div class="boxhead">
5             <div class="leftside"></div>
- 6         <h3>{ $boxNs->$box_id->title|escape}</h3>
+ 6         <h3>{ $boxNs->$box_id->title|escape}</h3>
7         </div>
8         <div class="rightside"></div>
9         <div class="innerbox">

```

```

59         <span class="fromto">{translate key='to'}</span> <input type="text" id="filterprice2" v
60         alue="" />
61         <div class="bottombuttons">
62             <button class="button" type="button" id="filterprice">
- 62         
+ 62         
63             <span>{translate key='Filter'}</span>
64             </button>
65         </div>

```

### boxes/FreeShipping/box.tpl

```

4         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
5         <div class="boxhead">
6             <div class="leftside"></div>
- 7         <h3>{ $boxNs->$box_id->title|escape}</h3>

```

```

+ 7      <h3>{$boxNs->$box_id->title|escape}</h3>
8      <div class="rightside"></div>
9      </div>
10     <div class="innerbox">

```

## boxes/LanguageList/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4      <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6      <div class="rightside"></div>
7      </div>
8      <div class="innerbox">

```

```

20     {foreach from=$boxNs->$box_id->list item=language}
21     <li{if $language->name == $boxNs->$box_id->language} class="selected"{/if
22     }><a href="{ $language->url}" title="{ $language->title|escape}" class="spanhover">
- 23     
+ 23     
24     <span>{ $language->title|escape}</span>
25     </a>
26     </li>

```

```

32     {foreach from=$boxNs->$box_id->list item=language}
33     <li{if $language->name == $boxNs->$box_id->language} class="selected"{/if
34     }><a href="{ $language->url}" title="{ $language->title|escape}" class="spanhover">
- 35     
+ 35     
36     </a>
37     </li>
38     {/foreach}

```

## boxes/Login/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4      <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6      <div class="rightside"></div>
7      </div>
8      <div class="innerbox">

```

```

26
27     <div class="bottombuttons">
28         <button type="submit" class="button login">
- 29             
+ 29             
30             <span>{translate key="Sign in"}</span>
31         </button>
32     </div>
33     <a href="{ $boxNs->$box_id->passlink}" class="remind spanhover">
- 34         
+ 34         
35         <span>{translate key="Forgot your password?"}</span>
36     </a>
37     {if $enable_register}
38     <a href="{ $boxNs->$box_id->reglink}" class="register spanhover">
- 39         
+ 39         
40         <span>{translate key="Create an account"}.</span>
41     </a>
42     {/if}

```

```

45     {else}
46     <p>{translate key="Hello"} <b>{$user->user->getName()|escape}</b></p>
47     <a href="{route key='panel'}" title="My account" class="myaccount spanhover">
- 48         
+ 48         
49         <span>{translate key="My account"}</span>
50     </a>
51     <a href="{route key='logout'}" title="Sign out" class="logout spanhover">
- 52         
+ 52         
53         <span>{translate key="Sign out"}</span>
54     </a>
55     {/if}

```

## boxes/Menu/box.tpl

```

2     <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3     <div class="boxhead">
4         <div class="leftside"></div>
- 5         <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5         <h3>{$boxNs->$box_id->title|escape}</h3>
6
7         <div class="rightside"></div>
8     </div>
9     <div class="innerbox">

```

## boxes/NewProducts/box.tpl

```
3         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4         <div class="boxhead">
5             <div class="leftside"></div>
- 6         <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6         <h3>{$boxNs->$box_id->title|escape}</h3>
7
8             <div class="rightside"></div>
9         </div>
        <div class="innerbox">
```

## boxes/News/box.tpl

```
3         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4         <div class="boxhead">
5             <div class="leftside"></div>
- 6         <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6         <h3>{$boxNs->$box_id->title|escape}</h3>
7             <div class="rightside"></div>
8         </div>
9         <div class="innerbox">
```

## boxes/NewsCalendar/box.tpl

```
2         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3         <div class="boxhead">
4             <div class="leftside"></div>
- 5         <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5         <h3>{$boxNs->$box_id->title|escape}</h3>
6             <div class="rightside"></div>
7         </div>
8         <div class="innerbox">
```

## boxes/NewsCategories/box.tpl

```
3         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4         <div class="boxhead">
5             <div class="leftside"></div>
- 6         <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6         <h3>{$boxNs->$box_id->title|escape}</h3>
7             <div class="rightside"></div>
8         </div>
9         <div class="innerbox">
```

## boxes/NewsTagCloud/box.tpl

```

3      <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4      <div class="boxhead">
5          <div class="leftside"></div>
- 6      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6      <h3>{$boxNs->$box_id->title|escape}</h3>
7          <div class="rightside"></div>
8      </div>
9      <div class="innerbox">

```

### boxes/Newsletter/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4          <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6          <div class="rightside"></div>
7      </div>
8      <div class="innerbox">

```

```

21     <div class="bottombuttons">
22         <button type="submit" class="button">
- 24             
+ 24             
25             <span>{translate key="Subscribe"}</span>
26         </button>
27     </div>

```

### boxes/Paczkomaty/box.tpl

```

2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3      <div class="boxhead">
4          <div class="leftside"></div>
- 5      <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5      <h3>{$boxNs->$box_id->title|escape}</h3>
6          <div class="rightside"></div>
7      </div>
8      <div class="innerbox">
9          <div class="leftside"></div>
10         <div style="text-align: center;">
- 11             <a href="http://paczkomaty.pl/" target="_blank" rel="noopener" title="Paczkomaty InPost"></a>
+ 11             <a href="http://paczkomaty.pl/" target="_blank" rel="noopener" title="Paczkomaty InPost"></a>
12         </div>

```

```
13 <div class="rightside"></div>
14 </div>
```

## boxes/Polls/box.tpl

```
3 <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4 <div class="boxhead">
5 <div class="leftside"></div>
- 6 <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6 <h3>{$boxNs->$box_id->title|escape}</h3>
7
8 <div class="rightside"></div>
9 </div>
10 <div class="innerbox">
```

```
24 <input type="hidden" name="redirect" value="{ $request_uri|escape}" />
25 <div class="bottombuttons">
26 <button class="button" type="submit">
- 27 
+ 27 
28 <span>{translate key='Vote'}</span>
29 </button>
30 </div>
```

## boxes/Pricelist/box.tpl

```
3 <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4 <div class="boxhead">
5 <div class="leftside"></div>
- 6 <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6 <h3>{$boxNs->$box_id->title|escape}</h3>
7
8 <div class="rightside"></div>
9 </div>
10 <div class="innerbox">
```

```
15 {if 1 == $boxNs->$box_id->html}
16 <li class="html">
17 <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}
" class="spanhover html">
- 18 
+ 18 
19 <span>{translate key="HTML"}</span>
20 </a>
21 </li>
```

```
23 {if 1 == $boxNs->$box_id->xls}
```

```

24         <li class="excel">
25             <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel form
at'}" class="spanhover excel">
- 26                 
+ 26                 
27                 <span>{translate key="XLS"}</span>
28             </a>
29         </li>

```

```

35         {if 1 == $boxNs->$box_id->html}
36         <li class="html">
37             <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}
" class="spanhover html">
- 38                 
+ 38                 
39                 <span>{translate key="HTML"}</span>
40             </a>
41         </li>

```

```

43         {if 1 == $boxNs->$box_id->xls}
44         <li class="excel">
45             <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel format'}
" class="spanhover excel">
- 46                 
+ 46                 
47                 <span>{translate key="Excel"}</span>
48             </a>
49         </li>

```

### boxes/Producers/box.tpl

```

2         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3         <div class="boxhead">
4             <div class="leftside"></div>
- 5             <h3>{ $boxNs->$box_id->title|escape}</h3>
+ 5             <h3>{ $boxNs->$box_id->title|escape}</h3>
6             <div class="rightside"></div>
7         </div>
8         <div class="innerbox">

```

### boxes/ProductFilter/box.tpl

```

3         <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4         <div class="boxhead">
5             <div class="leftside"></div>
- 6             <h3>{ $boxNs->$box_id->title|escape} { $boxNs
->$box_id->layout_type}</h3>

```



```
+ 6      <h3>{$boxNs->$box_id->title|escape} {$bo
      xNs->$box_id->layout_type}</h3>
  7      <div class="rightside"></div>
  8      </div>
  9      <div class="innerbox">
```

---

```
 48
 49      <div class="buttons bottombuttons">
 50          <button type="submit" class="button filter">
- 51          
+ 51          
 52          <span>{translate key="Filter"}</span>
 53      </button>
 54      <button type="submit" class="button clearbutton resetsubmit">
- 55      
+ 55      
 56          <span>{translate key="Clean the filter"}</span>
 57      </button>
 58  </div>
```

---

### boxes/ProductOfTheDay/box.tpl

```
  3      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
  4      <div class="boxhead">
  5          <div class="leftside"></div>
-  6          <h3>{$boxNs->$box_id->title|escape}</h3>
+  6          <h3>{$boxNs->$box_id->title|escape}</h3>
  7      </div>
  8      <div class="rightside"></div>
  9      </div>
 10      <div class="innerbox">
```

---

### boxes/Recent/box.tpl

```
  3      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
  4      <div class="boxhead">
  5          <div class="leftside"></div>
-  6          <h3>{$boxNs->$box_id->title|escape}</h3>
+  6          <h3>{$boxNs->$box_id->title|escape}</h3>
  7      </div>
  8      <div class="rightside"></div>
  9      </div>
 10      <div class="innerbox">
```

---

### boxes/Search/box.tpl

```
  2      <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
  3      <div class="boxhead">
```

---

```
4 <div class="leftside"></div>
- 5 <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5 <h3>{$boxNs->$box_id->title|escape}</h3>
6 <div class="rightside"></div>
7 </div>
8 <div class="innerbox">
```

```
16 </div>
17 <div class="bottombuttons">
18 <button class="button" type="submit">
- 19 
+ 19 
20 <span>{translate key='Search'}</span>
21 </button>
22 </div>
```

### boxes/SpecialOffer/box.tpl

```
3 <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
4 <div class="boxhead">
5 <div class="leftside"></div>
- 6 <h3>{$boxNs->$box_id->title|escape}</h3>
+ 6 <h3>{$boxNs->$box_id->title|escape}</h3>
7 <div class="rightside"></div>
8 </div>
9 <div class="innerbox">
```

### boxes/UsersOnline/box.tpl

```
2 <div class="topbar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
3 <div class="boxhead">
4 <div class="leftside"></div>
- 5 <h3>{$boxNs->$box_id->title|escape}</h3>
+ 5 <h3>{$boxNs->$box_id->title|escape}</h3>
6 <div class="rightside"></div>
7 </div>
8 <div class="innerbox">
```

### scripts/archive/index.tpl

```
42
43 <div class="center-row">
44 <button data-rodo-download-archive type="submit" name="download" value="download" class="button">
- 45 
+ 45 
```

```
46 <span>{translate key='Download your archive'}</span>
47 </button>
48 <p>{translate key="Available for only %s days" p1="$days_left"}.</p>
```

## scripts/basket/address.tpl

```
118 </td>
119 <td>
120 <button type="submit" name="address_submit" value="address_submit" class="button adres
s_submit">
- 121 
+ 121 
122 <span>&raquo;</span>
123 </button>
124 </td>
```

```
205 </td>
206 <td>
207 <button type="submit" name="address_submit2" value="address_submit2" class="button addr
ess_submit">
- 208 
+ 208 
209 <span>&raquo;</span>
210 </button>
211 </td>
```

```
411 {$recaptcha}
412 <div class="bottombuttons">
413 <button type="submit" name="button2" value="button2" class="important summary">
- 414 
+ 414 
415 <span>{translate key='Summary'} &raquo;</span>
416 </button>
417 <button type="submit" name="button1" value="button1" class="button back">
- 418 
+ 418 
419 <span>&laquo; {translate key='Back'}</span>
420 </button>
421 <div class="floatfix"></div>
```

## scripts/basket/index.tpl

```
62 <td colspan="2" class="button">
63 <input type="hidden" name="recount" value="1" />
64 <button type="submit" name="button" value="button" class="button">
- 65 
+ 65 
```

```
66         <span>{translate key='Calculate'}</span>
67     </button>
68 </td>
```

```
172     </td>
173     <td class="action">
174         <button type="submit" class="button">
- 175             
+ 175             
176             <span>&raquo;</span>
177         </button>
178     </td>
```

```
221     <tr class="buttons">
222         <td class="back" colspan="2">
223             <button type="submit" class="button back" name="button1" value="button1">
- 224                 
+ 224                 
225                 <span>{translate key='Continue shopping'}</span>
226             </button>
227         </td>
228         <td class="forward" colspan="5">
229             <button type="submit" class="important order" name="button2" value="button2">
- 230                 
+ 230                 
231                 <span>{translate key='Order now'}</span>
232             </button>
233         </td>
```

```
272     <td class="sum"><em class="color">{currency value=$basket_product->getPriceForAll()}</em></td>
273     <td class="actions">
274         <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}" titl
e="{translate key='Remove product from cart'}" class="spanhover prodremove">
- 275             
+ 275             
276             <span>{translate key='Remove'}</span>
277         </a>
278     </td>
```

## scripts/basket/step2.tpl

```
48     <form action="{route key='basketRegister'}" method="get" class="register">
49         <fieldset>
50             <button class="important register" type="submit">
- 51                 
+ 51                 
```

```
52         <span>{translate key='Create an account'}</span>
53     </button>
54 </fieldset>
```

```
69     {if $allow_single}
70     <form action="{route key='basketNoRegister'}" method="get" class="order">
71         <button class="important order" type="submit">
- 72             
+ 72             
73         <span>{translate key='Place an order'}</span>
74     </button>
75 </form>
```

```
91 <fieldset>
92     <input type="hidden" name="loginform" value="1" />
93     <button type="submit" class="important login">
- 94         
+ 94         
95     <span>{translate key='Sign in'}</span>
96 </button>
97 <label for="input_mail">{translate key='E-mail'}:</label>
```

### scripts/basket/step3.tpl

```
155 <input type="hidden" name="summaryform" value="1" />
156 <div class="bottombuttons">
157     <button type="submit" name="button1" value="button1" class="button undo back">
- 158         
+ 158         
159         <span>&laquo; {translate key='Back'}</span>
160     </button>
161     <button type="submit" name="button2" value="button2" class="important order clickhide">
- 162         
+ 162         
163         <span>{translate key='Confirm order'}</span>
164     </button>
165 </div class="floatfix"></div>
```

### scripts/body\_head.tpl

```
7     {if $cookie}
8         <div class="none" id="cookie">
9             <div class="pagewidth">
- 10                 
+ 10                 
11                 {if $cookiepage}
12                 <span>{translate key="This site uses cookies to deliver services in accordance with the %sCookie Files Policy%s. Yo
```

u can set the conditions for storage and access to cookies in your browser settings." s1="

```
13         {else}
29     </li>
30     <li class="myaccount">
31         <a href="{route key='panel'}" title="{translate key='My account'}" class="myaccount spanhover">
- 32             
+ 32             
33         <span>{translate key="My account"}</span>
34     </a>
35 </li>
36 <li class="logout">
37     <a href="{route key='logout'}" title="{translate key='Sign out'}" class="logout spanhover">
- 38         
+ 38         
39     <span>{translate key="Sign out"}</span>
40 </a>
41 </li>
```

```
43     {if $enable_register}
44     <li class="register">
45         <a href="{route key='register'}" title="{translate key='Create an account'}" class="register spanhover">
- 46             
+ 46             
47         <span>{translate key="Create an account"}</span>
48     </a>
49 </li>
50 {/if}
51 <li class="login">
52     <a href="{route key='login'}" title="{translate key='Sign in'}" class="login spanhover">
- 53         
+ 53         
54     <span>{translate key="Sign in"}</span>
55 </a>
56 </li>
```

```
58 </ul>
59 <ul class="basket">
60     <li class="count">
- 61         
+ 61         
62     <span>
63         <span class="countlabel">{translate key="Products in the cart"}: <b class="count">{$user->basket->countProducts
64         <span class="sumlabel{if 0 == $user->basket->countProducts()} none{/if}>{translate key="Value"}: <b class="sum
">{currency value=$user->basket->sumProducts()}</b>.</span>
```

```
66         </li>
67         <li class="goto">
68             <a href="{route key='basket'}" title="{translate key='Cart'}" class="spanhover goto">
- 69                 
+ 69                 
70                 <span>{translate key="Go to cart"} &raquo;</span>
71             </a>
72         </li>
```

```
89         {include file='formantisipam.tpl'}
90         <input type="text" name="search" value="{translate key='search in the store...'}" class="search fadingtext" />
91         <button type="submit" class="search">
- 92             
+ 92             
93             <span>{translate key="Search"}</span>
94         </button>
95         <a href="{route key='search'}" title="{translate key='advanced search'}">{translate key='advanced search'} &raquo;</a>
/a>
```

```
105     <div class="breadcrumbs">
106         <div class="innerbreadcrumbs pagewidth">
107             <b class="breadcrumb">
- 108                 
+ 108                 
109                 <span>{translate key="You are here"}:</span>
110             </b>
111             <ul class="path">
```

```
114         {if $item.url}<a href="{ $item.url|escape}" class="spanhover">{/if}
115         <span>{ $item.name}</span>
116         {if $item.url}</a>{/if}
- 117         
+ 117         
118     </li>
119     {/foreach}
120 </ul>
```

## scripts/categories/list.tpl

```
42         <h2>
43             <a href="{route function='category' key=$category->getIdentifier() page=1 sort=1 view=$view categoryId=$category->getIdentifier() categoryName=$category->translation->name
44                 }" title="{ $category->translation->name|escape}" class="spanhover">
- 45                 
+ 45                 
46                 <span>{ $category->translation->name|escape}</span>
47             </a>
```

scripts/contact/index.tpl

```

183         {$recaptcha}
184
185         <button type="submit" class="button send">
- 186             
+ 186             
187             <span>{translate key="Send"}</span>
188         </button>
189     </div>

```

scripts/error/not-found.tpl

```

47         <input type="text" name="search" value="{translate key='search in the store...'}" class="fading
text" />
48     </div>
49     <button class="button" type="submit">
- 50         
+ 50         
51         <span>{translate key='Search'}</span>
52     </button>
53 </fieldset>

```

scripts/flash\_messages.tpl

```

4     <div class="error_message flash_message">
5         <a href="#" class="close spanhover">
6             <span>{translate key="close"}</span>
- 7             
+ 7             
8         </a>
9         <div class="container">
10             <p>{$item.message}</p>

```

```

16     <div class="warning_message flash_message">
17         <a href="#" class="close spanhover">
18             <span>{translate key="close"}</span>
- 19             
+ 19             
20         </a>
21         <div class="container">
22             <p>{$item.message}</p>

```

```

27     <div class="info_message flash_message">
28         <a href="#" class="close spanhover">

```



```
29         <span>{translate key="close"}</span>
- 30         
+ 30         
31     </a>
32     <div class="container">
33         <p>{$item.message}</p>
```

```
38     <div class="success_message flash_message">
39         <a href="#" class="close spanhover">
40             <span>{translate key="close"}</span>
- 41         
+ 41         
42     </a>
43     <div class="container">
44         <p>{$item.message}</p>
```

### scripts/header.tpl

```
18     {if count($seo_links)}{foreach from=$seo_links item=v key=k} <link rel="{k|escape}" href="{v|escape}" />
19     {/foreach}{/if}
20     <style type="text/css">
- 21     <!--/*--><![CDATA[/*<!--*/
22     {if $body_background} body {literal}{{/literal} background: {$body_background}; {literal}}{/literal}
23     {/if}
24     body > .container {literal}{{/literal} min-width: {$skin_settings->global->width|escape}; {literal}}{/literal}
```

```
40     .productdetailsminigalleryimgsize {literal}{{/literal}{if $skin_settings->productdetails->minigalleryimgwidth > 0
41     } width: {$skin_settings->productdetails->minigalleryimgwidth|escape}px;{/if}{if $skin_settings->productdetails->minigaller
yimgheight > 0
42     } height: {$skin_settings->productdetails->minigalleryimgheight|escape}px;{/if} {literal}}{/literal}
- 43     /*]]>*/-->
44     </style>
45     {if count($opengraph_header)}{foreach from=$opengraph_header item=v key=k}{if strlen($v)}
46     <meta name="og:{k|escape}" content="{v|escape}" />
```

```
62     </script>
63
64     {plugin module=shop template=post-head}
- 65     </head>
+ 65     </head>
```

### scripts/headerlinks.tpl

```
8         <h3>
9         <a href="{link->getHref($view)|escape}" title="{link->getTitle()|escape}" id="headlink{link->getIdentifier()
}" class="spanhover mainlevel{if $link->isPopup()} popup{/if}">
10         <span>{link->getTitle()|escape}</span>
```

```
- 11 
+ 11 
12 </a>
13 </h3>
14 {if $link->hasSubCategories()}
```

### scripts/headermenu.tpl

```
6 <a href="{route function='category' key=$cat->getIdentifier() categoryName=$cat->translation->name category
Id=$cat->getIdentifier() view=$view resetparams=true}"
7 title="{ $cat->translation->name|escape}" id="headercategory{ $cat->getIdentifier()}" class="spanhover">
8 <span>{ $cat->translation->name|escape}</span>
- 9 
+ 9 
10 </a>
11 </h3>
12 {if count($cat->getActiveLangChildrenList())}
```

### scripts/login/login.tpl

```
58 <div class="floatfix"></div>
59 {$recaptcha}
60 <button type="submit" class="button login">
- 61 
+ 61 
62 <span>{translate key="Sign in"}</span>
63 </button>
64 <p>{translate key='Forgot your password? %sClick here%s.' p1="<a href=\"\$passlink\">" p2='</a>'}
}</p>
```

```
93 <fieldset>
94 {include file='formantispan.tpl'}
95 <button type="submit" class="button register">
- 96 
+ 96 
97 <span>{translate key="Create an account"}</span>
98 </button>
99 </fieldset>
```

### scripts/login/passremind.tpl

```
49 {$recaptcha}
50 <div class="bottombuttons">
51 <button type="submit" class="button passchange">
- 52 
+ 52 
53 <span>{translate key="Change password"}</span>
54 </button>
```

### scripts/login/passremind2.tpl

```

71
72         <div class="bottombuttons">
73             <button type="submit" class="button save">
- 74                 
+ 74                 
75             <span>{translate key="Save"}</span>
76         </button>
77     </div>

```

### scripts/login/register.tpl

```

294         <input type="hidden" name="addressform" value="{mode|escape}" />
295     <div class="bottombuttons">
296         <button type="submit" class="button register">
- 297             
+ 297             
298         <span>{translate key="Create an account"}</span>
299     </button>
300 </div>

```

### scripts/news/comments.tpl

```

4         <div class="boxhead tab-head">
5             <div class="leftside"></div>
6             <h3>
- 7                 
+ 7                 
8                 {translate key="Post comments"} ({ $article_comments|count})
9             </h3>
10        <div class="rightside"></div>

```

```

62         {/if}
63
64         <button type="submit" class="button">
- 65             
+ 65             
66             <span>{translate key="Send"}</span>
67         </button>
68     </fieldset>

```

### scripts/news/files.tpl

```

4         <div class="boxhead tab-head">

```

```
5         <div class="leftside"></div>
6         <h3>
- 7         
+ 7         
8         {translate key="Files"} ({$article->files|count})
9         </h3>
10        <div class="rightside"></div>
```

---

### scripts/news/index.tpl

```
32        <div class="boxhead">
33            <div class="leftside"></div>
34            <div class="article_header">
- 35            
+ 35            
36            <h3>
37                <span class="article_name">{$article->article->name|escape}</span>
38            </h3>
```

---

### scripts/newsletter/unsign.tpl

```
44            <input type="text" name="email" id="email_input1" value="{ $email|escape}" size="30" />
45        </div>
46        <button type="submit" class="button unsign">
- 47            
+ 47            
48            <span>{translate key="Unsubscribe"}</span>
49        </button>
50    </fieldset>
```

---

### scripts/panel/address-edit.tpl

```
120        <input type="hidden" name="addressform" value="1" />
121        <div class="bottombuttons">
122            <button type="submit" name="button1" value="button1" class="button undo">
- 123            
+ 123            
124            <span>&laquo; {translate key='Back'}</span>
125        </button>
126        <button type="submit" name="button2" value="button2" class="button important save">
- 127            
+ 127            
128            {if $address_id > 0}
129            <span>{translate key='Save'}</span>
130        {else}
```

---

### scripts/panel/address.tpl

```

59
60         <div class="links">
61             <a href="{route key='panelAddressEdit' addressId=$address->address_book_id}" class="edit spanhover"
>
- 62         
+ 62         
63             <span>{translate key='edit'}</span>
64         </a>
65         <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="remove spanho
ver titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1|escape p2=$addr
ess->zip_code|escape p3=$address->city|escape}">
- 66         
+ 66         
67             <span>{translate key='remove'}</span>
68         </a>
69         {if 0 == $address->default}
70         <a href="{route key='panelAddressDefault' addressId=$address->address_book_id}" class="default span
hover">
- 71         
+ 71         
72             <span>{translate key='set as billing address'}</span>
73         </a>
74         {else}
75         <em class="default">
- 76         
+ 76         
77             <span>{translate key='default billing address'}</span>
78         </em>
79         {/if}
80         {if 0 == $address->shipping_default}
81         <a href="{route key='panelAddressShipping' addressId=$address->address_book_id}" class="shipping sp
anhover">
- 82         
+ 82         
83             <span>{translate key='set as delivery address'}</span>
84         </a>
85         {else}
86         <em class="shipping">
- 87         
+ 87         
88             <span>{translate key='default delivery address'}</span>
89         </em>
90         {/if}

94     </ul>
95     {/if}
96     <a class="add spanhover" href="{route key='panelAddressEdit'}">
- 97         
+ 97         

```

```
98 <span>{translate key='Add an address'}</span>
99 </a>
100 <div class="rightside"></div>
```

### scripts/panel/edit.tpl

```
160
161 <div class="bottombuttons">
162 <button type="submit" class="button save">
- 163 
+ 163 
164 <span>{translate key="Save"}</span>
165 </button>
166 </div>
```

### scripts/panel/favourites.tpl

```
86 </if>
87 <td class="actions">
88 <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to cart'}" class="
addtobasket spanhover">
- 89 
+ 89 
90 <span>{translate key='add to cart'}</span>
91 </a>
92
```

```
106 </if>
107
108 <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'}" class
="remove spanhover">
- 109 
+ 109 
110 <span>{translate key='remove'}</span>
111 </a>
112 </td>
```

### scripts/panel/index.tpl

```
98 </table>
99 {if $orders_alllink}
100 <a class="allorders button spanhover" href="{route key='panelOrders'}">
- 101 
+ 101 
102 <span>{translate key='Order history (%d)' p1=$orders_count}</span>
103 </a>
104 </if>
```

```
109         }{$user->user->userinfo->firstname|escape} {$user->user->userinfo->lastname|escape} {/if}</p>
110 <p class="mail">{$user->user->userinfo->email|escape}</p>
111 <a href="{route key='panelEdit'}" class="editprofile button spanhover">
- 112     
+ 112     
113     <span>{translate key='Edit your profile'}</span>
114 </a>
115 <a href="{route key='panelPassword'}" class="changePASS button spanhover">
- 116     
+ 116     
117     <span>{translate key='Change password'}</span>
118 </a>
119
```

```
156     </li>
157 </ul>
158 <a href="{route key='panelAddressList'}" class="editaddresses button spanhover">
- 159     
+ 159     
160     <span>{translate key='Edit an address'}</span>
161 </a>
162
```

```
183
184     {if $loyalty_exchange}
185     <a href="{route key='loyaltyList'}" class="loyaltylist button spanhover">
- 186     
+ 186     
187     <span>{translate key='Go to the list of products that you can exchange for points'}</span>
188 </a>
189     {/if}
```

```
238 <h4 class="separator">{translate key='Products'}</h4>
239 {if $comments_count > 0}
240     <a href="{route key='panelComments'}" class="prodcomments button spanhover">
- 241     
+ 241     
242     <span>{translate key='Your product reviews (%d)' p0=$comments_count}</span>
243 </a>
244 {/if}
245 {if $favourites_count > 0}
246     <a href="{route key='panelFavourites'}" class="prodstorage button spanhover">
- 247     
+ 247     
248     <span>{translate key='Products on wishlist (%d)' p0=$favourites_count}</span>
249 </a>
250 {/if}
```

## scripts/panel/order.tpl

```
52         {if $config_confirm}
53         <dt class="confirm">{translate key='E-mail confirmation'}</dt>
54         <dd class="confirm">{if 1 == $order->order->confirm}
- 55             
+ 55             
56             <span class="confirmed">{translate key='confirmed'}</span>
57             {else}
- 58             
+ 58             
59             <span class="notconfirmed">{translate key='none!'}</span>
60         {/if}</dd>
61     {/if}
```

```
203         {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
204             {translate key='Your payment is being processed.'}
205             <button class="important pay" type="submit">
- 206                 
+ 206                 
207                 <span>{translate key='Pay again'}</span>
208             </button>
209             {else}
210             <button class="important pay" type="submit">
- 211                 
+ 211                 
212                 <span>{translate key='Pay'}</span>
213             </button>
214             {/if}
215         {/if}
216     {else}
217     <button class="important pay" type="submit">
- 218         
+ 218         
219         <span>{translate key='Pay'}</span>
220     </button>
221 {/if}
```

## scripts/panel/orders.tpl

```
63         {if $config_confirm}
64         <td class="status">
65             {if 1 == $order->order->confirm}
- 66                 
+ 66                 
67                 <span class="confirmed">{translate key='confirmed'}</span>
68             {else}
```



```

- 69 
+ 69 
70 <span class="notconfirmed">{translate key='none!'}</span>
71 </if>
72 </td>
73 </if>
74 <td class="actions">
75 <a href="{route key='panelOrder' orderId=$id}" class="details spanhover" title="{translate key=
'Order details'}">
- 76 
+ 76 
77 <span>{translate key='details'}</span>
78 </a>
79 {if $order->getAmountToPay() > 0 && $order->hasSupportOnlinePayment()}
80 <a href="{route key='panelPayment' orderId=$id}" class="payment spanhover">
- 81 
+ 81 
82 <span>{translate key='pay'}</span>
83 </a>
84 </if>
85 {if $order->invoice && true == $show_invoice}
86 <a href="{baseDir}/console/invoices/pdf/id/{$order->invoice->invoice->invoice_id}" class="invoi
ce spanhover">
- 87 
+ 87 
88 <span>{translate key='invoice'}</span>
89 </a>
90 </if>

```

### scripts/panel/password.tpl

```

83
84 <div class="bottombuttons">
85 <button type="submit" class="button save">
- 86 
+ 86 
87 <span>{translate key="Save"}</span>
88 </button>
89 </div>

```

### scripts/product/index.tpl

```

252 <input type="hidden" value="{product->product->product_id}" name="product_id" />
253 <input type="hidden" value="1" name="nojs" />
254 <button type="submit" class="addtobasket">
- 255 
+ 255 

```

```

256         to cart"}/{/if}</span>
257         </button>
258         {if false != $loyalty_points && !$loyalty_exchange}

274         <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
275 null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
276         <div class="button_wrap">
277         <a class="availability-notifier-btn btn btn-red" data-is-logged="{if tr
278 ue == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-product-id="{ $product->product->
279 product_id}" data-product-name="{ $product->translation->name|escape}">
280         
281         
282         <span>{translate key="Notify of product availability"}</span>
283         </a>
284         </div>

283         <fieldset class="availability-notifier-unsubscribe-container{if $availabili
284 tyNotifyUser == null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
285         <div class="button_wrap">
286         <a class="availability-notifier-unsubscribe-btn btn btn-red" data-s
287 tock-id="{ $product->defaultStock->stock->stock_id}">
288         
289         
291         <span>{translate key="cancel notify"}</span>
292         </a>
293         </div>

340         <dd class="evaluation">
341         <span class="votestars" {if $can_vote} id="votestars_{ $product->getIdentifier()|escape}"{/if
342 }>
343         {foreach from=$vote_stars item=star name=list}
344         
346         
348         {/foreach}
349         </span>
350         ({translate key="Number of ratings"}: <span class="votecount">{if $product->vote->votes}{ $p
351 roduct->vote->votes|escape|replace:'.':'-' }{else}0{/if}</span>)

378         {if 1 == $skin_settings->productdetails->question}
379         <li class="question">
380         <a href="{route key='productQuestion' productId=$product->getIdentifier()}" title="{transla
381 te key='ask about product'}" class="spanhover question ajaxlayer">
382         
383         

```

```

382         <span>{translate key="ask about product"}</span>
383     </a>
384 </li>

```

---

```

386     {if 1 == $skin_settings->productdetails->storage}
387     <li class="addtofav">
388         <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifier()}" title=
" {translate key='add to wish list'}" class="spanhover addtofav">
- 389             
+ 389             
390             <span>{translate key="add to wish list"}</span>
391         </a>
392     </li>

```

---

```

394     {if 1 == $skin_settings->productdetails->recommend}
395     <li class="mailfriend">
396         <a href="{route key='productMailFriend' productId=$product->getIdentifier()}" title="{trans
late key='recommend to a friend'}" class="spanhover mailfriend">
- 397             
+ 397             
398             <span>{translate key="recommend to a friend"}</span>
399         </a>
400     </li>

```

---

```

403     {if $can_comment}
404     <li class="comment">
405         <a href="#commentform" title="{translate key='add your review'}" class="spanhover comme
nt addcomment">
- 406             
+ 406             
407             <span>{translate key="add your review"}</span>
408         </a>
409     </li>
410     {else}
411     <li class="comment">
412         <a href="#" title="{translate key='Only registered users can add reviews.'}" class="spa
nhover comment titlealert">
- 413             
+ 413             
414             <span>{translate key="add your review"}</span>
415         </a>
416     </li>

```

---

```

433     {foreach from=$product->files item=file}
434     <li>
435         <a href="{route key='productFile' name=$file->name file=$file->file_name}" title="{if $
file->description}{$file->description|escape}{else}{$file->name|escape}{/if}" class="spanhover">

```

```
- 436 
+ 436 
437 <span>{if $file->description}{$file->description|escape}{else}{$file->name|escape}{
/if}</span>
438 </a>
439 </li>
```

```
573 <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basket
AddRoute stockId=$rproduct->defaultStock->getIdentifier()}" method="get">
574 <fieldset>
575 <button class="addtobasket" type="submit">
- 576 
+ 576 
577 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}{/if}</span>
578 <input type="hidden" value="{rproduct->defaultStock->getIdentifier()}|e
scape}" name="stock_id">
579 </button>
```

```
618 <div class="error_message flash_message">
619 <a href="#" class="close spanhover" style="display: block;">
620 <span>{translate key="close"}</span>
- 621 
+ 621 
622 </a>
623 <div class="container">
624 <p>{translate key="You have to fill name or nick field."}</p>
```

```
629 <div class="error_message flash_message">
630 <a href="#" class="close spanhover" style="display: block;">
631 <span>{translate key="close"}</span>
- 632 
+ 632 
633 </a>
634 <div class="container">
635 <p>{translate key="You have to fill comment field."}</p>
```

```
672 </div>
673
674 <button type="submit" class="button">
- 675 
+ 675 
676 <span>{translate key="Send"}</span>
677 </button>
678 </fieldset>
```

## scripts/product/list.tpl

```
78         <ul class="prodview">
79             <li class="name{if 'name' == $view} selected{/if}"><a href="{array __key=urlOptions view=name}{url
urlOptions=$urlOptions}{if $google?{$google|escape}}{/if
80                 }" title="{translate key='Minimal view'
- 81                 }"><span>{translate key='List'}</sp
an></a></li>
+ 81                 }"><span>{translate key='List'}<
/span></a></li>
82             <li class="desc{if 'desc' == $view} selected{/if}"><a href="{array __key=urlOptions view=desc}{url
urlOptions=$urlOptions}{if $google?{$google|escape}}{/if
83                 }" title="{translate key='Quick view'
- 84                 }"><span>{translate key='Descriptio
n'}</span></a></li>
+ 84                 }"><span>{translate key='Descrip
tion'}</span></a></li>
85             <li class="photo{if 'phot' == $view} selected{/if}"><a href="{array __key=urlOptions view=phot}{url
urlOptions=$urlOptions}{if $google?{$google|escape}}{/if
86                 }" title="{translate key='Picture view'
- 87                 }"><span>{translate key='Picture'}<
/span></a></li>
+ 87                 }"><span>{translate key='Picture
'}</span></a></li>
88             <li class="full{if 'full' == $view} selected{/if}"><a href="{array __key=urlOptions view=full}{url
urlOptions=$urlOptions}{if $google?{$google|escape}}{/if
89                 }" title="{translate key='Full view'
- 90                 }"><span>{translate key='Full'}</sp
an></a></li>
+ 90                 }"><span>{translate key='Full'}<
/span></a></li>
91         </ul>
92     {/if}
93
```

## scripts/product/mailfriend.tpl

```
68         </div>
69
70         <button type="submit" class="button send">
- 71             
+ 71             
72             <span>{translate key="Send"}</span>
73         </button>
74     </fieldset>
```

## scripts/product/question.tpl

```
13         {if true == $mail_send}
14         <div class="bottombuttons">
```

```
15 <button type="button" class="button close_mask">
- 16 
+ 16 
17 <span>{translate key='OK'}</span>
18 </button>
19 </div>
```

```
78
79 <div class="bottombuttons">
80 <button type="submit" class="button">
- 81 
+ 81 
82 <span>{translate key='Send'}</span>
83 </button>
84 </div>
```

### scripts/product/searchbox.tpl

```
94
95 <div class="bottombuttons centertext">
96 <button type="submit" class="button search">
- 97 
+ 97 
98 <span>{translate key="Search"}</span>
99 </button>
100 <button type="submit" class="button clearbutton reset">
- 101 
+ 101 
102 <span>{translate key="Clean the filter"}</span>
103 </button>
104 </div>
```

### scripts/product/tableofproducts.tpl

```
61 </foreach>
62 </if>
63 <button class="addtobasket" type="submit">
- 64 
65 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{tr
anslate key="Add to cart"}</if></span>
66 </button>
67 </fieldset>

170 </foreach>
```

```
171         {/if}
172         <button class="addtobasket" type="submit">
- 173         
+ 173         
174         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{transl
ate key="Add to cart"}{/if}</span>
175         </button>
176     </fieldset>
```

## Pliki .css

## Pliki .less