

Pliki .tpl

boxes/Bestsellers/box.tpl

```

37         <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffe
rPrice()}</em>
38     </p>
39
- 40     <p class="price__regular">
- 41         {translate key="Regular price"}:
- 42     <del class="price__inactive">{currency value=$bs_product->defaultStock->get
Price()}</del>
- 43     </p>
+ 40     {if $isRegularPriceVisible}
+ 41     <p class="price__regular">
+ 42         {translate key="Regular price"}:
+ 43     <del class="price__inactive">{currency value=$bs_product->defaultStock-
>getPrice()}</del>
+ 44     </p>
+ 45     {/if}
46
47         {feature name="omnibus_frontend"}
- 48     {if $showLowestPriceHistory}
- 49     <div class="f-row clear">
+ 43     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 44     <div class="f-row clear price__omnibus">
45         {translate key='Lowest price'}:
46         <strong class="price__inactive">
47             {currency value=$bs_product->stock->getHistoricalLowestPrice()}

56     {/feature}
57
58     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->curren
cy->getIdentifier()}
- 59     <p class="product__currency">
+ 59     <p class="product__currency price__currency">
60         {translate key="Price"} ({ $bs_product->currency->currency->name|escape}
):
61     <em class="default-currency">({currency id=$bs_product->product->curren

```

```

62 cy_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice())</em>
    </p>
67
68
69 {if $bs_product->currency and $currency->getIdentifier() != $bs_product->curren
cy->getIdentifier()}
- 70 <p class="product__currency">
+ 70 <p class="product__currency price__currency">
71 {translate key="Price"} ({$bs_product->currency->currency->name|escape}
):
72 <em class="default-currency">({currency id=$bs_product->product->curren
cy_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice()})</em>
73 </p>
84 <em class="color">{currency value=$bs_product->defaultStock->getSpecial
OfferPrice(true)}</em>
85 </p>
86
- 87 <p class="price__regular">
- 88 {translate key="Regular price"}:
- 89 <del class="price__inactive">{currency value=$bs_product->defaultStock-
>getPrice(true)}</del>
- 90 </p>
+ 87 {if $isRegularPriceVisible}
+ 88 <p class="price__regular">
+ 89 {translate key="Regular price"}:
+ 90 <del class="price__inactive">{currency value=$bs_product->defaultSt
ock->getPrice(true)}</del>
+ 91 </p>
+ 92 {/if}
93
94 {feature name="omnibus_frontend"}
- 95 {if $showLowestPriceHistory}
- 96 <div class="f-row clear">
+ 90 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 91 <div class="f-row clear price__omnibus">
92 {translate key='Lowest price'}:
93 <strong class="price__inactive">
94 {currency value=$bs_product->stock->getHistoricalLowestPric
e(true)}
103 </feature>
104
105 {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
- 106 <p class="product__currency">
+ 106 <p class="product__currency price__currency">

```

```

107     ape}}):
108         {translate key="Price"} ({$bs_product->currency->currency->name|esc
109         <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
        </p>

114     </p>
115
116     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
- 117     <p class="product_currency">
+ 117     <p class="product_currency price_currency">
118         {translate key="Price"} ({$bs_product->currency->currency->name|esc
ape}}):
119         <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice(true)})</em>
120     </p>

```

boxes/NewProducts/box.tpl

```

37     <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPri
ce()}</em>
38     </p>
39
- 40     <p class="price_regular">
- 41         {translate key="Regular price"}:
- 42     <del class="price_inactive">{currency value=$newproduct->defaultStock->getPri
ce()}</del>
- 43     </p>
+ 40     {if $isRegularPriceVisible}
+ 41     <p class="price_regular">
+ 42         {translate key="Regular price"}:
+ 43     <del class="price_inactive">{currency value=$newproduct->defaultStock->get
Price()}</del>
+ 44     </p>
+ 45     {/if}
46
47     {feature name="omnibus_frontend"}
- 48     {if $showLowestPriceHistory}
- 49     <div class="f-row clear">
+ 43     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 44     <div class="f-row clear price_omnibus">
45         {translate key='Lowest price'}:
46         <strong class="price_inactive">
47             {currency value=$newproduct->stock->getHistoricalLowestPrice()}

56     {/feature}
57
58     {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->

```

```

getIdentifier()
- 59 <p class="product__currency">
+ 59 <p class="product__currency price__currency">
60     {translate key="Price"} ({$newproduct->currency->currency->name|escape}):
61     <em class="default-currency">({currency id=$newproduct->product->currency_id
d rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
62     </p>

67 </p>
68
69     {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
- 70 <p class="product__currency">
+ 70 <p class="product__currency price__currency">
71     {translate key="Price"} ({$newproduct->currency->currency->name|escape}):
72     <em class="default-currency">({currency id=$newproduct->product->currency_id
d rate=1 value=$newproduct->defaultStock->getCurrencyPrice()})</em>
73     </p>

84     <em class="color">{currency value=$newproduct->defaultStock->getSpecialOffe
rPrice(true)}</em>
85     </p>
86
- 87 <p class="price__regular">
- 88     {translate key="Regular price"}:
- 89     <del class="price__inactive"><del>{currency value=$newproduct->defaultStock
->getPrice(true)}</del>
- 90     </p>
+ 87     {if $isRegularPriceVisible}
+ 88     <p class="price__regular">
+ 89     {translate key="Regular price"}:
+ 90     <del class="price__inactive">{currency value=$newproduct->defaultStock-
>getPrice(true)}</del>
+ 91     </p>
+ 92     {/if}
93
94     {feature name="omnibus_frontend"}
- 95     {if $showLowestPriceHistory}
- 96     <div class="f-row clear">
+ 90     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 91     <div class="f-row clear price__omnibus">
92         {translate key='Lowest price'}:
93         <strong class="price__inactive">
94             {currency value=$newproduct->stock->getHistoricalLowestPrice(tr
ue)}

103     {/feature}
104

```

```

105                                     {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
cy->getIdentifier()}}
- 106                                     <p class="product__currency">
+ 106                                     <p class="product__currency price__currency">
107                                     {translate key="Price" } ({$newproduct->currency->currency->name|escape}
):
108                                     <em class="default-currency">({currency id=$newproduct->product->curren
cy_id rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
109                                     </p>

```

```

114                                     </p>
115
116                                     {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
cy->getIdentifier()}}
- 117                                     <p class="product__currency">
+ 117                                     <p class="product__currency price__currency">
118                                     {translate key="Price" } ({$newproduct->currency->currency->name|escape}
):
119                                     <em class="default-currency">({currency id=$newproduct->product->curren
cy_id rate=1 value=$newproduct->defaultStock->getCurrencyPrice(true)})</em>
120                                     </p>

```

boxes/ProductOfTheDay/box.tpl

```

30                                     <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
31                                     </p>
32
- 33                                     <p class="price__regular">
- 34                                     {translate key="Regular price"}:
- 35                                     <del class="price__inactive">{currency value=$potd->defaultStock->getPrice()}</del>
- 36                                     </p>
+ 33                                     {if $isRegularPriceVisible}
+ 34                                     <p class="price__regular">
+ 35                                     {translate key="Regular price"}:
+ 36                                     <del class="price__inactive">{currency value=$potd->defaultStock->getPrice()}</
del>
+ 37                                     </p>
+ 38                                     {/if}
39
40                                     {feature name="omnibus_frontend"}
- 41                                     {if $showLowestPriceHistory}
- 42                                     <div class="f-row clear">
+ 36                                     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 37                                     <div class="f-row clear price__omnibus">
38                                     {translate key='Lowest price'}:
39                                     <strong class="price__inactive">
40                                     {currency value=$potd->stock->getHistoricalLowestPrice()}

```

```

49         {/feature}
50
51         {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}
- 52         <p class="product__currency">
+ 52         <p class="product__currency price__currency">
53             {translate key="Price"} ({$potd->currency->currency->name|escape}):
54             <em class="default-currency">({currency id=$potd->product->currency_id rate=1 v
alue=$potd->defaultStock->getCurrencySpecialOfferPrice()})</em>
55         </p>

```

```

60     </p>
61
62     {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}
- 63     <p class="product__currency">
+ 63     <p class="product__currency price__currency">
64         {translate key="Price"} ({$potd->currency->currency->name|escape}):
65         <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencyPrice()})</em>
66     </p>

```

```

77         <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(true)
e}</em>
78     </p>
79
- 80     <p class="price__regular">
- 81         {translate key="Regular price"}:
- 82         <del class="price__inactive">{currency value=$potd->defaultStock->getPrice(true)
}</del>
- 83     </p>
+ 80     {if $isRegularPriceVisible}
+ 81         <p class="price__regular">
+ 82             {translate key="Regular price"}:
+ 83             <del class="price__inactive">{currency value=$potd->defaultStock->getPrice(
true)}</del>
+ 84         </p>
+ 85     {/if}
86
87     {feature name="omnibus_frontend"}
- 88     {if $showLowestPriceHistory}
- 89     <div class="f-row clear">
+ 83     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 84     <div class="f-row clear price__omnibus">
85         {translate key='Lowest price'}:
86         <strong class="price__inactive">
87             {currency value=$potd->stock->getHistoricalLowestPrice(true)}

```

```

96         {/feature}
97
98         {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
r()}}
- 99         <p class="product__currency">
+ 99         <p class="product__currency price__currency">
100             {translate key="Price"} ({$potd->currency->currency->name|escape}):
101             <em class="default-currency">({currency id=$potd->product->currency_id rate
=1 value=$potd->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
102         </p>

```

```

107         </p>
108
109         {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
r()}}
- 110         <p class="product__currency">
+ 110         <p class="product__currency price__currency">
111             {translate key="Price"} ({$potd->currency->currency->name|escape}):
112             <em class="default-currency">({currency id=$potd->product->currency_id rate
=1 value=$potd->defaultStock->getCurrencyPrice(true)})</em>
113         </p>

```

boxes/Recent/box.tpl

```

31         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
32     </p>
33
- 34     <p class="price__regular">
- 35         {translate key="Regular price"}:
- 36         <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice()}</del>
- 37     </p>
+ 34     {if $isRegularPriceVisible}
+ 35         <p class="price__regular">
+ 36             {translate key="Regular price"}:
+ 37             <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice()}</d
el>
+ 38         </p>
+ 39     {/if}
40
41     {feature name="omnibus_frontend"}
- 42     {if $showLowestPriceHistory}
- 43     <div class="f-row clear">
+ 37     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 38     <div class="f-row clear price__omnibus">
39         {translate key='Lowest price'}:
40         <strong class="price__inactive">
41             {currency value=$special_product->stock->getHistoricalLowestPrice()}

```

```

50         {/feature}
51
52         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIde
ntifier()}}
- 53         <p class="product__currency">
+ 53         <p class="product__currency price__currency">
54             {translate key="Price"} ({$special_product->currency->currency->name|escape}):
55             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
ue=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
56         </p>

```

```

60         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
61     </p>
62     {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIde
ntifier()}}
- 63     <p class="product__currency">
+ 63     <p class="product__currency price__currency">
64         {translate key="Price"} ({$special_product->currency->currency->name|escape}):
65         <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
ue=$special_product->defaultStock->getCurrencyPrice()}</em>
66     </p>

```

```

77         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true
)}</em>
78     </p>
79
- 80     <p class="price__regular">
- 81         {translate key="Regular price"}:
- 82         <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice(true)
}</del>
- 83     </p>
+ 80     {if $isRegularPriceVisible}
+ 81         <p class="price__regular">
+ 82             {translate key="Regular price"}:
+ 83             <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice(t
rue)}</del>
+ 84         </p>
+ 85     {/if}
86
87     {feature name="omnibus_frontend"}
- 88     {if $showLowestPriceHistory}
- 89     <div class="f-row clear">
+ 83     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 84     <div class="f-row clear price__omnibus">
85         {translate key='Lowest price'}:
86         <strong class="price__inactive">
87             {currency value=$special_product->stock->getHistoricalLowestPrice(true)}

```



```

96         {/feature}
97
98         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}
- 99         <p class="product__currency">
+ 99         <p class="product__currency price__currency">
100             {translate key="Price"} ({$special_product->currency->currency->name|escape}):
101             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
102             </p>

```

```

107         </p>
108
109         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}
- 110         <p class="product__currency">
+ 110         <p class="product__currency price__currency">
111             {translate key="Price"} ({$special_product->currency->currency->name|escape}):
112             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
value=$special_product->defaultStock->getCurrencyPrice(true)}</em>
113             </p>

```

boxes/Recommendations/box.tpl

```

28         <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice()}</em>
29     </p>
30
- 31     <p class="price__regular">
- 32         {translate key="Regular price"}:
- 33     <p class="price__inactive">{currency value=$rec->object->defaultStock->getPrice()}</del>
- 34     </p>
+ 31     {if $isRegularPriceVisible}
+ 32     <p class="price__regular">
+ 33         {translate key="Regular price"}:
+ 34     <p class="price__inactive">{currency value=$rec->object->defaultStock->getPrice()}</del>
+ 35     </p>
+ 36     {/if}
37
38     {feature name="omnibus_frontend"}
- 39     {if $showLowestPriceHistory}
- 40     <div class="f-row clear">
+ 34     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 35     <div class="f-row clear price__omnibus">
36         {translate key='Lowest price'}:
37         <strong class="price__inactive">
38             {currency value=$rec->object->stock->getHistoricalLowestPrice()}

```

```

75         <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice(true)}</
em>
76     </p>
77
- 78     <p class="price__regular">
- 79         {translate key="Regular price"}:
- 80     <del class="price__inactive">{currency value=$rec->object->defaultStock->getPrice(true)}</d
el>
- 81     </p>
+ 78     {if $isRegularPriceVisible}
+ 79     <p class="price__regular">
+ 80     {translate key="Regular price"}:
+ 81     <del class="price__inactive">{currency value=$rec->object->defaultStock->getPrice(true)
}</del>
+ 82     </p>
+ 83     {/if}
84
85     {feature name="omnibus_frontend"}
- 86     {if $showLowestPriceHistory}
- 87     <div class="f-row clear">
+ 81     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 82     <div class="f-row clear price__omnibus">
83         {translate key='Lowest price'}:
84         <strong class="price__inactive">
85             {currency value=$rec->object->stock->getHistoricalLowestPrice(true)}

```

```

94     {/feature}
95
96     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
ier()}
- 97     <p class="product__currency">
+ 97     <p class="product__currency price__currency">
98         {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
99         <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
lue=$rec->object->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
100     </p>

```

```

105     </p>
106
107     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
ier()}
- 108     <p class="product__currency">
+ 108     <p class="product__currency price__currency">
109         {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
110         <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
lue=$rec->object->defaultStock->getCurrencyPrice(true)})</em>
111     </p>

```

boxes/SpecialOffer/box.tpl

```
31         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice()}</em>
32     </p>
33
- 34     <p class="price__regular">
- 35         {translate key="Regular price"}:
- 36         <del class="price__inactive">{currency value=$special_product->defaultStock->getPri
ce()}</del>
- 37     </p>
+ 34     {if $isRegularPriceVisible}
+ 35         <p class="price__regular">
+ 36             {translate key="Regular price"}:
+ 37             <del class="price__inactive">{currency value=$special_product->defaultStock->ge
tPrice()}</del>
+ 38         </p>
+ 39     {/if}
40
41     {feature name="omnibus_frontend"}
- 42     {if $showLowestPriceHistory}
- 43     <div class="f-row clear">
+ 37     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 38     <div class="f-row clear price__omnibus">
39         {translate key='Lowest price'}:
40         <strong class="price__inactive">
41             {currency value=$special_product->stock->getHistoricalLowestPrice()}

```

```
50     {/feature}
51
52     {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 53     <p class="product__currency">
+ 53     <p class="product__currency price__currency">
54         {translate key="Price"} ({$special_product->currency->currency->name|escape}):
55         <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
56     </p>

```

```
60     <em>{currency value=$special_product->defaultStock->getPrice()}</em>
61 </p>
62     {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 63     <p class="product__currency">
+ 63     <p class="product__currency price__currency">
64         {translate key="Price"} ({$special_product->currency->currency->name|escape}):
65         <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencyPrice()}</em>

```

```

77         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice(true)}</em>
78     </p>
79
- 80     <p class="price__regular">
- 81         {translate key="Regular price"}:
- 82     <del class="price__inactive">{currency value=$special_product->defaultStock->getPri
ce(true)}</del>
- 83     </p>
+ 80     {if $isRegularPriceVisible}
+ 81     <p class="price__regular">
+ 82         {translate key="Regular price"}:
+ 83     <del class="price__inactive">{currency value=$special_product->defaultStock->ge
tPrice(true)}</del>
+ 84     </p>
+ 85     {/if}
86
87     {feature name="omnibus_frontend"}
- 88     {if $showLowestPriceHistory}
- 89     <div class="f-row clear">
+ 83     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 84     <div class="f-row clear price__omnibus">
85         {translate key='Lowest price'}:
86         <strong class="price__inactive">
87             {currency value=$special_product->stock->getHistoricalLowestPrice(true)
}

```

```

96     {/feature}
97
98     {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 99     <p class="product__currency">
+ 99     <p class="product__currency price__currency">
100         {translate key="Price"} ({$special_product->currency->currency->name|escape}):
101         <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
102     </p>

```

```

107     </p>
108
109     {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 110     <p class="product__currency">
+ 110     <p class="product__currency price__currency">
111         {translate key="Price"} ({$special_product->currency->currency->name|escape}):
112         <em class="default-currency">{currency id=$special_product->product->currency_id

```

scripts/configs.tpl

```
10         "facebookBusinessExtension": {
11             "isActive": {/literal}{if $isFbeEnabled>true{else}false{/if}{literal},
12             "pixelId": "{/literal}{$fbePixelId|escape}{literal}"
+ 13         }{/literal}
+ 14         {feature name="google_analytics_v4_campaign"}
+ 15         {literal},
+ 16         "campaignGoogleAnalyticsV4": {
+ 17             "isActive": {/literal}{if $shoperCampaignsGa4Settings.isActive>true{else}false{/if}{literal},
+ 18             "trackingId": "{/literal}{$shoperCampaignsGa4Settings.measurementId|escape}{literal}",
+ 19             "isGtm": "0"
20         }
+ 21     }{/literal}
+ 22 }{/feature}
+ 23 {literal}
24     }
25 </script>
- 26 {/literal}
- 27
- 28
- 29
- 30
- 31
+ 16 {/literal}
```

scripts/product/tableofproducts.tpl

```
9         {if 'full' == $view || $view == 'desc'}
10             <div class="products view{$view}" {if $price_mode == '2'}data-netto="true"{/if}>
11                 {foreach from=$products item=product name=prodlist}
- 12                     <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="oneperrow f-row pro
duct {$columnCounter}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}">
+ 12                     <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="oneperrow f-row pro
duct product_view-extended {$columnCounter}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}">
13                         <div class="f-row description">
14                             <h3 class="small tablet f-grid-12">
15                                 <a href="{route function=$productRoute key=$product->product->product_id productName=$product->translation-
>name productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="nofollow">
76                     {else}
77                         {if $showprices}
78                             <div class="price{if ($enable_availability_notifier && $product->isEnabledNotifier()) == false
&& ($enablebasket && $product->canBuyStock()) == false} noform{/if}">
```

```

- 79 ) <div>
+ 79 {if $price_mode == '1' || $price_mode == '3'}
80 <span>{translate key="Price"}:</span>
- 81 {if $price_mode == '1' || $price_mode == '3'}
- 82 {if $product->specialOffer}
- 83 <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice(
)}</em>
- 84 <del>{currency value=$product->defaultStock->getPrice()}</del>
- 85 {if $product->currency and $currency->getIdentifier() != $product->currency->ge
tIdentifier()}
- 86 <em class="default-currency">({currency id=$product->product->currency_id r
ate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 81 {if $product->specialOffer}
+ 82 <p>
+ 83 <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 84 </p>
+ 85
+ 86 <div class="price_additional-info">
+ 87 {if $additional_tax_info == '1'}
+ 88 {assign var=productTax value=$product->getTax()}
+ 89 <div class="tax-additional-info">
+ 90 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStoc
k->getPrice() != $product->defaultStock->getPrice(true)}
+ 91 {translate key="incl. %s TAX, excl. shipping costs" sl=$productTax-
>taxValue->name}
+ 92 {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $pr
oduct->defaultStock->getPrice(true)}
+ 93 {translate key="excl. %s TAX, excl. shipping costs" sl=$productTax-
>taxValue->name}
+ 94 {else}
+ 95 {translate key="excl. shipping costs"}
+ 96 {/if}
+ 97 </div>
98 {/if}
- 99 {else}
+ 83
+ 84 {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 85 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit(
)}}
+ 86 <div class="unit-price-container">
+ 87 {if $price_mode == '1' || $price_mode == '3'}
+ 88 <i class="default-currency">
+ 89 ( 1 {$unit->translation->name} =
+ 90 {if $product->specialOffer}
+ 91 {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice()}
+ 92 {else}
+ 93 {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice()}
+ 94 {/if}
+ 95 )

```

```

+ 96
+ 97                                     {elseif $price_mode == '2'}
+ 98                                     <i class="default-currency">
+ 99                                         ( 1 {$unit->translation->name} =
+ 100                                         {if $product->specialOffer}
+ 101                                         {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice(true)}
+ 102                                     {else}
+ 103                                     {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice(true)}
+ 104                                     {/if}
+ 105                                     )
+ 106                                     </i>
+ 107                                     {/if}
+ 108                                     </div>
+ 109                                     {/if}
+ 110                                     </div>
+ 111
+ 112                                     {if $isRegularPriceVisible}
+ 113                                     <p class="price__regular">
+ 114                                         {translate key="Regular price"}:
+ 115                                         <del class="price__inactive">{currency value=$product->defaultStock->getPri
ce()}</del>
+ 116                                     </p>
+ 117                                     {/if}
+ 118
+ 119                                     {feature name="omnibus_frontend"}
+ 120                                     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 121                                     <div class="f-row clear price__omnibus">
+ 122                                         {translate key='Lowest price'}:
+ 123                                         <strong class="js__omnibus-price-gross price__inactive">
+ 124                                             {currency value=$product->stock->getHistoricalLowestPrice()}
+ 125                                         </strong>
+ 126                                     </div>
+ 127                                     {/if}
+ 128                                     {/feature}
+ 129
+ 130                                     {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}}
+ 131                                     <p class="product__currency price__currency">
+ 132                                         {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 133                                         <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 134                                     </p>
+ 135                                     {/if}
+ 136                                     {else}
+ 137                                     <p>
138                                         <em>{currency value=$product->defaultStock->getPrice()}</em>
- 139                                         {if $product->currency and $currency->getIdentifier() != $product->currency->ge
tIdentifier()}}
- 140                                         <em class="default-currency">({currency id=$product->product->currency_id r

```

```

+ 85     </p>
+ 86
+ 87     <div class="price_additional-info">
+ 88         {if $additional_tax_info == '1'}
+ 89             {assign var=productTax value=$product->getTax()}
+ 90             <div class="tax-additional-info">
+ 91                 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStoc
k->getPrice() != $product->defaultStock->getPrice(true)}
+ 92                 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax-
>taxValue->name}
+ 93                 {else}
+ 94                 {translate key="excl. shipping costs"}
+ 95             {/if}
+ 96         </div>
+ 97     {/if}
+ 98
+ 99     {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 100     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit(
)}
+ 101     <div class="unit-price-container">
+ 102         {if $price_mode == '1' || $price_mode == '3'}
+ 103         <i class="default-currency">
+ 104             ( 1 {$unit->translation->name} =
+ 105             {if $product->specialOffer}
+ 106             {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice()}
+ 107             {else}
+ 108             {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice()}
+ 109             {/if}
+ 110         )
+ 111         </i>
+ 112         {/if}
+ 113     </div>
+ 114     {/if}
+ 115 </div>
+ 116
+ 117     {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
+ 118     <p class="product_currency price_currency">
+ 119         {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 120     <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencyPrice()}</em>
+ 121     </p>
+ 122     {/if}
+ 123     {/if}
+ 124     {/if}
+ 125
- 126     {if $price_mode == '1' || $price_mode == '2'}
+ 90     {if $price_mode == '1' || $price_mode == '2'}

```



```

91         {if $price_mode == '1'}
- 92         <i class="price-netto">({translate key="net"}:
+ 92         <i class="price-netto">
93         {/if}
- 94         {if $product->specialOffer}
+ 94         {if $product->specialOffer}
+ 95         <p>
+ 96         {if $price_mode == '1'}
+ 97         {translate key="Net price"}:
+ 98         {/if}
99         <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
>
- 100         <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 101         {if $product->currency and $currency->getIdentifier() != $product->currency
->getIdentifier()}
- 102         <em class="default-currency">({currency id=$product->product->currency_
id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 96         </p>
+ 97
+ 98         <div class="price__additional-info">
+ 99
+ 100         {if $additional_tax_info == '2' && $price_mode == '2'}
+ 101         {assign var=productTax value=$product->getTax()}
+ 102         <div class="tax-additional-info">
+ 103         {if $price_mode == '2' && $product->defaultStock->getPrice() != $pr
oduct->defaultStock->getPrice(true)}
+ 104         {translate key="excl. %s TAX, excl. shipping costs" s1=$product
Tax->taxValue->name}
+ 105         {else}
+ 106         {translate key="excl. shipping costs"}
+ 107         {/if}
+ 108         </div>
109         {/if}
- 110         {else}
- 111         <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 112         {if $product->currency and $currency->getIdentifier() != $product->currency
->getIdentifier()}
- 113         <em class="default-currency">({currency id=$product->product->currency_
id rate=1 value=$product->defaultStock->getCurrencyPrice(true)})</em>
+ 98
+ 99         {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 100         {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
+ 101         <div class="unit-price-container">
+ 102         {if $price_mode == '2'}
+ 103         <i class="default-currency">
+ 104         ( 1 {$unit->translation->name} =
+ 105         {if $product->specialOffer}
+ 106         {currency value=$product->defaultStock->getUnitPriceCal
culationSpecialOfferPrice(true)}
+ 107         {else}

```

```

+ 108 {currency value=$product->defaultStock->getUnitPriceCal
    culationPrice(true)}}
+ 109 {/if}
+ 110 )
+ 111 </i>
+ 112 {/if}
+ 113 </div>
114 {/if}
- 115 {/if}
- 116 {if $price_mode == '1'}
- 117 )</i>
- 118 {/if}
- 119 {/if}
- 120 </div>
+ 100 </div>
101
- 102 {if $product->product->unit_price_calculation && $unit_price_calculation}
- 103 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 104 <div class="unit-price-container">
- 105 {if $price_mode == '1' || $price_mode == '3'}
- 106 <i class="default-currency">
- 107 ( 1 {$unit->translation->name} =
- 108 {if $product->specialOffer}
- 109 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialO
fferPrice()}}
- 110 {else}
- 111 {currency value=$product->defaultStock->getUnitPriceCalculationPrice()}
+ 102 {if $price_mode == '2'}
+ 103 {if $isRegularPriceVisible}
+ 104 <p class="price_regular">
+ 105 {translate key="Regular price"}:
+ 106 <del class="price_inactive">{currency value=$product->defaultStock
->getPrice(true)}</del>
+ 107 </p>
108 {/if}
- 109 )
- 110 </i>
- 111 {elseif $price_mode == '2'}
- 112 <i class="default-currency">
- 113 ( 1 {$unit->translation->name} =
- 114 {if $product->specialOffer}
- 115 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialO
fferPrice(true)}}
- 116 {else}
- 117 {currency value=$product->defaultStock->getUnitPriceCalculationPrice(tr
ue)}}
+ 104
+ 105 {feature name="omnibus_frontend"}
+ 106 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 107 <div class="f-row clear price_omnibus">

```

```

+ 108 {translate key='Lowest price'}:
+ 109 <strong class="js_omnibus-price-gross price_inactive">
+ 110 {currency value=$product->stock->getHistoricalLowestPrice(true)
}
+ 111 </strong>
+ 112 </div>
113 {/if}
- 114 )
- 115 </i>
- 116 {/if}
- 117 </div>
- 118 {/if}
+ 106 {/feature}
107
- 108 {if $additional_tax_info == '1'}
- 109 {assign var=productTax value=$product->getTax()}
- 110 <div class="tax-additional-info">
- 111 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPrice(
) != $product->defaultStock->getPrice(true)}
- 112 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
- 113 {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->defau
ltStock->getPrice(true)}
- 114 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
+ 108 {if $product->currency and $currency->getIdentifier() != $product->currency
->getIdentifier()}
+ 109 <p class="product_currency price_currency">
+ 110 {translate key="Price" ({$product->currency->currency->name|escape
}):
+ 111 <em class="default-currency">{currency id=$product->product->curren
cy_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 112 </p>
+ 113 {/if}
+ 114 {/if}
115 {else}
- 116 {translate key="excl. shipping costs"}
- 117 {/if}
- 118 </div>
- 119 {/if}
- 120
- 121 {feature name="omnibus_frontend"}
- 122 {if $showLowestPriceHistory && $product->specialOffer}
- 123 <div class="f-row clear">
- 124 {translate key='The lowest price during 30 days prior to the reduction'}:
- 125 <strong class="price_inactive">
- 126 {if $price_mode == '1' || $price_mode == '3'}
- 127 {currency value=$product->stock->getHistoricalLowestPrice()|escape}
- 128 {elseif $price_mode == '2'}
- 129 {currency value=$product->stock->getHistoricalLowestPrice(true)|escape}

```

```

+ 110 <p>
+ 111     {if $price_mode == '1'}
+ 112         {translate key="Net price"}:
113         {/if}
- 114 </strong>
+ 112 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 113 </p>
114
- 115 <span class="hint">
- 116     <span class="icon icon-help"></span>
- 117     <span class="hint__content">
- 118         {translate key='If the product is sold for less than 30 days, the lowes
t price since the product went on sale is displayed.'}
- 119     </span>
- 120 </span>
- 121 </div>
+ 114     {if $price_mode == '2'}
+ 115         <div class="price__additional-info">
+ 116             {if $additional_tax_info == '1'}
+ 117                 {assign var=productTax value=$product->getTax()}
+ 118                 <div class="tax-additional-info">
+ 119                     {if $price_mode == '2' && $product->defaultStock->getPrice() !=
$product->defaultStock->getPrice(true)}
+ 120                         {translate key="excl. %s TAX, excl. shipping costs" s1=$pro
ductTax->taxValue->name}
+ 121                     {else}
+ 122                         {translate key="excl. shipping costs"}
+ 123                     {/if}
+ 124                 </div>
+ 125             {/if}
+ 126
+ 127         {if $product->product->unit_price_calculation && $unit_price_calculatio
n}
+ 128             {assign var=unit value=$product->defaultStock->getUnitPriceCalculat
ionUnit()}
+ 129             <div class="unit-price-container">
+ 130                 {if $price_mode == '2'}
+ 131                     <i class="default-currency">
+ 132                         ( 1 {$unit->translation->name} =
+ 133                         {if $product->specialOffer}
+ 134                             {currency value=$product->defaultStock->getUnitPric
eCalculationSpecialOfferPrice(true)}
+ 135                             {else}
+ 136                             {currency value=$product->defaultStock->getUnitPric
eCalculationPrice(true)}
+ 137                         {/if}
+ 138                     )
+ 139                     </i>
+ 140                 {/if}
+ 141             </div>
+ 142         {/if}

```

```

+ 143 </div>
+ 144
+ 145 {if $product->currency and $currency->getIdentifier() != $product->currency
->getIdentifier()}
+ 146 <p class="product_currency price_currency">
+ 147 {translate key="Price"} ({$product->currency->currency->name|escape
}):
+ 148 <em class="default-currency">{currency id=$product->product->curren
cy_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 149 </p>
+ 150 {/if}
+ 151 {/if}
+ 152 {/if}
+ 153 {if $price_mode == '1'}
+ 154 </i>
+ 155 {/if}
156 {/if}
- 157 {/feature}
158 </div>
159 {/if}
160 {/if}

```

```

427 {elseif 'phot' == $view}
428 <div class="products products_extended view{$view} s-row" {if $price_mode == '2'}data-netto="true"{/if}>
429 {foreach from=$products item=product name=prodlist}
- 430 <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="product product_vie
w-extended s-grid-3 product-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/
if}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}{if $showLowestPriceHistory} product_with-lowest-pric
e{/if}{if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()} product_with-currency{/if}">
+ 430 <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="product product_vie
w-extended s-grid-3 product-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/
if}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}{if $showLowestPriceHistory && $isLowestPriceVisible}
product_with-lowest-price{/if}{if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()} product_wit
h-currency{/if}">
431 <div class="product-inner-wrap">
432 <a class="prodimage f-row" href="{route function=$productRoute key=$product->product->product_id productName=$p
roduct->translation->name
433 productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="dofollow">

```

```

463 </div>
464 {/if}
465
- 466 <div class="price f-row">
- 467 {if $loyalty_exchange}
- 468 <span>{translate key="Price"}:</span>
- 469 <em>
- 470 {float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}
- 471

```

```

- 472         {if $product->defaultStock->loyaltyCurrencyPrice() != 0}
- 473             + {currency value=$product->defaultStock->loyaltyCurrencyPrice()}
- 474         {/if}
- 475     </em>
- 476     {else}
- 477         {if $showprices}
- 478             {if $price_mode == '1' || $price_mode == '3'}
- 479                 <span>{translate key="Price"}:</span>
- 480                 {if $product->specialOffer}
- 481                     <p>
- 482                         <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 483                     </p>
- 484
- 485                     <div class="price_additional-info">
- 486                         {if $additional_tax_info == '1'}
- 487                             {assign var=productTax value=$product->getTax()}
- 488                             <div class="tax-additional-info">
- 489                                 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
ice() != $product->defaultStock->getPrice(true)}
- 490                                     {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
- 491                                     {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
efaultStock->getPrice(true)}
- 492                                         {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
- 493                                         {else}
- 494                                             {translate key="excl. shipping costs"}
- 495                                         {/if}
- 496                                     </div>
- 497                                 {/if}
- 498
- 499                                 {if $product->product->unit_price_calculation && $unit_price_calculation}
- 500                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 501                                     <div class="unit-price-container">
- 502                                         {if $price_mode == '1' || $price_mode == '3'}
- 503                                             <i class="default-currency">
- 504                                                 ( 1 {$unit->translation->name} =
- 505                                                 {if $product->specialOffer}
- 506                                                     {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()}
- 507                                                 {else}
- 508                                                     {currency value=$product->defaultStock->getUnitPriceCalculationPric
e()}
- 509                                                 {/if}
- 510                                                 )
- 511                                             </i>
- 512                                         {elseif $price_mode == '2'}
- 513                                             <i class="default-currency">
- 514                                                 ( 1 {$unit->translation->name} =
- 515                                                 {if $product->specialOffer}
- 516                                                     {currency value=$product->defaultStock->getUnitPriceCalculationSpec

```

```

ialOfferPrice(true)}}
- 517 }else}
- 518 {currency value=$product->defaultStock->getUnitPriceCalculationPric
e(true)}}
- 519 {/if}
- 520 )
- 521 </i>
- 522 {/if}
- 523 </div>
- 524 {/if}
- 525 </div>
- 526
- 527 <p class="price__regular">
- 528 {translate key="Regular price"}:
- 529 <del class="price__inactive">{currency value=$product->defaultStock->getPrice()}</del>
- 530 </p>
- 531
- 532 {feature name="omnibus_frontend"}
- 533 {if $showLowestPriceHistory}
- 534 <div class="f-row clear">
- 535 {translate key='Lowest price'}:
- 536 <strong class="js__omnibus-price-gross price__inactive">
- 537 {currency value=$product->stock->getHistoricalLowestPrice()}
- 538 </strong>
- 539 </div>
- 540 {/if}
- 541 {/feature}
- 542
- 543 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}}
- 544 <p class="product__currency">
- 545 {translate key="Price"} ({$product->currency->currency->name|escape}):
- 546 <em class="default-currency">{currency id=$product->product->currency_id rate=1 val
ue=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
- 547 </p>
- 548 {/if}
- 549 {else}
- 550 <p>
- 551 <em>{currency value=$product->defaultStock->getPrice()}</em>
- 552 </p>
- 553
- 554 <div class="price__additional-info">
- 555 {if $additional_tax_info == '1'}
- 556 {assign var=productTax value=$product->getTax()}
- 557 <div class="tax-additional-info">
- 558 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
ice() != $product->defaultStock->getPrice(true)}
- 559 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
- 560 {else}
- 561 {translate key="excl. shipping costs"}

```

```

- 562                                     {/if}
- 563                                     </div>
- 564                                     {/if}
- 565
- 566                                     {if $product->product->unit_price_calculation && $unit_price_calculation}
- 567                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 568                                     <div class="unit-price-container">
- 569                                     {if $price_mode == '1' || $price_mode == '3'}
- 570                                     <i class="default-currency">
- 571                                     ( 1 { $unit->translation->name } =
- 572                                     {if $product->specialOffer}
- 573                                     {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()}
- 574                                     {else}
- 575                                     {currency value=$product->defaultStock->getUnitPriceCalculationPrice()}
- 576                                     {/if}
- 577                                     )
- 578                                     </i>
- 579                                     {/if}
- 580                                     </div>
- 581                                     {/if}
- 582                                     </div>
- 583
- 584                                     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}}
- 585                                     <p class="product__currency">
- 586                                     {translate key="Price"} ({ $product->currency->currency->name | escape }):
- 587                                     <em class="default-currency">{currency id=$product->product->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice()}</em>
- 588                                     </p>
- 589                                     {/if}
- 590                                     {/if}
- 591                                     {/if}
+ 466                                     <div class="product__basket">
+ 467                                     <div class="price f-row">
+ 468                                     {if $loyalty_exchange}
+ 469                                     <span>{translate key="Price"}:</span>
+ 470                                     <em>
+ 471                                     {float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}
472
- 473                                     {if $price_mode == '1' || $price_mode == '2'}
- 474                                     {if $price_mode == '1'}
- 475                                     <i class="price-netto">
+ 468                                     {if $product->defaultStock->loyaltyCurrencyPrice() != 0}
+ 469                                     + {currency value=$product->defaultStock->loyaltyCurrencyPrice()}
470                                     {/if}
+ 471                                     </em>
+ 472                                     {else}
+ 473                                     {if $showprices}

```



```

+ 474 {if $price_mode == '1' || $price_mode == '3'}
+ 475 <span>{translate key="Price"}:</span>
476 {if $product->specialOffer}
477 <p>
- 478 {if $price_mode == '1'}
- 479 {translate key="Net price"}:
- 480 {/if}
- 481 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 472 <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
473 </p>
474
475 <div class="price__additional-info">
- 476
- 477 {if $additional_tax_info == '2' && $price_mode == '2'}
+ 476 {if $additional_tax_info == '1'}
477 {assign var=productTax value=$product->getTax()}
478 <div class="tax-additional-info">
- 479 {if $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
defaultStock->getPrice(true)}
+ 479 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->g
etPrice() != $product->defaultStock->getPrice(true)}
+ 480 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 481 {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $produc
t->defaultStock->getPrice(true)}
482 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
483 {else}
484 {translate key="excl. shipping costs"}

500 {if $product->product->unit_price_calculation && $unit_price_calculation}
501 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
502 <div class="unit-price-container">
- 503 {if $price_mode == '2'}
+ 503 {if $price_mode == '1' || $price_mode == '3'}
+ 504 <i class="default-currency">
+ 505 ( 1 {$unit->translation->name} =
+ 506 {if $product->specialOffer}
+ 507 {currency value=$product->defaultStock->getUnitPriceCalculation
SpecialOfferPrice()}}
+ 508 {else}
+ 509 {currency value=$product->defaultStock->getUnitPriceCalculation
Price()}}
+ 510 {/if}
+ 511 )
+ 512 </i>
+ 513 {elseif $price_mode == '2'}
514 <i class="default-currency">
515 ( 1 {$unit->translation->name} =
516 {if $product->specialOffer}

```

```

525         {/if}
526     </div>
527
- 528         {if $price_mode == '2'}
+ 528         {if $isRegularPriceVisible}
529         <p class="price__regular">
530             {translate key="Regular price"}:
- 531         <del class="price__inactive">{currency value=$product->defaultStock->getPrice(t
+ 531         <del class="price__inactive">{currency value=$product->defaultStock->getPrice()
} </del>
532     </p>
+ 533     {/if}
534
- 535         {feature name="omnibus_frontend"}
- 536         {if $showLowestPriceHistory}
- 537         <div class="f-row clear">
- 538             {translate key='Lowest price'}:
- 539             <strong class="js__omnibus-price-gross price__inactive">
- 540                 {currency value=$product->stock->getHistoricalLowestPrice(true)}
- 541             </strong>
- 542         </div>
- 543         {/if}
- 544         {/feature}
- 545
- 546         {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
- 547         <p class="product__currency">
- 548             {translate key="Price"} ({$product->currency->currency->name|escape}):
- 549             <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
- 550         </p>
+ 534         {feature name="omnibus_frontend"}
+ 535         {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 536         <div class="f-row clear price__omnibus">
+ 537             {translate key='Lowest price'}:
+ 538             <strong class="js__omnibus-price-gross price__inactive">
+ 539                 {currency value=$product->stock->getHistoricalLowestPrice()}
+ 540             </strong>
+ 541         </div>
542         {/if}
+ 543         {/feature}
+ 544
+ 545         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}
+ 546         <p class="product__currency price__currency">
+ 547             {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 548             <em class="default-currency">{currency id=$product->product->currency_id rate=1
value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>

```

```

+ 549 </p>
550     {/if}
551     {else}
552     <p>
- 553         {if $price_mode == '1'}
- 554             {translate key="Net price"}:
- 555         {/if}
- 556         <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 539         <em>{currency value=$product->defaultStock->getPrice()}</em>
540     </p>
541
- 542     {if $price_mode == '2'}
+ 542     <div class="price_additional-info">
+ 543         {if $additional_tax_info == '1'}
+ 544             {assign var=productTax value=$product->getTax()}
+ 545             <div class="tax-additional-info">
+ 546                 {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->g
etPrice() != $product->defaultStock->getPrice(true)}
+ 547                     {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 548                 {else}
+ 549                     {translate key="excl. shipping costs"}
+ 550                 {/if}
+ 551             </div>
+ 552         {/if}
+ 553
+ 554         {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 555             {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 556             <div class="unit-price-container">
+ 557                 {if $price_mode == '1' || $price_mode == '3'}
+ 558                     <i class="default-currency">
+ 559                         ( 1 { $unit->translation->name } =
+ 560                         {if $product->specialOffer}
+ 561                             {currency value=$product->defaultStock->getUnitPriceCalculation
SpecialOfferPrice()}
+ 562                             {else}
+ 563                                 {currency value=$product->defaultStock->getUnitPriceCalculation
Price()}
+ 564                             {/if}
+ 565                         )
+ 566                     </i>
+ 567                 {/if}
+ 568             </div>
+ 569         {/if}
+ 570     </div>
+ 571
+ 572     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}
+ 573         <p class="product_currency_price_currency">
+ 574             {translate key="Price"} ({ $product->currency->currency->name|escape }):
+ 575             <em class="default-currency">{currency id=$product->product->currency_id rate=1

```

```

+ 576 value=$product->defaultStock->getCurrencyPrice()}</em>
+ 577 </p>
+ 578 {/if}
+ 579 {/if}
+ 580
+ 581 {if $price_mode == '1' || $price_mode == '2'}
+ 582 {if $price_mode == '1'}
+ 583 <i class="price-netto">
+ 584 {/if}
+ 585 {if $product->specialOffer}
+ 586 <p>
+ 587 {if $price_mode == '1'}
+ 588 {translate key="Net price"}:
+ 589 {/if}
+ 590 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 591 </p>
+ 592
593 <div class="price__additional-info">
- 594 {if $additional_tax_info == '1'}
+ 544
+ 545 {if $additional_tax_info == '2' && $price_mode == '2'}
546 {assign var=productTax value=$product->getTax()}
547 <div class="tax-additional-info">
548 {if $price_mode == '2' && $product->defaultStock->getPrice() != $produc
t->defaultStock->getPrice(true)}

```

```

636 {/if}
637 </div>
638
- 639 {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
- 640 <p class="product__currency">
- 641 {translate key="Price"} ({$product->currency->currency->name|escape}):
- 642 <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
- 643 </p>
+ 639 {if $price_mode == '2'}
+ 640 {if $isRegularPriceVisible}
+ 641 <p class="price__regular">
+ 642 {translate key="Regular price"}:
+ 643 <del class="price__inactive">{currency value=$product->defaultStock->ge
tPrice(true)}</del>
+ 644 </p>
+ 645 {/if}
+ 646
+ 647 {feature name="omnibus_frontend"}
+ 648 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 649 <div class="f-row clear price__omnibus">
+ 650 {translate key='Lowest price'}:

```

```

+ 651 <strong class="js_omnibus-price-gross price_price_inactive">
+ 652 {currency value=$product->stock->getHistoricalLowestPrice(true)
}
+ 653 </strong>
+ 654 </div>
+ 655 {/if}
+ 656 {/feature}
+ 657
+ 658 {if $product->currency and $currency->getIdentifier() != $product->currency->ge
tIdentifier()}
+ 659 <p class="product_currency price_currency">
+ 660 {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 661 <em class="default-currency">{currency id=$product->product->currency_i
d rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 662 </p>
+ 663 {/if}
+ 664 {/if}
+ 665 {else}
+ 666 <p>
+ 667 {if $price_mode == '1'}
+ 668 {translate key="Net price"}:
+ 669 {/if}
+ 670 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 671 </p>
+ 672
+ 673 {if $price_mode == '2'}
+ 674 <div class="price_additional-info">
+ 675 {if $additional_tax_info == '1'}
+ 676 {assign var=productTax value=$product->getTax()}
+ 677 <div class="tax-additional-info">
+ 678 {if $price_mode == '2' && $product->defaultStock->getPrice() != $pr
oduct->defaultStock->getPrice(true)}
+ 679 {translate key="excl. %s TAX, excl. shipping costs" s1=$product
Tax->taxValue->name}
+ 680 {else}
+ 681 {translate key="excl. shipping costs"}
+ 682 {/if}
+ 683 </div>
+ 684 {/if}
+ 685
+ 686 {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 687 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
+ 688 <div class="unit-price-container">
+ 689 {if $price_mode == '2'}
+ 690 <i class="default-currency">
+ 691 ( 1 {$unit->translation->name} =
+ 692 {if $product->specialOffer}
+ 693 {currency value=$product->defaultStock->getUnitPriceCal
culationSpecialOfferPrice(true)}
+ 694 {else}

```

```

+ 695 {currency value=$product->defaultStock->getUnitPriceCal
      culationPrice(true)}}
+ 696 {/if}
+ 697 )
+ 698 </i>
+ 699 {/if}
+ 700 </div>
+ 701 {/if}
+ 702 </div>
+ 703
+ 704 {if $product->currency and $currency->getIdentifier() != $product->currency->ge
tIdentifier()}
+ 705 <p class="product__currency price__currency">
+ 706 {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 707 <em class="default-currency">{currency id=$product->product->currency_i
d rate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 708 </p>
+ 709 {/if}
710 {/if}
711 {/if}
+ 712 {if $price_mode == '1'}
+ 713 </i>
714 {/if}
- 715 {if $price_mode == '1'}
- 716 </i>
717 {/if}
718 {/if}
719 {/if}
+ 720 </div>
721
- 722
- 723 {/if}
- 724 </div>
- 725
- 726 <div class="buttons f-row">
+ 647 <div class="buttons f-row">
648 {if $enablebasket && $product->canBuyStock()}
649 {if true == $product->defaultStockOnly()}
650 <form class="basket{if $loyalty_exchange} loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId='post'}" method="post">

812 <span>{translate key="check more"}</sp
an>
813 </a>
814 </div>
+ 815 </div>
816 </div>
817
818 {if $product->specialOffer || $product->isNew()}

```

styles/_product.less

```
1713 .price {
1714     &__regular {
1715         margin-top: 1rem;
+ 1716         color: @fontcolor;
+ 1717     }
+ 1718
+ 1719     &__omnibus, &__currency {
+ 1720         color: @fontLightColor;
1721     }
1722
1723     &__inactive {
1728     }
1729 }
1730
+ 1731 .products_extended, .box:not(#box_productfull), .products.viewfull {
+ 1732     .price__regular {
+ 1733         color: @fontLightColor;
+ 1734     }
+ 1735 }
+ 1736
1737 .price + .price-netto {
1738     margin-top: 1em;
1739 }
1752 .products.viewphot.products_extended .product.product_view-extended {
1753     height: auto;
1754
- 1755     .buttons {
+ 1755     .product_basket {
1756         flex: 1 0 auto;
1757         display: flex;
- 1758         align-items: flex-end;
- 1759         justify-content: center;
+ 1758         justify-content: space-between;
+ 1759         flex-direction: column;
+ 1760     }
+ 1761
+ 1762     .price {
```

```
+ 1763     margin-bottom: 0;
1764     }
1765 }
1766
- 1767 .product_view-extended {
+ 1762 .product.product_view-extended {
1763     .price-netto {
- 1764         margin-top: 1em;
1765         display: block;
+ 1766         font-size: inherit;
+ 1767     }
+ 1768
+ 1769     .description .basket {
+ 1770         float: none;
+ 1771         text-align: left;
+ 1772         display: flex;
+ 1773         justify-content: space-between;
+ 1774         margin-left: 0;
+ 1775         margin-top: 1rem;
1776     }
1777 }
1778
```

```
1805
1806 @media screen and (max-width: 767px) {
1807     .products.viewphot.products_extended .product.product_view-extended {
- 1808         .buttons {
+ 1808         .product__basket {
1809             flex: initial;
1810         }
1811     }

```

```
1815         height: auto;
1816     }
1817 }
+ 1818
+ 1819 .product.product_view-extended .description .basket {
+ 1820     display: block;
+ 1821     text-align: right;
+ 1822 }
1823 }
```

styles/_skin.less

```
108 .product {
109     .price {
110         color: @priceColor;
- 111         font-size: 1.4em;

```



```
+ 111 }
+ 112 }
+ 113 }
+ 114
+ 115 .centercol .products.viewphot .product_view-extended {
+ 116   i.price-netto {
+ 117     em {
+ 118       font-size: 14px;
119     }
120   }
121 }
```

```
1355   }
1356   }
1357 }
+ 1358 }
+ 1359
+ 1360 .products.viewphot.products_extended .product.product_view-extended .buttons {
+ 1361   flex-direction: column;
+ 1362   align-items: center;
+ 1363 }
+ 1364
+ 1365 .products.viewphot.products_extended .product {
+ 1366   .price em.default-currency, .price__inactive{
+ 1367     font-size: 14px;
+ 1368   }
+ 1369
+ 1370   .price__regular, .price__omnibus, .price__currency {
+ 1371     font-size: 0.8rem
+ 1372   }
+ 1373 }
+ 1374
+ 1375 #box_productfull .basket .price .unit-price-container .price-name,
+ 1376 #box_productfull .basket .price-netto .unit-price-container .price-name {
+ 1377   display: none;
1378 }
```