Dokumentacja zmian plików graficznych: rwd clickshop

Wersja zmian: 1.23.19 - 1.23.20

Pliki .tpl

boxes/Bestsellers/box.tpl

```
29                                              </div>
30                                          </a>
31
- 32                                        <div class="price row">
+ 32                                        <div class="price price_extended row">
33                                              {if $showprices}
34                                                  {if $price_mode == '1' || $price_mode == '3'}
35                                                      {if $bs_product->specialOffer}
- 36                                                    <del>{currency value=$bs_product->defaultStock->getPrice()}</del>
- 37                                                    <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPri
ce()}</em>                                                                                  {if $bs_product->currency and $currency->getIde
ntifier() != $bs_product->currency->getIdentifier()}
- 38                                                    <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_produc
t->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 36                                                    <p>
+ 37                                                        <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffe
rPrice()}</em>
+ 38                                                    </p>
+ 39
+ 40                                                    <p class="price__regular">
+ 41                                                        {translate key="Regular price"}:
+ 42                                                        <del class="price__inactive">{currency value=$bs_product->defaultStock->get
Price()}</del>
+ 43                                                    </p>
+ 44
+ 45                                                    {feature name="omnibus_frontend"}
+ 46                                                        {if $showLowestPriceHistory}
+ 47                                                            <div class="f-row clear">
+ 48                                                                {translate key='Lowest price'}:
+ 49                                                                <strong class="price__inactive">
+ 50                                                                    {currency value=$bs_product->stock->getHistoricalLowestPrice()}

+ 51                                                                </strong>
+ 52                                                            </div>
+ 53                                                        {/if}
+ 54                                                    {/feature}
+ 55
```

```
+ 56                                                {if $bs_product->currency and $currency->getIdentifier() != $bs_product->curren
cy->getIdentifier()}
+ 57                                                    <p class="product__currency">
+ 58                                                        {translate key="Price"} ({$bs_product->currency->currency->name|escape}
):
+ 59                                                        <em class="default-currency">({currency id=$bs_product->product->curren
cy_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 60                                                    </p>
  61                                                {/if}
  62                                            {else}
- 63                                                <em>{currency value=$bs_product->defaultStock->getPrice()}</em>
+ 39                                                <p>
+ 40                                                    <em>{currency value=$bs_product->defaultStock->getPrice()}</em>
+ 41                                                </p>
+ 42
  43                                                {if $bs_product->currency and $currency->getIdentifier() != $bs_product->curren
cy->getIdentifier()}
- 44                                                <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_produc
t->defaultStock->getCurrencyPrice()})</em>
+ 41                                                <p class="product__currency">
+ 42                                                    {translate key="Price"} ({$bs_product->currency->currency->name|escape}
):
+ 43                                                    <em class="default-currency">({currency id=$bs_product->product->curren
cy_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice()})</em>
+ 44                                                </p>
  45                                                {/if}
  46                                            {/if}
  47                                        {/if}
```

```
  78                                                <span class="hide price-netto">
  79                                            {/if}
  80                                                {if $bs_product->specialOffer}
- 81                                                <del>{currency value=$bs_product->defaultStock->getPrice(true)}</del>
- 82                                                <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffe
rPrice(true)}</em>                                                                {if $bs_product->currency and $currency->ge
tIdentifier() != $bs_product->currency->getIdentifier()}
- 83                                                    <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_pr
oduct->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 81                                                <p>
+ 82                                                    <em class="color">{currency value=$bs_product->defaultStock->getSpecial
OfferPrice(true)}</em>
+ 83                                                </p>
+ 84
+ 85                                                <p class="price__regular">
+ 86                                                    {translate key="Regular price"}:
+ 87                                                    <del class="price__inactive">{currency value=$bs_product->defaultStock-
>getPrice(true)}</del>
+ 88                                                </p>
+ 89
+ 90                                                {feature name="omnibus_frontend"}
```

```
+ 91                                                                {if $showLowestPriceHistory}
+ 92                                                                    <div class="f-row clear">
+ 93                                                                        {translate key='Lowest price'}:
+ 94                                                                        <strong class="price__inactive">
+ 95                                                                            {currency value=$bs_product->stock->getHistoricalLowestPric
e(true)}
+ 96                                                                        </strong>
+ 97                                                                    </div>
+ 98                                                                {/if}
+ 99                                                            {/feature}
+ 100
+ 101                                                           {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
+ 102                                                               <p class="product__currency">
+ 103                                                                   {translate key="Price"} ({$bs_product->currency->currency->name|esc
ape}):
+ 104                                                                   <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 105                                                               </p>
  106                                                           {/if}
  107                                                       {else}
- 108                                                           <em>{currency value=$bs_product->defaultStock->getPrice(true)}</em>
+ 84                                                            <p>
+ 85                                                                <em>{currency value=$bs_product->defaultStock->getPrice(true)}</em>
+ 86                                                            </p>
+ 87
  88                                                            {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
- 89                                                               <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_pr
oduct->defaultStock->getCurrencyPrice(true)})</em>
+ 86                                                               <p class="product__currency">
+ 87                                                                   {translate key="Price"} ({$bs_product->currency->currency->name|esc
ape}):
+ 88                                                                   <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice(true)})</em>
+ 89                                                               </p>
  90                                                           {/if}
  91                                                       {/if}
  92                                                   {if $price_mode != '2'}
```

---

boxes/NewProducts/box.tpl

```
  29                                                       </div>
  30                                                   </a>
  31
- 32                                                   <div class="price row">
+ 32                                                   <div class="price price_extended row">
  33                                                   {if $showprices}
  34                                                       {if $price_mode == '1' || $price_mode == '3'}
  35                                                           {if $newproduct->specialOffer}
```

```
- 36                                                    <del>{currency value=$newproduct->defaultStock->getPrice()}</del>
- 37                                                    <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPrice()
}</em>
+ 36                                                    <p>
+ 37                                                        <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPri
ce()}</em>
+ 38                                                    </p>
+ 39
+ 40                                                    <p class="price__regular">
+ 41                                                        {translate key="Regular price"}:
+ 42                                                        <del class="price__inactive">{currency value=$newproduct->defaultStock->getPric
e()}</del>
+ 43                                                    </p>
+ 44
+ 45                                                    {feature name="omnibus_frontend"}
+ 46                                                        {if $showLowestPriceHistory}
+ 47                                                            <div class="f-row clear">
+ 48                                                                {translate key='Lowest price'}:
+ 49                                                                <strong class="price__inactive">
+ 50                                                                    {currency value=$newproduct->stock->getHistoricalLowestPrice(true)}
+ 51                                                                </strong>
+ 52                                                            </div>
+ 53                                                        {/if}
+ 54                                                    {/feature}
+ 55
  56                                                    {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
- 57                                                        <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->d
efaultStock->getCurrencySpecialOfferPrice()})</em>
+ 38                                                        <p class="product__currency">
+ 39                                                            {translate key="Price"} ({$newproduct->currency->currency->name|escape}):
+ 40                                                            <em class="default-currency">({currency id=$newproduct->product->currency_i
d rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 41                                                        </p>
  42                                                    {/if}
  43                                                {else}
- 44                                                    <em>{currency value=$newproduct->defaultStock->getPrice()}</em>
+ 41                                                    <p>
+ 42                                                        <em>{currency value=$newproduct->defaultStock->getPrice()}</em>
+ 43                                                    </p>
+ 44
  45                                                    {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
- 46                                                        <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->d
efaultStock->getCurrencyPrice()})</em>
+ 43                                                        <p class="product__currency">
+ 44                                                            {translate key="Price"} ({$newproduct->currency->currency->name|escape}):
+ 45                                                            <em class="default-currency">({currency id=$newproduct->product->currency_i
d rate=1 value=$newproduct->defaultStock->getCurrencyPrice()})</em>
+ 46                                                        </p>
```

```
 47                                                {/if}
 48                                            {/if}
 49                                        {/if}
```

```
 78                                                <span class="hide price-netto">
 79                                            {/if}
 80                                                {if $newproduct->specialOffer}
- 81                                                <del>{currency value=$newproduct->defaultStock->getPrice(true)}</del>
- 82                                                <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPri
ce(true)}</em>
+ 81                                                <p>
+ 82                                                    <em class="color">{currency value=$newproduct->defaultStock->getSpecialOffe
rPrice(true)}</em>
+ 83                                                </p>
+ 84
+ 85                                                <p class="price__regular">
+ 86                                                    {translate key="Regular price"}:
+ 87                                                    <del class="price__inactive"><del>{currency value=$newproduct->defaultStock
->getPrice(true)}</del>
+ 88                                                </p>
+ 89
+ 90                                                {feature name="omnibus_frontend"}
+ 91                                                    {if $showLowestPriceHistory}
+ 92                                                        <div class="f-row clear">
+ 93                                                            {translate key='Lowest price'}:
+ 94                                                            <strong class="price__inactive">
+ 95                                                                {currency value=$newproduct->stock->getHistoricalLowestPrice(tr
ue)}
+ 96                                                            </strong>
+ 97                                                        </div>
+ 98                                                    {/if}
+ 99                                                {/feature}
+ 100
 101                                                {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
cy->getIdentifier()}
- 102                                                    <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduc
t->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 83                                                    <p class="product__currency">
+ 84                                                        {translate key="Price"} ({$newproduct->currency->currency->name|escape}
):
+ 85                                                        <em class="default-currency">({currency id=$newproduct->product->curren
cy_id rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 86                                                    </p>
 87                                                {/if}
 88                                            {else}
- 89                                                <em>{currency value=$newproduct->defaultStock->getPrice(true)}</em>
+ 86                                                <p>
+ 87                                                    <em>{currency value=$newproduct->defaultStock->getPrice(true)}</em>
+ 88                                                </p>
+ 89
```

```
 90                                                                  {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
    cy->getIdentifier()}
- 91                                                                      <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduc
    t->defaultStock->getCurrencyPrice(true)})</em>
+ 88                                                                      <p class="product__currency">
+ 89                                                                          {translate key="Price"} ({$newproduct->currency->currency->name|escape}
    ):
+ 90                                                                          <em class="default-currency">({currency id=$newproduct->product->curren
    cy_id rate=1 value=$newproduct->defaultStock->getCurrencyPrice(true)})</em>
+ 91                                                                      </p>
 92                                                                  {/if}
 93                                                              {/if}
 94                                                          {if $price_mode != '2'}
```

boxes/ProductOfTheDay/box.tpl

```
 22                                          <span class="productname">{$potd->translation->name|escape}</span>
 23                                      </div>
 24                                  </a>
- 25                                  <div class="price row">
+ 25                                  <div class="price price_extended row">
 26                                      {if $showprices}
 27                                          {if $price_mode == '1' || $price_mode == '3'}
 28                                              {if $potd->specialOffer}
- 29                                                  <del>{currency value=$potd->defaultStock->getPrice()}</del>
- 30                                                  <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
+ 29                                                  <p>
+ 30                                                      <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>

+ 31                                                  </p>
+ 32
+ 33                                                  <p class="price__regular">
+ 34                                                      {translate key="Regular price"}:
+ 35                                                      <del class="price__inactive">{currency value=$potd->defaultStock->getPrice()}</del>

+ 36                                                  </p>
+ 37
+ 38                                                  {feature name="omnibus_frontend"}
+ 39                                                      {if $showLowestPriceHistory}
+ 40                                                          <div class="f-row clear">
+ 41                                                              {translate key='Lowest price'}:
+ 42                                                              <strong class="price__inactive">
+ 43                                                                  {currency value=$potd->stock->getHistoricalLowestPrice()}
+ 44                                                              </strong>
+ 45                                                          </div>
+ 46                                                      {/if}
+ 47                                                  {/feature}
+ 48
 49                                                  {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}
```

```
- 50                                                 <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencySpecialOfferPrice()})</em>
+ 31                                                 <p class="product__currency">
+ 32                                                     {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 33                                                     <em class="default-currency">({currency id=$potd->product->currency_id rate=1 v
alue=$potd->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 34                                                 </p>
  35                                             {/if}
  36                                         {else}
- 37                                             <em>{currency value=$potd->defaultStock->getPrice()}</em>
+ 34                                             <p>
+ 35                                                 <em>{currency value=$potd->defaultStock->getPrice()}</em>
+ 36                                             </p>
+ 37                                             
  38                                             {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}

- 39                                                 <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencyPrice()})</em>
+ 36                                                 <p class="product__currency">
+ 37                                                     {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 38                                                     <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencyPrice()})</em>
+ 39                                                 </p>
  40                                             {/if}
  41                                         {/if}
  42                                     {/if}
```

```
  71                                             <span class="hide price-netto">
  72                                         {/if}
  73                                             {if $potd->specialOffer}
- 74                                                 <del>{currency value=$potd->defaultStock->getPrice(true)}</del>
- 75                                                 <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(true)}<
/em>
+ 74                                                 <p>
+ 75                                                     <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(tru
e)}</em>
+ 76                                                 </p>
+ 77                                                 
+ 78                                                 <p class="price__regular">
+ 79                                                     {translate key="Regular price"}:
+ 80                                                     <del class="price__inactive">{currency value=$potd->defaultStock->getPrice(true
)}</del>
+ 81                                                 </p>
+ 82                                                 
+ 83                                                 {feature name="omnibus_frontend"}
+ 84                                                     {if $showLowestPriceHistory}
+ 85                                                         <div class="f-row clear">
+ 86                                                             {translate key='Lowest price'}:
+ 87                                                             <strong class="price__inactive">
+ 88                                                                 {currency value=$potd->stock->getHistoricalLowestPrice(true)}
```

```
+ 89                                                                    </strong>
+ 90                                                                </div>
+ 91                                                            {/if}
+ 92                                                        {/feature}
+ 93
  94                                                        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
      r()}
- 95                                                            <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
      >getCurrencySpecialOfferPrice(true)})</em>
+ 76                                                            <p class="product__currency">
+ 77                                                                {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 78                                                                <em class="default-currency">({currency id=$potd->product->currency_id rate
      =1 value=$potd->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 79                                                            </p>
  80                                                        {/if}
  81                                                    {else}
- 82                                                        <em>{currency value=$potd->defaultStock->getPrice(true)}</em>
+ 79                                                        <p>
+ 80                                                            <em>{currency value=$potd->defaultStock->getPrice(true)}</em>
+ 81                                                        </p>
+ 82
  83                                                        {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
      r()}
- 84                                                            <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
      >getCurrencyPrice(true)})</em>
+ 81                                                            <p class="product__currency">
+ 82                                                                {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 83                                                                <em class="default-currency">({currency id=$potd->product->currency_id rate
      =1 value=$potd->defaultStock->getCurrencyPrice(true)})</em>
+ 84                                                            </p>
  85                                                        {/if}
  86                                                    {/if}
  87                                                {if $price_mode != '2'}
```

boxes/Recent/box.tpl

```
  23                        </div>
  24                    </a>
  25
- 26                    <div class="price row">
+ 26                    <div class="price price_extended row">
  27                        {if $showprices}
  28                            {if $price_mode == '1' || $price_mode == '3'}
  29                                {if $special_product->specialOffer}
- 30                                    <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 31                                    <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 30                                    <p>
+ 31                                        <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 32                                    </p>
+ 33
```

```
+ 34                                    <p class="price__regular">
+ 35                                        {translate key="Regular price"}:
+ 36                                        <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice()}</del>
+ 37                                    </p>
+ 38
+ 39                                    {feature name="omnibus_frontend"}
+ 40                                        {if $showLowestPriceHistory}
+ 41                                            <div class="f-row clear">
+ 42                                                {translate key='Lowest price'}:
+ 43                                                <strong class="price__inactive">
+ 44                                                    {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 45                                                </strong>
+ 46                                            </div>
+ 47                                        {/if}
+ 48                                    {/feature}
+ 49
  50                                    {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIde
      ntifier()}
- 51                                        <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->default
      Stock->getCurrencySpecialOfferPrice()})</em>
+ 32                                        <p class="product__currency">
+ 33                                            {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 34                                            <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
      ue=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 35                                        </p>
  36                                    {/if}
  37                                {else}
- 38                                    <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 35                                    <p>
+ 36                                        <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 37                                    </p>
  38                                    {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIde
      ntifier()}
- 39                                        <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->default
      Stock->getCurrencyPrice()})</em>
+ 37                                        <p class="product__currency">
+ 38                                            {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 39                                            <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
      ue=$special_product->defaultStock->getCurrencyPrice()}</em>
+ 40                                        </p>
  41                                    {/if}
  42                                {/if}
  43                            {/if}
```

```
  71                                    <span class="hide price-netto">
  72                                {/if}
  73                                    {if $special_product->specialOffer}
- 74                                        <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
- 75                                        <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true)}</
      em>
```

```
+ 74                                            <p>
+ 75                                                <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true
)}</em>
+ 76                                            </p>
+ 77
+ 78                                            <p class="price__regular">
+ 79                                                {translate key="Regular price"}:
+ 80                                                <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice(true)
}</del>
+ 81                                            </p>
+ 82
+ 83                                            {feature name="omnibus_frontend"}
+ 84                                                {if $showLowestPriceHistory}
+ 85                                                    <div class="f-row clear">
+ 86                                                        {translate key='Lowest price'}:
+ 87                                                        <strong class="price__inactive">
+ 88                                                            {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
+ 89                                                        </strong>
+ 90                                                    </div>
+ 91                                                {/if}
+ 92                                            {/feature}
+ 93
  94                                            {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}
- 95                                                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 76                                                <p class="product__currency">
+ 77                                                    {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 78                                                    <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
 value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 79                                                </p>
  80                                            {/if}
  81                                        {else}
- 82                                            <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
+ 79                                            <p>
+ 80                                                <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
+ 81                                            </p>
+ 82
  83                                            {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}
- 84                                                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencyPrice(true)})</em>
+ 81                                                <p class="product__currency">
+ 82                                                    {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 83                                                    <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
 value=$special_product->defaultStock->getCurrencyPrice(true)}</em>
+ 84                                                </p>
  85                                            {/if}
  86                                        {/if}
  87                                    {if $price_mode != '2'}
```

boxes/Recommendations/box.tpl

```
 24                          {if $showprices}
 25                              {if $price_mode == '1' || $price_mode == '3'}
 26                                  {if $rec->object->specialOffer}
- 27                                    <del>{currency value=$rec->object->defaultStock->getPrice()}</del>
- 28                                    <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice()}</em>
+ 27                                    <p>
+ 28                                        <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice()}</em>
+ 29                                    </p>
+ 30
+ 31                                    <p class="price__regular">
+ 32                                        {translate key="Regular price"}:
+ 33                                        <p class="price__inactive">{currency value=$rec->object->defaultStock->getPrice()}</del>
+ 34                                    </p>
+ 35
+ 36                                    {feature name="omnibus_frontend"}
+ 37                                        {if $showLowestPriceHistory}
+ 38                                            <div class="f-row clear">
+ 39                                                {translate key='Lowest price'}:
+ 40                                                <strong class="price__inactive">
+ 41                                                    {currency value=$rec->object->stock->getHistoricalLowestPrice()}
+ 42                                                </strong>
+ 43                                            </div>
+ 44                                        {/if}
+ 45                                    {/feature}
+ 46
 47                                     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentifier(
)}
- 48                                        <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStock->g
etCurrencySpecialOfferPrice()})</em>
+ 29                                        <p class="product__currency">
+ 30                                            {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
+ 31                                            <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 value=
$rec->object->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 32                                        </p>
 33                                     {/if}
 34                                 {else}
- 35                                    <em>{currency value=$rec->object->defaultStock->getPrice()}</em>
+ 32                                    <p>
+ 33                                        <em>{currency value=$rec->object->defaultStock->getPrice()}</em>
+ 34                                    </p>
+ 35
 36                                     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentifier(
)}
- 37                                        <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStock->g
etCurrencyPrice()})</em>
+ 34                                        <p class="product__currency">
+ 35                                            {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
+ 36                                            <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 value=
```

```
      $rec->object->defaultStock->getCurrencyPrice()})</em>
+ 37                                        </p>
  38                                    {/if}
  39                                {/if}
  40                            {/if}
```

```
  69                                    <span class="hide price-netto">
  70                                {/if}
  71                                    {if $rec->object->specialOffer}
- 72                                        <del>{currency value=$rec->object->defaultStock->getPrice(true)}</del>
- 73                                        <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice(true)}</em>
+ 72                                        <p>
+ 73                                            <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice(true)}</
      em>
+ 74                                        </p>
+ 75
+ 76                                        <p class="price__regular">
+ 77                                            {translate key="Regular price"}:
+ 78                                            <del class="price__inactive">{currency value=$rec->object->defaultStock->getPrice(true)}</d
      el>
+ 79                                        </p>
+ 80
+ 81                                        {feature name="omnibus_frontend"}
+ 82                                            {if $showLowestPriceHistory}
+ 83                                                <div class="f-row clear">
+ 84                                                    {translate key='Lowest price'}:
+ 85                                                    <strong class="price__inactive">
+ 86                                                        {currency value=$rec->object->stock->getHistoricalLowestPrice(true)}
+ 87                                                    </strong>
+ 88                                                </div>
+ 89                                            {/if}
+ 90                                        {/feature}
+ 91
  92                                        {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
      ier()}
- 93                                            <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStoc
      k->getCurrencySpecialOfferPrice(true)})</em>
+ 74                                            <p class="product__currency">
+ 75                                                {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
+ 76                                                <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
      lue=$rec->object->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 77                                            </p>
  78                                        {/if}
  79                                    {else}
- 80                                        <em>{currency value=$rec->object->defaultStock->getPrice(true)}</em>
+ 77                                        <p>
+ 78                                            <em>{currency value=$rec->object->defaultStock->getPrice(true)}</em>
+ 79                                        </p>
+ 80
  81                                        {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
```

```
ier()}
- 82                                        <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStoc
k->getCurrencyPrice(true)})</em>
+ 79                                        <p class="product__currency">
+ 80                                            {translate key="Price"} ({$rec->object->currency->currency->name|escape}):
+ 81                                            <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
lue=$rec->object->defaultStock->getCurrencyPrice(true)})</em>
+ 82                                        </p>
  83                                    {/if}
  84                                {/if}
  85                            {if $price_mode != '2'}
```

boxes/SpecialOffer/box.tpl

```
  24                            </a>
  25
  26                            {if $showprices}
- 27                                <div class="price row">
+ 27                                <div class="price price_extended row">
  28                                    {if $price_mode == '1' || $price_mode == '3'}
  29                                        {if $special_product->specialOffer}
- 30                                            <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 31                                            <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(
)}</em>
+ 30                                            <p>
+ 31                                                <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice()}</em>
+ 32                                            </p>
+ 33
+ 34                                            <p class="price__regular">
+ 35                                                {translate key="Regular price"}:
+ 36                                                <del class="price__inactive">{currency value=$special_product->defaultStock->getPri
ce()}</del>
+ 37                                            </p>
+ 38
+ 39                                            {feature name="omnibus_frontend"}
+ 40                                                {if $showLowestPriceHistory}
+ 41                                                    <div class="f-row clear">
+ 42                                                        {translate key='Lowest price'}:
+ 43                                                        <strong class="price__inactive">
+ 44                                                            {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 45                                                        </strong>
+ 46                                                    </div>
+ 47                                                {/if}
+ 48                                            {/feature}
+ 49
  50                                            {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 51                                                <em>({currency id=$special_product->product->currency_id rate=1 value=$special_prod
uct->defaultStock->getCurrencySpecialOfferPrice()})</em>
```

```
+ 32                                                    <p class="product__currency">
+ 33                                                        {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 34                                                        <em class="default-currency">{currency id=$special_product->product->currency_i
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 35                                                    </p>
  36                                                {/if}
  37                                            {else}
- 38                                                <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 35                                                <p>
+ 36                                                    <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 37                                                </p>
  38                                                {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 39                                                    <em>({currency id=$special_product->product->currency_id rate=1 value=$special_prod
uct->defaultStock->getCurrencyPrice()})</em>
+ 37                                                    <p class="product__currency">
+ 38                                                        {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 39                                                        <em class="default-currency">{currency id=$special_product->product->currency_i
d rate=1 value=$special_product->defaultStock->getCurrencyPrice()}</em>
+ 40                                                    </p>
  41                                                {/if}
  42                                            {/if}
  43                                        {/if}
```

```
  70                                        {if $price_mode != '2'}
  71                                            <span class="hide price-netto">
  72                                        {/if}
- 73                                            {if $special_product->specialOffer}
- 74                                                <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
+ 73                                        {if $special_product->specialOffer}
+ 74                                            <p>
  75                                                <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice(true)}</em>
- 76                                                {if $special_product->currency and $currency->getIdentifier() != $special_product->
currency->getIdentifier()}
- 77                                                    <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 75                                            </p>
+ 76
+ 77                                            <p class="price__regular">
+ 78                                                {translate key="Regular price"}:
+ 79                                                <del class="price__inactive">{currency value=$special_product->defaultStock->getPri
ce(true)}</del>
+ 80                                            </p>
+ 81
+ 82                                            {feature name="omnibus_frontend"}
+ 83                                                {if $showLowestPriceHistory}
+ 84                                                    <div class="f-row clear">
+ 85                                                        {translate key='Lowest price'}:
+ 86                                                        <strong class="price__inactive">
```

```
+ 87                                                                {currency value=$special_product->stock->getHistoricalLowestPrice(true)
}
+ 88                                                            </strong>
+ 89                                                        </div>
  90                                                    {/if}
- 91                                                {else}
+ 77                                                    {/feature}
+ 78
+ 79                                                {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
+ 80                                                    <p class="product__currency">
+ 81                                                        {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 82                                                        <em class="default-currency">{currency id=$special_product->product->currency_i
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 83                                                    </p>
+ 84                                                {/if}
+ 85                                            {else}
+ 86                                                <p>
  87                                                    <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
- 88                                                    {if $special_product->currency and $currency->getIdentifier() != $special_product->
currency->getIdentifier()}
- 89                                                    <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencyPrice(true)})</em>
- 90                                                {/if}
+ 79                                                </p>
+ 80
+ 81                                                {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
+ 82                                                    <p class="product__currency">
+ 83                                                        {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 84                                                        <em class="default-currency">{currency id=$special_product->product->currency_i
d rate=1 value=$special_product->defaultStock->getCurrencyPrice(true)}</em>
+ 85                                                    </p>
  86                                                {/if}
+ 87                                            {/if}
  88                                            {if $price_mode != '2'}
  89                                                </span>
  90                                            {/if}
```

scripts/product/bundle.tpl

```
 104
 105            <p class="price">
 106             {if $showprices}
- 107             <del class="default-currency r--fs-xl">
- 108              {if $item->isOption()}
- 109               {if $price_mode == 1 || $price_mode == 3}
- 110                {currency value=$item->getPrice()}
- 111               {else}
- 112                {currency value=$item->getPrice(true)}
```

```
- 113                {/if}
- 114               {else}
- 115                {if $price_mode == 1 || $price_mode == 3}
- 116                 {currency value=$item->product->defaultStock->getPrice()}
+ 107              <p>
+ 108               {translate key="The price of product outside the bundle"}
+ 109
+ 110              <span class="default-currency r--fs-l">
+ 111               {if $item->isOption()}
+ 112                {if $price_mode == 1 || $price_mode == 3}
+ 113                 {currency value=$item->getPrice()}
+ 114                {else}
+ 115                 {currency value=$item->getPrice(true)}
+ 116                {/if}
  117               {else}
- 118                {currency value=$item->product->defaultStock->getPrice(true)}
+ 109                {if $price_mode == 1 || $price_mode == 3}
+ 110                 {currency value=$item->product->defaultStock->getPrice()}
+ 111                {else}
+ 112                 {currency value=$item->product->defaultStock->getPrice(true)}
+ 113                {/if}
  114               {/if}
- 115              {/if}
- 116              </del> {translate key="Cheaper in the bundle!"}
+ 111               </span>
+ 112              </p>
+ 113
+ 114              <strong>{translate key="Cheaper in the bundle!"}</strong>
  115             {/if}
  116            </p>
  117
```

---

scripts/product/index.tpl

```
  121                                                    {elseif $showprices}
  122                                                        {if $price_mode == '1' || $price_mode == '3'}
  123                                                            <div class="price">
- 124                                                                <span class="price-name">{translate key="Price"}:</span>
- 125                                                                {if $product->specialOffer}
- 126                                                                    <em class="main-price color">{currency value=$product->defaultStock
->getSpecialOfferPrice()}</em>
- 127                                                                <del>{currency value=$product->defaultStock->getPrice()}</del>
- 128                                                                <span class="none" itemprop="price">
- 129                                                                    {currency value=$product->defaultStock->getSpecialOfferPrice()
float_currency=true}
- 130                                                                </span>
- 131                                                                {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 132                                                                    <em  class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
```

```
- 133                                                                {/if}
- 134                                                            {else}
- 135                                                                <del class="none"></del>
- 136
- 137                                                                <em class="main-price">{currency value=$product->defaultStock->getP
rice()}</em>
- 138                                                                <span class="none" itemprop="price">
- 139                                                                    {currency value=$product->defaultStock->getPrice() float_curren
cy=true}
- 140                                                                </span>
- 141                                                                {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 142                                                                    <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice()})</em>
+ 124                                                            <div class="price__container">
+ 125                                                                {if $price_mode == '1'}
+ 126                                                                    <span class="price-name">{translate key="Gross price"}:</span>
+ 127                                                                {else}
+ 128                                                                    <span class="price-name">{translate key="Price"}:</span>
  129                                                                {/if}
  130
- 131                                                                {if $product->isBundle() && $original_bundle_products_price !== fal
se}
- 132                                                                    <del class="original-bundle-price">
- 133                                                                        {translate key="instead of"} {currency value=$original_bund
le_products_price}
- 134                                                                    </del>
- 135                                                                {/if}
- 136                                                            {/if}
- 137                                                        </div>
- 138                                                    {/if}
+ 127                                                            {if $product->specialOffer}
+ 128                                                                <em class="main-price color">{currency value=$product->defaultS
tock->getSpecialOfferPrice()}</em>
  129
- 130                                                    {if $product->product->unit_price_calculation && $unit_price_calculation}
- 131                                                        {if $price_mode == '1' || $price_mode == '3'}
- 132                                                            {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
- 133                                                            <div class="unit-price-container gross">
- 134                                                                <span class="price-name"> </span>
- 135                                                                <span class="container">( 1 <span class="unit">{$unit->translation-
>name}</span> =
- 136                                                                <span class="price">
- 137                                                                    {if $product->specialOffer}
- 138                                                                        {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice()}
- 139                                                                    {else}
- 140                                                                        {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice()}
+ 129                                                                {if $additional_tax_info == '1'}
```

```
+ 130                                                                                {assign var=productTax value=$product->getTax()}
+ 131                                                                                <div class="tax-additional-info tax-gross">
+ 132                                                                                    {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}
+ 133                                                                                        <span>{translate key="incl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 134                                                                                    {else}
+ 135                                                                                        <span>{translate key="excl. shipping costs"}</span>

+ 136                                                                                    {/if}
+ 137                                                                                </div>
  138                                                                            {/if}
- 139                                                                        </span> )</span>
- 140                                                                    </div>
- 141                                                                {/if}
- 142                                                            {/if}
  143
- 144                                                            {if $price_mode == '1' || $price_mode == '3'}
- 145                                                                {if $additional_tax_info == '1'}
- 146                                                                    {assign var=productTax value=$product->getTax()}
- 147                                                                    <div class="tax-additional-info tax-gross">
- 148                                                                        {if $product->defaultStock->getPrice() != $product->defaultStock->g
etPrice(true)}
- 149                                                                            <span>{translate key="incl. %s TAX, excl. shipping costs" s1=$p
roductTax->taxValue->name}</span>
- 150                                                                        {else}
- 151                                                                            <span>{translate key="excl. shipping costs"}</span>
- 152                                                                        {/if}
- 153                                                                    </div>
- 154                                                                {/if}
- 155                                                            {/if}
  156
- 157                                                            {if $price_mode == '1' || $price_mode == '2'}
- 158                                                                <div class="price-netto">
- 159                                                                    {if $price_mode == '1'}
- 160                                                                        <span class="price-name">{translate key="Net price"}:</span>
- 161                                                                    {else}
- 162                                                                        <span class="price-name">{translate key="Price"}:</span>
- 163                                                                    {/if}
- 164                                                                    {if $product->specialOffer}
- 165                                                                        <em class="main-price" {if $price_mode == '1'}class="no-color"{/if}
>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 166                                                                        {if $price_mode == '2'}
+ 133                                                                            {if $product->product->unit_price_calculation && $unit_price_ca
lculation}
+ 134                                                                                {assign var=unit value=$product->defaultStock->getUnitPrice
CalculationUnit()}
+ 135                                                                                <div class="unit-price-container gross">
+ 136                                                                                    <span class="price-name"> </span>
+ 137                                                                                    <span class="container">( 1 <span class="unit">{$unit->
translation->name}</span> =
```

```
+ 138                                                                                <span class="price">
+ 139                                                                                    {if $product->specialOffer}
+ 140                                                                                        {currency value=$product->defaultStock->getUnit
PriceCalculationSpecialOfferPrice()}
+ 141                                                                                    {else}
+ 142                                                                                        {currency value=$product->defaultStock->getUnit
PriceCalculationPrice()}
+ 143                                                                                    {/if}
+ 144                                                                                </span> )</span>
+ 145                                                                            </div>
+ 146                                                                        {/if}
+ 147
+ 148                                                                        <p class="price__regular">
+ 149                                                                            {translate key="Regular price"}:
+ 150                                                                            <del class="price__inactive">{currency value=$product->defa
ultStock->getPrice()}</del>
+ 151                                                                        </p>
+ 152
  153                                                                       <span class="none" itemprop="price">
- 154                                                                            {currency value=$product->defaultStock->getSpecialOfferPric
e(true) float_currency=true}
+ 135                                                                            {currency value=$product->defaultStock->getSpecialOfferPric
e() float_currency=true}
  136                                                                       </span>
- 137                                                                    {/if}
- 138                                                                    <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 139                                                                    {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 140                                                                        <em  class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
- 141                                                                    {/if}
- 142                                                                {else}
- 143                                                                    <em class="main-price" {if $price_mode == '1'}class="no-color"{/if}
>{currency value=$product->defaultStock->getPrice(true)}</em>
- 144                                                                    {if $price_mode == '2'}
+ 137
+ 138                                                                    {feature name="omnibus_frontend"}
+ 139                                                                        {if $showLowestPriceHistory}
+ 140                                                                            <div class="f-row clear">
+ 141                                                                                {translate key='The lowest price during 30 days pri
or to the reduction'}:
+ 142                                                                                <strong class="js__omnibus-price-gross price__inact
ive">
+ 143                                                                                    {currency value=$product->stock->getHistoricalL
owestPrice()|escape}
+ 144                                                                                </strong>
+ 145                                                                                <span class="hint">
+ 146                                                                            <span class="icon icon-help"></span>
+ 147                                                                            <span class="hint__content">
+ 148                                                                                {translate key='If the product is sold for less tha
n 30 days, the lowest price since the product went on sale is displayed.'}
```

```
+ 149                                                                                </span>
+ 150                                                                            </span>
+ 151                                                                                </div>
+ 152                                                                            {/if}
+ 153                                                                        {/feature}
+ 154
+ 155                                                                        {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
+ 156                                                                            <p>
+ 157                                                                                {translate key="Price"} ({$product->currency->currency-
>name|escape}):
+ 158                                                                                <em  class="default-currency">{currency id=$product->pr
oduct->currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 159                                                                            </p>
+ 160                                                                        {/if}
+ 161                                                                    {else}
+ 162                                                                        <del class="none"></del>
+ 163
+ 164                                                                        <em class="main-price">{currency value=$product->defaultStock->
getPrice()}</em>
+ 165
+ 166                                                                        {if $additional_tax_info == '1'}
+ 167                                                                            {assign var=productTax value=$product->getTax()}
+ 168                                                                            <div class="tax-additional-info tax-gross">
+ 169                                                                                {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}
+ 170                                                                                    <span>{translate key="incl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 171                                                                                {else}
+ 172                                                                                    <span>{translate key="excl. shipping costs"}</span>

+ 173                                                                                {/if}
+ 174                                                                            </div>
+ 175                                                                        {/if}
+ 176
+ 177                                                                        {if $product->product->unit_price_calculation && $unit_price_ca
lculation}
+ 178                                                                            {assign var=unit value=$product->defaultStock->getUnitPrice
CalculationUnit()}
+ 179                                                                            <div class="unit-price-container gross">
+ 180                                                                                <span class="price-name"> </span>
+ 181                                                                                <span class="container">(1 <span class="unit">{$unit->t
ranslation->name}</span> =
+ 182                                                                                <span class="price">
+ 183                                                                                    {if $product->specialOffer}
+ 184                                                                                        {currency value=$product->defaultStock->getUnit
PriceCalculationSpecialOfferPrice()}
+ 185                                                                                    {else}
+ 186                                                                                        {currency value=$product->defaultStock->getUnit
PriceCalculationPrice()}
+ 187                                                                                    {/if}
```

```
+ 188                                                                                </span> )</span>
+ 189                                                                            </div>
+ 190                                                                        {/if}
+ 191
  192                                                                        <span class="none" itemprop="price">
- 193                                                                            {currency value=$product->defaultStock->getPrice(true) floa
t_currency=true}
+ 139                                                                            {currency value=$product->defaultStock->getPrice() float_cu
rrency=true}
  140                                                                        </span>
- 141                                                                    {/if}
- 142                                                                    {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 143                                                                        <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)})</em>
- 144                                                                    {/if}
+ 141                                                                    {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
+ 142                                                                        <p>
+ 143                                                                            {translate key="Price"} ({$product->currency->currency-
>name|escape}):
+ 144                                                                            <em class="default-currency">{currency id=$product->pro
duct->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice()}</em>
+ 145                                                                        </p>
+ 146                                                                    {/if}
  147
- 148                                                                    {if $product->isBundle() && $original_bundle_products_price !== fal
se}
- 149                                                                        <del class="original-bundle-price">
- 150                                                                            {translate key="instead of"} {currency value=$original_bund
le_products_net_price}
- 151                                                                        </del>
+ 143                                                                    {if $product->isBundle() && $original_bundle_products_price !==
 false}
+ 144                                                                        <p class="original-bundle-price">
+ 145                                                                            {translate key="The price of products outside the bundl
e"}: {currency value=$original_bundle_products_price}
+ 146                                                                        </p>
+ 147                                                                    {/if}
  148                                                                {/if}
- 149                                                            {/if}
+ 145                                                            </div>
  146                                                        </div>
  147                                                    {/if}
  148
- 149                                                    {if $product->product->unit_price_calculation && $unit_price_calculation}
- 150                                                        {if $price_mode == '1' || $price_mode == '2'}
- 151                                                            {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
- 152                                                        <div class="unit-price-container net">
- 153                                                            <span class="price-name"> </span>
```

```
- 154                                                                    <span class="container">( 1 <span class="unit">{$unit->translation->name}</span> =
- 155                                                                    <span class="price">
- 156                                                                        {if $product->specialOffer}
- 157                                                                            {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPrice(true)}
- 158                                                                        {else}
- 159                                                                            {currency value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
+ 149                                                            {if $price_mode == '1' || $price_mode == '2'}
+ 150                                                                <div class="price-netto">
+ 151                                                                    <div class="price-netto__container">
+ 152                                                                        {if $price_mode == '1'}
+ 153                                                                            <span class="price-name">{translate key="Net price"}:</span>
+ 154                                                                        {else}
+ 155                                                                            <span class="price-name">{translate key="Price"}:</span>
+ 156                                                                        {/if}
+ 157                                                                        {if $product->specialOffer}
+ 158                                                                            <em class="main-price" {if $price_mode == '1'}class="no-color"{/if}>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 159
+ 160                                                                        {if $additional_tax_info == '1'}
+ 161                                                                            {assign var=productTax value=$product->getTax()}
+ 162                                                                            <div class="tax-additional-info tax-net">
+ 163                                                                                {if $product->defaultStock->getPrice() != $product->defaultStock->getPrice(true)}
+ 164                                                                                    <span>{translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}</span>
+ 165                                                                                {else}
+ 166                                                                                    <span>{translate key="excl. shipping costs"}</span>
+ 167                                                                                {/if}
+ 168                                                                            </div>
+ 169                                                                        {/if}
+ 170
+ 171                                                                        {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 172                                                                            {if $price_mode == '1' || $price_mode == '2'}
+ 173                                                                                {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 174                                                                                <div class="unit-price-container net">
+ 175                                                                                    <span class="price-name"> </span>
+ 176                                                                                    <span class="container">( 1 <span class="unit">{$unit->translation->name}</span> =
+ 177                                                                                    <span class="price">
+ 178                                                                                        {if $product->specialOffer}
+ 179                                                                                            {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPrice(true)}
+ 180                                                                                        {else}
+ 181                                                                                            {currency value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
```

```
+ 182                                                                                {/if}
+ 183                                                                            </span> )</span>
+ 184                                                                        </div>
+ 185                                                                    {/if}
+ 186                                                                {/if}
+ 187
+ 188                                                                {if $price_mode == '2'}
+ 189                                                                    <span class="none" itemprop="price">
+ 190                                                                        {currency value=$product->defaultStock->getSpecialOffer
Price(true) float_currency=true}
+ 191                                                                    </span>
  192                                                                {/if}
- 193                                                            </span> )</span>
- 194                                                        </div>
- 195                                                    {/if}
- 196                                                {/if}
  197
- 198                                                {if ($price_mode == '1' || $price_mode == '2')}
- 199                                                    {if $additional_tax_info == '1'}
- 200                                                        {assign var=productTax value=$product->getTax()}
- 201                                                        <div class="tax-additional-info tax-net">
- 202                                                            {if $product->defaultStock->getPrice() != $product->defaultStock->g
etPrice(true)}
- 203                                                                <span>{translate key="excl. %s TAX, excl. shipping costs" s1=$p
roductTax->taxValue->name}</span>
+ 152                                                                <p class="price__regular">
+ 153                                                                    {translate key="Regular price"}:
+ 154                                                                    <del class="price__inactive">{currency value=$product->defa
ultStock->getPrice(true)}</del>
+ 155                                                                </p>
+ 156
+ 157                                                                {feature name="omnibus_frontend"}
+ 158                                                                    {if $showLowestPriceHistory}
+ 159                                                                        <div class="f-row clear">
+ 160                                                                            {translate key='The lowest price during 30 days pri
or to the reduction'}:
+ 161                                                                            <strong class="js__omnibus-price-net price__inactiv
e">
+ 162                                                                                {currency value=$product->stock->getHistoricalL
owestPrice(true)}
+ 163                                                                            </strong>
+ 164                                                                            <span class="hint">
+ 165                                                                            <span class="icon icon-help"></span>
+ 166                                                                                <span class="hint__content">
+ 167                                                                                    {translate key='If the product is sold for
less than 30 days, the lowest price since the product went on sale is displayed.'}
+ 168                                                                                </span>
+ 169                                                                            </span>
+ 170                                                                        </div>
+ 171                                                                    {/if}
+ 172                                                                {/feature}
```

```
+ 173
+ 174                                           {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
+ 175                                               <p>
+ 176                                                   {translate key="Price"} ({$product->currency->currency-
>name|escape}):
+ 177                                                   <em  class="default-currency">{currency id=$product->pr
oduct->currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 178                                               </p>
+ 179                                           {/if}
  180                                       {else}
- 181                                           <span>{translate key="excl. shipping costs"}</span>
+ 154                                           <em class="main-price" {if $price_mode == '1'}class="no-color"{
/if}>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 155                                           {if $price_mode == '2'}
+ 156                                               <span class="none" itemprop="price">
+ 157                                                   {currency value=$product->defaultStock->getPrice(true)
float_currency=true}
+ 158                                               </span>
+ 159                                           {/if}
+ 160
+ 161                                           {if $additional_tax_info == '1'}
+ 162                                               {assign var=productTax value=$product->getTax()}
+ 163                                               <div class="tax-additional-info tax-net">
+ 164                                                   {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}
+ 165                                                       <span>{translate key="excl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 166                                                   {else}
+ 167                                                       <span>{translate key="excl. shipping costs"}</span>

+ 168                                                   {/if}
+ 169                                               </div>
+ 170                                           {/if}
+ 171
+ 172                                           {if $product->product->unit_price_calculation && $unit_price_ca
lculation}
+ 173                                               {if $price_mode == '1' || $price_mode == '2'}
+ 174                                                   {assign var=unit value=$product->defaultStock->getUnitP
riceCalculationUnit()}
+ 175                                                   <div class="unit-price-container net">
+ 176                                                       <span class="price-name"> </span>
+ 177                                                       <span class="container">( 1 <span class="unit">{$un
it->translation->name}</span> =
+ 178                                                       <span class="price">
+ 179                                                           {if $product->specialOffer}
+ 180                                                               {currency value=$product->defaultStock->get
UnitPriceCalculationSpecialOfferPrice(true)}
+ 181                                                           {else}
+ 182                                                               {currency value=$product->defaultStock->get
UnitPriceCalculationPrice(true)}
```

```
+ 183                                                                                {/if}
+ 184                                                                            </span> )</span>
+ 185                                                                        </div>
+ 186                                                                    {/if}
+ 187                                                                {/if}
+ 188
+ 189                                                                {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
+ 190                                                                    <p>
+ 191                                                                        {translate key="Price"} ({$product->currency->currency-
>name|escape}):
+ 192                                                                        <em class="default-currency">{currency id=$product->pro
duct->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 193                                                                    </p>
+ 194                                                                {/if}
+ 195
+ 196                                                                {if $product->isBundle() && $original_bundle_products_price !==
 false}
+ 197                                                                    <p class="original-bundle-price">
+ 198                                                                        {translate key="The price of products outside the bundl
e"}: {currency value=$original_bundle_products_net_price}
+ 199                                                                    </p>
+ 200                                                                {/if}
  201                                                            {/if}
  202                                                        </div>
- 203                                                    {/if}
+ 157                                                    </div>
  158                                                {/if}
  159
- 160                                                <meta itemprop="priceCurrency" content="{$currency->currency->name|escape}">
- 161
- 162                                                {feature name="omnibus_frontend"}
- 163                                                    {if $product->specialOffer && $showLowestPriceHistory}
- 164                                                        <div class="f-row clear pt-1">
- 165                                                            {translate key='The lowest price during 30 days prior to the promot
ion:'}
- 166                                                            <strong class="js__omnibus-price">
- 167                                                                {currency value=$product->stock->getHistoricalLowestPrice()|esc
ape}
- 168                                                            </strong>
- 169                                                            <span class="hint">
- 170                                                                <span class="icon icon-help"></span>
- 171                                                                <span class="hint__content">
- 172                                                                    {translate key='If the product is sold for less than 30 day
s, the lowest price since the product went on sale is displayed.'}
- 173                                                                </span>
- 174                                                            </span>
- 175                                                        </div>
+ 160                                                {feature name="promotion_time"}
+ 161                                                    {if $product->specialOffer}
+ 162                                                        <p class="promo-time">
```

```
+ 163                                                                {translate key="The promotion runs until"} {date value=$product->sp
ecialOffer->specialOffer->date_to}
+ 164                                                            </p>
  165                                                        {/if}
  166                                                    {/feature}
- 167                                                {/if}
  168
- 169
+ 164                                                    <meta itemprop="priceCurrency" content="{$currency->currency->name|escape}">
+ 165                                                {/if}
  166
  167                                                {if $product->getRichSnippetForAvailability() == 'instore_only'}
  168                                                    <link itemprop="availability" href="{$schema}://schema.org/InStoreOnly" />
```

scripts/product/related.tpl

```
  10          <div class="innerbox tab-content product-related">
  11              {foreach from=$related_products item=rproduct name=list}
  12                  {if ($rproduct->inLoyaltyExchange() && $loyalty_exchange) || !$loyalty_exchange}
- 13                      <div data-product-id="{$rproduct->product->product_id}" data-category="{$rproduct->defaultCategory->translation->na
me|escape}" {if $rproduct->product->producer_id}data-producer="{$rproduct->producer->manufacturer->name|escape}"{/if} class="product row
 {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
+ 13                      <div data-product-id="{$rproduct->product->product_id}" data-category="{$rproduct->defaultCategory->translation->na
me|escape}" {if $rproduct->product->producer_id}data-producer="{$rproduct->producer->manufacturer->name|escape}"{/if} class="product pro
duct_extended row {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
  14                          <div class="f-row">
  15                              <h3 class="rwd-show-medium rwd-hide-full">
  16                                  <a href="{route function=$productRoute key=$rproduct->product->product_id productName=$rproduct->transl
ation->name
```

```
  44                                          <span class="label-price">{translate key="Price"}:</span>
  45                                          {if $price_mode == '1' || $price_mode == '3'}
  46                                              {if $rproduct->specialOffer}
- 47                                                  <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}<
/em>
- 48                                                  <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
+ 47                                                  <p>
+ 48                                                      <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice
()}</em>
+ 49                                                  </p>
+ 50
+ 51                                                  {if $additional_tax_info == '1'}
+ 52                                                      {assign var=productTax value=$rproduct->getTax()}
+ 53                                                      <div class="tax-additional-info">
+ 54                                                          {if ($price_mode == '1' || $price_mode == '3') && $rproduct->defaultStock->
getPrice() != $rproduct->defaultStock->getPrice(true)}
+ 55                                                              {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 56                                                          {elseif $price_mode == '2' && $rproduct->defaultStock->getPrice() != $rprod
uct->defaultStock->getPrice(true)}
```

```
+ 57                                                                {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 58                                                            {else}
+ 59                                                                {translate key="excl. shipping costs"}
+ 60                                                            {/if}
+ 61                                                        </div>
+ 62                                                    {/if}
+ 63
+ 64                                                    {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
+ 65                                                        {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
+ 66                                                        <div class="unit-price-container">
+ 67                                                            {if $price_mode == '1' || $price_mode == '3'}
+ 68                                                                <i class="default-currency">
+ 69                                                                    ( 1 {$unit->translation->name} =
+ 70                                                                    {if $rproduct->specialOffer}
+ 71                                                                        {currency value=$rproduct->defaultStock->getUnitPriceCalculatio
nSpecialOfferPrice()}
+ 72                                                                    {else}
+ 73                                                                        {currency value=$rproduct->defaultStock->getUnitPriceCalculatio
nPrice()}
+ 74                                                                    {/if}
+ 75                                                                    )
+ 76                                                                </i>
+ 77                                                            {elseif $price_mode == '2'}
+ 78                                                                <i class="default-currency">
+ 79                                                                    ( 1 {$unit->translation->name} =
+ 80                                                                    {if $rproduct->specialOffer}
+ 81                                                                        {currency value=$rproduct->defaultStock->getUnitPriceCalculatio
nSpecialOfferPrice(true)}
+ 82                                                                    {else}
+ 83                                                                        {currency value=$rproduct->defaultStock->getUnitPriceCalculatio
nPrice(true)}
+ 84                                                                    {/if}
+ 85                                                                    )
+ 86                                                                </i>
+ 87                                                            {/if}
+ 88                                                        </div>
+ 89                                                    {/if}
+ 90
+ 91                                                    <p class="price__regular">
+ 92                                                        {translate key="Regular price"}:
+ 93                                                        <del class="price__inactive">{currency value=$rproduct->defaultStock->getPrice(
)}</del>
+ 94                                                    </p>
+ 95
+ 96                                                    {feature name="omnibus_frontend"}
+ 97                                                        {if $showLowestPriceHistory}
+ 98                                                            <div class="f-row clear">
+ 99                                                                {translate key='The lowest price during 30 days prior to the reduction'
}:
+ 100                                                               <strong class="js__omnibus-price-gross price__inactive">
```

```
+ 101                                                                {currency value=$rproduct->stock->getHistoricalLowestPrice()|escape
}
+ 102                                                            </strong>
+ 103                                                            <span class="hint">
+ 104                                                                <span class="icon icon-help"></span>
+ 105                                                                <span class="hint__content">
+ 106                                                                    {translate key='If the product is sold for less than 30 days, t
he lowest price since the product went on sale is displayed.'}
+ 107                                                                </span>
+ 108                                                            </span>
+ 109                                                        </div>
+ 110                                                    {/if}
+ 111                                                {/feature}
+ 112
  113                                                {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getI
dentifier()}
- 114                                                    <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defau
ltStock->getCurrencySpecialOfferPrice()})</em>
+ 49                                                     <p>
+ 50                                                         {translate key="Price"} ({$rproduct->currency->currency->name|escape}):
+ 51                                                         <em  class="default-currency">({currency id=$rproduct->product->currency_id
 rate=1 value=$rproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 52                                                     </p>
  53                                                {/if}
  54                                            {else}
  55                                                <em>{currency value=$rproduct->defaultStock->getPrice()}</em>
```

```
  126
  127                                       {if $price_mode == '1' || $price_mode == '2'}
  128                                           {if $price_mode == '1'}
- 129                                               <i class="price-netto">({translate key="net"}:
+ 129                                               <div class="price-netto">
  130                                           {/if}
  131                                               {if $rproduct->specialOffer}
- 132                                                   <em>{currency value=$rproduct->defaultStock->getSpecialOfferPrice(true)}</em>
- 133                                                   <del>{currency value=$rproduct->defaultStock->getPrice(true)}</del>
- 134                                                   {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->
getIdentifier()}
- 135                                                       <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->d
efaultStock->getCurrencySpecialOfferPrice(true)})</em>
- 136                                                   {/if}
- 137                                               {else}
- 138                                                   <em>{currency value=$rproduct->defaultStock->getPrice(true)}</em>
- 139                                                   {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->
getIdentifier()}
- 140                                                       <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->d
efaultStock->getCurrencyPrice(true)})</em>
- 141                                                   {/if}
- 142                                               {/if}
- 143                                           {if $price_mode == '1'}
```

```
- 144                                                )</i>
- 145                                            {/if}
- 146                                        {/if}
+ 132                                            <p>
+ 133                                                {if $price_mode == '1'}{translate key="Net price"}:  {/if}
+ 134                                                <em>{currency value=$rproduct->defaultStock->getSpecialOfferPrice(true)}</em>
+ 135                                            </p>
  136
- 137                                        {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
- 138                                            {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
- 139                                            <div class="unit-price-container">
- 140                                                {if $price_mode == '1' || $price_mode == '3'}
- 141                                                    <i class="default-currency">
- 142                                                        ( 1 {$unit->translation->name} =
- 143                                                        {if $rproduct->specialOffer}
- 144                                                            {currency value=$rproduct->defaultStock->getUnitPriceCalculationSpecialOfferPrice()}
- 145                                                        {else}
- 146                                                            {currency value=$rproduct->defaultStock->getUnitPriceCalculationPrice()}
+ 134                                            <div class="price__additional-info">
+ 135                                                {if $additional_tax_info == '2' && $price_mode == '2'}
+ 136                                                    {assign var=productTax value=$rproduct->getTax()}
+ 137                                                    <div class="tax-additional-info">
+ 138                                                        {if $price_mode == '2' && $rproduct->defaultStock->getPrice() != $rproduct->defaultStock->getPrice(true)}
+ 139                                                            {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
+ 140                                                        {else}
+ 141                                                            {translate key="excl. shipping costs"}
+ 142                                                        {/if}
+ 143                                                    </div>
  144                                                {/if}
- 145                                                )
- 146                                            </i>
- 147                                        {elseif $price_mode == '2'}
- 148                                            <i class="default-currency">
- 149                                                ( 1 {$unit->translation->name} =
- 150                                                {if $rproduct->specialOffer}
- 151                                                    {currency value=$rproduct->defaultStock->getUnitPriceCalculationSpecialOfferPrice(true)}
- 152                                                {else}
- 153                                                    {currency value=$rproduct->defaultStock->getUnitPriceCalculationPrice(true)}
+ 136
+ 137                                                {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
+ 138                                                    {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
+ 139                                                    <div class="unit-price-container">
+ 140                                                        {if $price_mode == '2'}
```

```
+ 141                                                                                    <i class="default-currency">
+ 142                                                                                        ( 1 {$unit->translation->name} =
+ 143                                                                                        {if $rproduct->specialOffer}
+ 144                                                                                            {currency value=$rproduct->defaultStock->getUnitPriceCa
lculationSpecialOfferPrice(true)}
+ 145                                                                                        {else}
+ 146                                                                                            {currency value=$rproduct->defaultStock->getUnitPriceCa
lculationPrice(true)}
+ 147                                                                                        {/if}
+ 148                                                                                        )
+ 149                                                                                    </i>
+ 150                                                                                {/if}
+ 151                                                                            </div>
  152                                                                        {/if}
- 153                                                                        )
- 154                                                                    </i>
- 155                                                                {/if}
- 156                                                            </div>
- 157                                                        {/if}
+ 138                                                                    </div>
  139
- 140                                                        {if $additional_tax_info == '1'}
- 141                                                            {assign var=productTax value=$rproduct->getTax()}
- 142                                                            <div class="tax-additional-info">
- 143                                                                {if ($price_mode == '1' || $price_mode == '3') && $rproduct->defaultStock->getPrice
() != $rproduct->defaultStock->getPrice(true)}
- 144                                                                    {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
- 145                                                                {elseif $price_mode == '2' && $rproduct->defaultStock->getPrice() != $rproduct->def
aultStock->getPrice(true)}
- 146                                                                    {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
+ 140                                                                {if $price_mode == '2'}
+ 141                                                                    <p class="price__regular">
+ 142                                                                        {translate key="Regular price"}:
+ 143                                                                        <del class="price__inactive">{currency value=$rproduct->defaultStock->g
etPrice(true)}</del>
+ 144                                                                    </p>
+ 145
+ 146                                                                {feature name="omnibus_frontend"}
+ 147                                                                {if $showLowestPriceHistory}
+ 148                                                                    <div class="f-row clear">
+ 149                                                                        {translate key='Lowest price'}:
+ 150                                                                        <strong class="js__omnibus-price-gross price__inactive">
+ 151                                                                            {currency value=$rproduct->stock->getHistoricalLowestPrice(true
)}
+ 152                                                                        </strong>
+ 153                                                                    </div>
+ 154                                                                {/if}
+ 155                                                                {/feature}
+ 156
```

```
+ 157                                                                {if $rproduct->currency and $currency->getIdentifier() != $rproduct->curren
cy->getIdentifier()}
+ 158                                                                    <p class="product__currency">
+ 159                                                                        {translate key="Price"} ({$rproduct->currency->currency->name|escap
e}):
+ 160                                                                        <em class="default-currency">{currency id=$rproduct->product->curre
ncy_id rate=1 value=$rproduct->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 161                                                                    </p>
+ 162                                                                {/if}
+ 163                                                            {/if}
  164                                                        {else}
- 165                                                            {translate key="excl. shipping costs"}
+ 142                                                            <p>
+ 143                                                                {if $price_mode == '1'}
+ 144                                                                    {translate key="Net price"}:
+ 145                                                                {/if}
+ 146                                                                <em>{currency value=$rproduct->defaultStock->getPrice(true)}</em>
+ 147                                                            </p>
+ 148
+ 149                                                            {if $price_mode == '2'}
+ 150                                                                <div class="price__additional-info">
+ 151                                                                    {if $additional_tax_info == '1'}
+ 152                                                                        {assign var=productTax value=$rproduct->getTax()}
+ 153                                                                        <div class="tax-additional-info">
+ 154                                                                            {if $price_mode == '2' && $rproduct->defaultStock->getPrice() !
= $rproduct->defaultStock->getPrice(true)}
+ 155                                                                                {translate key="excl. %s TAX, excl. shipping costs" s1=$pro
ductTax->taxValue->name}
+ 156                                                                            {else}
+ 157                                                                                {translate key="excl. shipping costs"}
+ 158                                                                            {/if}
+ 159                                                                        </div>
+ 160                                                                {/if}
+ 161
+ 162                                                                {if $rproduct->product->unit_price_calculation && $unit_price_calculati
on}
+ 163                                                                    {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalcula
tionUnit()}
+ 164                                                                    <div class="unit-price-container">
+ 165                                                                        {if $price_mode == '2'}
+ 166                                                                            <i class="default-currency">
+ 167                                                                                ( 1 {$unit->translation->name} =
+ 168                                                                                {if $rproduct->specialOffer}
+ 169                                                                                    {currency value=$rproduct->defaultStock->getUnitPri
ceCalculationSpecialOfferPrice(true)}
+ 170                                                                                {else}
+ 171                                                                                    {currency value=$rproduct->defaultStock->getUnitPri
ceCalculationPrice(true)}
+ 172                                                                                {/if}
+ 173                                                                                )
+ 174                                                                            </i>
```

```
+ 175                                                                                {/if}
+ 176                                                                            </div>
+ 177                                                                        {/if}
+ 178                                                                    </div>
+ 179
+ 180                                                                    {if $rproduct->currency and $currency->getIdentifier() != $rproduct->curren
cy->getIdentifier()}
+ 181                                                                        <p class="product__currency">
+ 182                                                                            {translate key="Price"} ({$rproduct->currency->currency->name|escap
e}):
+ 183                                                                            <em class="default-currency">{currency id=$rproduct->product->curre
ncy_id rate=1 value=$rproduct->defaultStock->getCurrencyPrice(true)}</em>
+ 184                                                                        </p>
+ 185                                                                    {/if}
+ 186                                                                {/if}
  187                                                            {/if}
- 188                                                        </div>
+ 144                                                        {if $price_mode == '1'}
+ 145                                                            </div>
+ 146                                                        {/if}
  147                                                    {/if}
  148                                                </div>
  149                                            {/if}
```

scripts/product/tableofproducts.tpl

```
  154                                                    {/if}
  155                                                </div>
  156                                            {/if}
+ 157
+ 158                                            {feature name="omnibus_frontend"}
+ 159                                                {if $showLowestPriceHistory && $product->specialOffer}
+ 160                                                    <div class="f-row clear">
+ 161                                                        {translate key='The lowest price during 30 days prior to the reduction'}:
+ 162                                                        <strong class="price__inactive">
+ 163                                                            {if $price_mode == '1' || $price_mode == '3'}
+ 164                                                                {currency value=$product->stock->getHistoricalLowestPrice()|escape}
+ 165                                                            {elseif $price_mode == '2'}
+ 166                                                                {currency value=$product->stock->getHistoricalLowestPrice(true)|escape}
+ 167                                                            {/if}
+ 168                                                        </strong>
+ 169
+ 170                                                        <span class="hint">
+ 171                                                            <span class="icon icon-help"></span>
+ 172                                                            <span class="hint__content">
+ 173                                                                {translate key='If the product is sold for less than 30 days, the lowes
t price since the product went on sale is displayed.'}
+ 174                                                            </span>
+ 175                                                        </span>
```

```
+ 176                                                    </div>
+ 177                                                {/if}
+ 178                                            {/feature}
  179                                        </div>
  180                                    {/if}
  181                                {/if}
```

```
  288             {/foreach}
  289         </div>
  290     {elseif 'phot' == $view}
- 291         <div class="products view{$view} s-row" {if $price_mode == '2'}data-netto="true"{/if}>
+ 291         <div class="products products_extended view{$view} s-row" {if $price_mode == '2'}data-netto="true"{/if}>
  292             {foreach from=$products item=product name=prodlist}
- 293                 <div data-product-id="{$product->product->product_id}" data-category="{$product->defaultCategory->translation->name|esc
      ape}" {if $product->product->producer_id}data-producer="{$product->producer->manufacturer->name|escape}"{/if} class="product s-grid-3 pr
      oduct-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/if}{if $product->readV
      isibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}">
+ 293                 <div data-product-id="{$product->product->product_id}" data-category="{$product->defaultCategory->translation->name|esc
      ape}" {if $product->product->producer_id}data-producer="{$product->producer->manufacturer->name|escape}"{/if} class="product product_vie
      w-extended s-grid-3 product-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/
      if}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}{if $showLowestPriceHistory} product_with-lowest-pric
      e{/if}{if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()} product_with-currency{/if}">
  294                     <div class="product-inner-wrap">
  295                         <a class="prodimage f-row" href="{route function=$productRoute key=$product->product->product_id productName=$p
      roduct->translation->name
  296                             productId=$product->product->product_id}" title="{$product->translation->name|escape}" rel="dofollow">
```

```
  341                                 {if $price_mode == '1' || $price_mode == '3'}
  342                                     <span>{translate key="Price"}:</span>
  343                                     {if $product->specialOffer}
- 344                                         <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 345                                         <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 344                                         <p>
+ 345                                             <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 346                                         </p>
+ 347 
+ 348                                         <div class="price__additional-info">
+ 349                                             {if $additional_tax_info == '1'}
+ 350                                                 {assign var=productTax value=$product->getTax()}
+ 351                                                 <div class="tax-additional-info">
+ 352                                                     {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
      ice() != $product->defaultStock->getPrice(true)}
+ 353                                                         {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
      e->name}
+ 354                                                     {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
      efaultStock->getPrice(true)}
+ 355                                                         {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
      e->name}
+ 356                                                     {else}
+ 357                                                         {translate key="excl. shipping costs"}
```

```
+ 358                                                {/if}
+ 359                                            </div>
+ 360                                        {/if}
+ 361
+ 362                                        {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 363                                            {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 364                                            <div class="unit-price-container">
+ 365                                                {if $price_mode == '1' || $price_mode == '3'}
+ 366                                                    <i class="default-currency">
+ 367                                                        ( 1 {$unit->translation->name} =
+ 368                                                        {if $product->specialOffer}
+ 369                                                            {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()}
+ 370                                                        {else}
+ 371                                                            {currency value=$product->defaultStock->getUnitPriceCalculationPric
e()}
+ 372                                                        {/if}
+ 373                                                        )
+ 374                                                    </i>
+ 375                                                {elseif $price_mode == '2'}
+ 376                                                    <i class="default-currency">
+ 377                                                        ( 1 {$unit->translation->name} =
+ 378                                                        {if $product->specialOffer}
+ 379                                                            {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice(true)}
+ 380                                                        {else}
+ 381                                                            {currency value=$product->defaultStock->getUnitPriceCalculationPric
e(true)}
+ 382                                                        {/if}
+ 383                                                        )
+ 384                                                    </i>
+ 385                                                {/if}
+ 386                                            </div>
+ 387                                        {/if}
+ 388                                    </div>
+ 389
+ 390                                    <p class="price__regular">
+ 391                                        {translate key="Regular price"}:
+ 392                                        <del class="price__inactive">{currency value=$product->defaultStock->getPrice()}</del>
+ 393                                    </p>
+ 394
+ 395                                    {feature name="omnibus_frontend"}
+ 396                                        {if $showLowestPriceHistory}
+ 397                                            <div class="f-row clear">
+ 398                                                {translate key='Lowest price'}:
+ 399                                                <strong class="js__omnibus-price-gross price__inactive">
+ 400                                                    {currency value=$product->stock->getHistoricalLowestPrice()}
+ 401                                                </strong>
+ 402                                            </div>
+ 403                                        {/if}
```

```
+ 404                                                {/feature}
+ 405
  406                                                {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}
- 407                                                    <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 346                                                    <p class="product__currency">
+ 347                                                        {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 348                                                        <em class="default-currency">{currency id=$product->product->currency_id rate=1 val
ue=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 349                                                    </p>
  350                                                {/if}
  351                                            {else}
- 352                                                <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 349                                                <p>
+ 350                                                    <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 351                                                </p>
+ 352
+ 353                                                <div class="price__additional-info">
+ 354                                                    {if $additional_tax_info == '1'}
+ 355                                                        {assign var=productTax value=$product->getTax()}
+ 356                                                        <div class="tax-additional-info">
+ 357                                                            {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
ice() != $product->defaultStock->getPrice(true)}
+ 358                                                                {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
+ 359                                                            {else}
+ 360                                                                {translate key="excl. shipping costs"}
+ 361                                                            {/if}
+ 362                                                        </div>
+ 363                                                    {/if}
+ 364
+ 365                                                    {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 366                                                        {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 367                                                        <div class="unit-price-container">
+ 368                                                            {if $price_mode == '1' || $price_mode == '3'}
+ 369                                                                <i class="default-currency">
+ 370                                                                    ( 1 {$unit->translation->name} =
+ 371                                                                    {if $product->specialOffer}
+ 372                                                                        {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()}
+ 373                                                                    {else}
+ 374                                                                        {currency value=$product->defaultStock->getUnitPriceCalculationPric
e()}
+ 375                                                                    {/if}
+ 376                                                                    )
+ 377                                                                </i>
+ 378                                                            {/if}
+ 379                                                        </div>
+ 380                                                    {/if}
+ 381                                                </div>
```

```
+ 382
  383                                                {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}
- 384                                                <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencyPrice()})</em>
+ 351                                                <p class="product__currency">
+ 352                                                    {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 353                                                    <em class="default-currency">{currency id=$product->product->currency_id rate=1 val
ue=$product->defaultStock->getCurrencyPrice()}</em>
+ 354                                                </p>
  355                                                {/if}
  356                                            {/if}
  357                                        {/if}
  358
  359                                        {if $price_mode == '1' || $price_mode == '2'}
  360                                            {if $price_mode == '1'}
- 361                                                <i class="price-netto">({translate key="net"}:
+ 358                                                <i class="price-netto">
  359                                            {/if}
  360                                                {if $product->specialOffer}
- 361                                                <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 362                                                <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 363                                                {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}
- 364                                                    <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 361                                                <p>
+ 362                                                    {if $price_mode == '1'}
+ 363                                                        {translate key="Net price"}:
+ 364                                                    {/if}
+ 365                                                    <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 366                                                </p>
+ 367
+ 368                                                <div class="price__additional-info">
+ 369
+ 370                                                    {if $additional_tax_info == '2' && $price_mode == '2'}
+ 371                                                        {assign var=productTax value=$product->getTax()}
+ 372                                                        <div class="tax-additional-info">
+ 373                                                            {if $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
efaultStock->getPrice(true)}
+ 374                                                                {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 375                                                            {else}
+ 376                                                                {translate key="excl. shipping costs"}
+ 377                                                            {/if}
+ 378                                                        </div>
+ 379                                                    {/if}
+ 380
+ 381                                                    {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 382                                                        {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 383                                                        <div class="unit-price-container">
```

```
+ 384                                                                {if $price_mode == '2'}
+ 385                                                                    <i class="default-currency">
+ 386                                                                        ( 1 {$unit->translation->name} =
+ 387                                                                        {if $product->specialOffer}
+ 388                                                                            {currency value=$product->defaultStock->getUnitPriceCalculation
SpecialOfferPrice(true)}
+ 389                                                                        {else}
+ 390                                                                            {currency value=$product->defaultStock->getUnitPriceCalculation
Price(true)}
+ 391                                                                        {/if}
+ 392                                                                        )
+ 393                                                                    </i>
+ 394                                                                {/if}
+ 395                                                            </div>
+ 396                                                        {/if}
+ 397                                                    </div>
+ 398
+ 399                                                    {if $price_mode == '2'}
+ 400                                                        <p class="price__regular">
+ 401                                                            {translate key="Regular price"}:
+ 402                                                            <del class="price__inactive">{currency value=$product->defaultStock->getPrice(t
rue)}</del>
+ 403                                                        </p>
+ 404
+ 405                                                        {feature name="omnibus_frontend"}
+ 406                                                            {if $showLowestPriceHistory}
+ 407                                                                <div class="f-row clear">
+ 408                                                                    {translate key='Lowest price'}:
+ 409                                                                    <strong class="js__omnibus-price-gross price__inactive">
+ 410                                                                        {currency value=$product->stock->getHistoricalLowestPrice(true)}
+ 411                                                                    </strong>
+ 412                                                                </div>
+ 413                                                            {/if}
+ 414                                                        {/feature}
+ 415
+ 416                                                        {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
+ 417                                                            <p class="product__currency">
+ 418                                                                {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 419                                                                <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 420                                                            </p>
+ 421                                                        {/if}
  422                                                    {/if}
  423                                                {else}
- 424                                                    <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 425                                                    {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}
- 426                                                        <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencyPrice(true)})</em>
+ 364                                                    <p>
```

```
+ 365                                                {if $price_mode == '1'}
+ 366                                                    {translate key="Net price"}:
+ 367                                                {/if}
+ 368                                                <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 369                                            </p>
+ 370
+ 371                                            {if $price_mode == '2'}
+ 372                                                <div class="price__additional-info">
+ 373                                                    {if $additional_tax_info == '1'}
+ 374                                                        {assign var=productTax value=$product->getTax()}
+ 375                                                        <div class="tax-additional-info">
+ 376                                                            {if $price_mode == '2' && $product->defaultStock->getPrice() != $produc
t->defaultStock->getPrice(true)}
+ 377                                                                {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax-
>taxValue->name}
+ 378                                                            {else}
+ 379                                                                {translate key="excl. shipping costs"}
+ 380                                                            {/if}
+ 381                                                        </div>
+ 382                                                    {/if}
+ 383
+ 384                                                    {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 385                                                        {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit(
)}
+ 386                                                        <div class="unit-price-container">
+ 387                                                            {if $price_mode == '2'}
+ 388                                                                <i class="default-currency">
+ 389                                                                    ( 1 {$unit->translation->name} =
+ 390                                                                    {if $product->specialOffer}
+ 391                                                                        {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice(true)}
+ 392                                                                    {else}
+ 393                                                                        {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice(true)}
+ 394                                                                    {/if}
+ 395                                                                    )
+ 396                                                                </i>
+ 397                                                            {/if}
+ 398                                                        </div>
+ 399                                                    {/if}
+ 400                                                </div>
+ 401
+ 402                                                {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
+ 403                                                    <p class="product__currency">
+ 404                                                        {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 405                                                        <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 406                                                    </p>
+ 407                                                {/if}
  408                                            {/if}
```

```
409                                         {/if}
410                                     {if $price_mode == '1'}
- 411                                       )</i>
+ 368                                       </i>
369                                     {/if}
370                                 {/if}
- 371
- 372                               {if $product->product->unit_price_calculation && $unit_price_calculation}
- 373                                   {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 374                                   <div class="unit-price-container">
- 375                                       {if $price_mode == '1' || $price_mode == '3'}
- 376                                           <i class="default-currency">
- 377                                               ( 1 {$unit->translation->name} =
- 378                                               {if $product->specialOffer}
- 379                                                   {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPric
      e()}
- 380                                               {else}
- 381                                                   {currency value=$product->defaultStock->getUnitPriceCalculationPrice()}
- 382                                               {/if}
- 383                                               )
- 384                                           </i>
- 385                                       {elseif $price_mode == '2'}
- 386                                           <i class="default-currency">
- 387                                               ( 1 {$unit->translation->name} =
- 388                                               {if $product->specialOffer}
- 389                                                   {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPric
      e(true)}
- 390                                               {else}
- 391                                                   {currency value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
- 392                                               {/if}
- 393                                               )
- 394                                           </i>
- 395                                       {/if}
- 396                                   </div>
- 397                               {/if}
398                                 {/if}
399
- 400                               {if $additional_tax_info == '1'}
- 401                                   {assign var=productTax value=$product->getTax()}
- 402                                   <div class="tax-additional-info">
- 403                                       {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPrice() != $produc
      t->defaultStock->getPrice(true)}
- 404                                           {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 405                                       {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->defaultStock->get
      Price(true)}
- 406                                           {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 407                                       {else}
- 408                                           {translate key="excl. shipping costs"}
- 409                                       {/if}
- 410                                   </div>
```

```
- 411                                {/if}
+ 373
  374                            {/if}
  375                        </div>
  376
```

Pliki .css

Pliki .less

---

styles/_modules.less

```
  276      }
  277  }
  278
+ 279  #box_bestsellers, #box_productoftheday, #box_specialoffer,
+ 280  #box_lastadded, #box_recent, [id*="box_recommendations_"] {
+ 281      .product {
+ 282          .price.price_extended {
+ 283              del {
+ 284                  display: inline;
+ 285              }
+ 286          }
+ 287      }
+ 288  }
+ 289
  290  #box_search{
  291      .search-input{
  292          float: left;
```

---

styles/_product.less

```
  409              .price-name {
  410                  font-size: 1em;
  411                  min-width: 25%;
- 412                  float: left;
  413                  margin-right: 0.5em;
  414              }
  415              del {
```

```
  436              }
  437          }
  438
+ 439          .unit-price-container {
+ 440              .price-name {
```

```
+ 441                 display: none;
+ 442             }
+ 443         }
+ 444
  445         .otherprice {
  446             .otherprice-name {
  447                 min-width: 25%;
```

```
 1708         width: auto;
 1709         height: auto;
 1710     }
- 1711 }
+ 1711 }
+ 1712
+ 1713 .price {
+ 1714     &__regular {
+ 1715         margin-top: 1rem;
+ 1716     }
+ 1717
+ 1718     &__inactive {
+ 1719         text-decoration: line-through;
+ 1720         font-size: 1.4em;
+ 1721         color: @greyFont;
+ 1722         font-weight: 500;
+ 1723     }
+ 1724 }
+ 1725
+ 1726 .price + .price-netto {
+ 1727     margin-top: 1em;
+ 1728 }
+ 1729
+ 1730 .products_extended {
+ 1731     display: flex;
+ 1732     flex-wrap: wrap;
+ 1733
+ 1734     .product-inner-wrap {
+ 1735         display: flex;
+ 1736         height: 100%;
+ 1737         flex-direction: column;
+ 1738     }
+ 1739 }
+ 1740
+ 1741 .products.viewphot.products_extended .product.product_view-extended {
+ 1742     height: auto;
+ 1743
+ 1744     .buttons {
+ 1745         flex: 1 0 auto;
+ 1746         display: flex;
+ 1747         align-items: flex-end;
```

```
+ 1748          justify-content: center;
+ 1749      }
+ 1750  }
+ 1751
+ 1752  .product_view-extended {
+ 1753      .price-netto {
+ 1754          margin-top: 1em;
+ 1755          display: block;
+ 1756      }
+ 1757  }
+ 1758
+ 1759  .price__additional-info {
+ 1760      margin-bottom: 1em;
+ 1761  }
+ 1762
+ 1763  .product-innerdesc-wrap .price.price_quickview {
+ 1764      font-size: 1em;
+ 1765      color: @fontBasicColor;
+ 1766      text-align: left;
+ 1767  }
+ 1768
+ 1769  .price__value {
+ 1770      font-size: 1.4em;
+ 1771      color: @maincolor;
+ 1772  }
+ 1773
+ 1774  .modal .product-innerdesc-wrap .price.price_quickview em.default-currency {
+ 1775      font-size: 1.4em;
+ 1776  }
+ 1777
+ 1778  .modal .product-innerdesc-wrap .basket {
+ 1779      margin-top: 1rem;
+ 1780  }
```